#### COUNTY OF ROCKLAND

# Department of General Services Purchasing Division

# **Contract Award Notification**

Title: Struvite Control – Non-Hazardous Mineral Prevention and Removal

**Additives** 

Contract Period: March 15, 2025, through March 14, 2026, w/ (4) 1-year options

Original Date of Issue: February 5, 2025

Date of Revision:

BID No: RFB-RC-2025-004

Catalog: Wastewater

Authorized Users: United States Agencies, Other States & Political Subdivisions Therein,

Local Governments, School Districts & Non-Profit Agencies

Address Inquiries To:

Name: Michele Phillips Title: Purchaser II Phone: 845-364-2984 Fax: 845-364-3809

E-mail: phillipm@co.rockalnd.ny.us

#### Description

This contract is to furnish and deliver nonhazardous, water soluble mineral preventative additives (preventative solution) and organomodified non-hazardous mineral removing agents (soak solution) to be use for the prevention and removal of struvite.

Contract #	Vendor Number	Contractor & Address	Telephone No.
RFB 25-004	0000026535	Grignard Company, LLC	732-340-1111
		505 Capobianco Plaza	ļ
		Rahway, NJ 07065	
		Contact: Mark Beaver	
		sales@grignard.com	Fax: 732-340-0111

VENDOR: Grignard Company, LLC

# COUNTY OF ROCKLAND DGS – PURCHASING DEPARTMENT BLDG. A, 6TH FLOOR, 50 SANATORIUM ROAD POMONA, NY 10970

TELEPHONE NO.: 845-364-3820 FAX NO.: 845-364-3809

LINE	DESCRIPTION	ITEM	EST.	UNIT	UN	IT	EX	TENDED	BRAND NAME &
NO.		NUMBER	QTY.		PRI	CE		PRICE	PRODUCT CODE
1	Furnish and Deliver Non Hazardous soluble mineral	88570000005	1650	Gallon	\$ 2	25.00	\$	41,250.00	Grignard Struvicide O PM
	preventative additive (Preventive Solution) - Mfg.								
	Grignard Struvicide O PM or equivalent - Quantity								
	based on 6 each 275 Gallon Totes - bidder shall enter								
	mfg. product code and tote size offered. This product								
	shall be ordered on an as needed basis, FOB								
	Destination prepaid and allowed								
2	Furnish and Deliver STRUVICIDE SOAK- Non	19090350004	1100	Gallon	\$	7.00	\$	7,700.00	Grignard Struvicide Soak
	Hazardous, Dissolves blockages of minerals, including								INGCSVWWXSTSOAT T01
	struvite, vivianite and other mineral build up in porcess								
	equipment, heat exchangers, pipes, centrifuges, and								
	other areas of contamination, can be diluted with water								
	and still maintain a high efficiency rate, non-corrosive,								
	fast acting, can be utilized for soak or recirculate								
	processes.								
	Mfg. Grignard Struvicide Soak								
	INGCSVWWXSTSOAT T01 or equivalent- estimated								
	quantity based on 4 each 275 Gallon Totes- bidder must								
	enter mfg. product code and tote size offered. This								
	product will be ordered on an as need basis. FOB								
	destination prepaid and allowed								
	TOTAL BID						\$	48,950.00	

#### COUNTY OF ROCKLAND - DGS-PURCHASING

BLDG. A., 6TH FLOOR, 50 SANATORIUM RD, POMONA, NY 10970 TELEPHONE: 845-364-3820 / TELEFAX: 845-364-3809

Struvite Control – Non-Hazardous Mineral Prevention

RFB-RC-2025-004

and Removal Additives

#### PURCHASES BY OTHER

#### LOCAL GOVERNMENTS, SCHOOL DISTRICTS, AND NON PROFIT AGENCIES

As per the New York State General Municipal Law, all political subdivisions of New York State are allowed to make purchases through the resulting contract(s). As per Rockland County Procurement Policy, Non Profit Agencies approved to participate in New York State's Contract Extension Program are authorized to make purchases through the resulting contract(s).

- 1. The County of Rockland shall make all contract award information available to other political subdivisions and non profit agencies through our website: www.rcpurchasing.com
- 2. Any other political subdivision or Rockland County non profit agency will issue purchase orders directly to vendors within the specified contract period referencing the County's contract and shall be liable for any payments due on such purchase orders; and shall accept sole responsibility for any payment due.
- 3. All purchases shall be subject to audit and inspection by the other political subdivisions and Rockland County non profit agencies for which the purchase was made.
- 4. No officer, board or agency of a county, town, village, or school district shall make any purchase through the County when bids have been received for such purchase by such officer, board or agency, unless such purchase may be made upon the same terms, conditions and specifications at a lower price through the County.
- 5. All Bidders shall be on notice that as a condition of the award of a County contract, the successful bidder shall accept the award of a similar contract with any other political subdivision in New York State and Rockland County non profit agencies authorized to use New York State's contracts, if called upon to do so. A listing of approved Rockland County non profit agencies is available on the Purchasing Division's website at www.rcpurchasing.com. The County, however, will not be responsible for any debts incurred by the participants pursuant to this or any other agreement.
- 6. Necessary deviations from the County's specifications in the award of a participant contract, whether such deviations relate to quantities, or delivery points shall be resolved between the successful bidder and the other political subdivisions and Rockland County non profit agencies.

#### COUNTY OF ROCKLAND - DGS-PURCHASING

BLDG. A., 6TH FLOOR, 50 SANATORIUM RD, POMONA, NY 10970 TELEPHONE: 845-364-3820 / TELEFAX: 845-364-3809

Struvite Control – Non-Hazardous Mineral Prevention and Removal Additives

RFB-RC-2025-004

#### **SPECIFICATIONS**

#### 1. SCOPE

This specification is to furnish and deliver a nonhazardous, water soluble mineral preventative additive (Preventative Solution) and an organomodified non-hazardous mineral removing agent (Soak Solution). Deliveries shall be made to the Rockland County Sewer District #1 (RCSD) Plant Facility located at 4 Rt. 340 Orangeburg, NY 10962. Orders to be processed for 275-gallon totes.

The Solutions are utilized as a single component system for the prevention and removal of struvite – vivianite – limestone and various other forms of mineral buildup in various systems including pipes, dewatering equipment, anaerobic sludge digestion facilities and other process equipment when dosed at the appropriate level to the sludge and centrate systems.

The solutions shall be compatible with all equipment utilized during the treatment process including but not limited to steel, aluminum, HDPE, PVC, pipe and tank coatings, gaskets. This specification outlines the requirements that must be met by the Preventative Solution, for use on all equipment owned and operated by the Authority including, but not limited to dewatering equipment, piping, valves, pumps, mixers, centrifuges, heat exchangers, and anaerobic digesters.

The solutions must meet the technical specifications detailed in this specification and have results verified by an approved independent third-party verification laboratory for product characteristics as defined in this specification.

The piping being treated for both maintenance and preventive product are mostly 6" in diameter. Flows and pressures vary depending. Additional consideration should be given to the flows treated have high solids and organic matter.

Performance testing will be performed by the Rockland County Sewer District #1, at their facility, after the bid opening.

#### 2. QUANTITIES AND DELIVERIES

- **2.1.** The RCSD#1 has previously used both the Preventative and Removal additive as Mfg. by Grignard. Struvicide O PM. 275-gallon totes and Struvicide Soak 275-gallon totes.
- **2.2.** Listed quantities are estimated.
- **2.3.** Deliveries shall be made at the date and time specified by the authorized representative of the RCSD#1.
  - **2.3.1.** Deliveries shall be made no later than **seven** (7) **days ARO**.
- **2.4.** Unless otherwise specified, all deliveries to Rockland County Sewer District Facilities shall be conducted between normal business hours of 7:00 AM 2:30 PM Monday Friday. Deliveries outside these times may be denied at the district's discretion, at no additional cost to the County of Rockland.

#### COUNTY OF ROCKLAND - DGS-PURCHASING

BLDG. A., 6TH FLOOR, 50 SANATORIUM RD, POMONA, NY 10970 TELEPHONE: 845-364-3820 / TELEFAX: 845-364-3809

Struvite Control – Non-Hazardous Mineral Prevention and Removal Additives

RFB-RC-2025-004

**2.5.** All deliveries shall be verified via telephone at least 24 hours prior to arrival at the County of Rockland Facilities. The contact telephone number is (845) 365-6111.

#### 3. BRAND NAME

The use of a brand name is for the purpose of describing a standard of quality, performance, and characteristics desired and is not intended to limit or restrict competition.

#### 4. SITE DAMAGE

Any damage to buildings, equipment, utilities, finished surfaces, or the property of the County of Rockland resulting from the performance of this contract shall be repaired by the Contractor at the Contractor's expense at no cost to the County of Rockland. Completed repairs shall be accepted and approved by the authorized representative of the County of Rockland.

#### 5. EQUIVALENT OR APPROVED EQUAL

- **5.1.** If the bidder is bidding an approved equal, they must provide five (5) references showing locations using the offered product.
- **5.2.** If offering alternate product, bidder must upload brochures, specifications and any other pertinent information, with the bid, otherwise bidder may be deemed non-responsive for that item.
- **5.3.** SDS sheets for all items submitted, must be uploaded with bid, otherwise bidder may be deemed non-responsive for that item.
- **5.4.** In the event that an alternate is bid, the County of Rockland reserves the right to request a demonstration of the specific product bid. Failure to furnish the demonstration within 5 days of request may render the bid for that item as non-responsive.
- **5.5.** The Rockland County Sewers districts decision on an approved equal will be final.

# 6. CHEMICAL AND PHYSICAL PROPERTIES REQUIREMENTS PREVENTATIVE SOLUTION

The Preventative Solution shall be delivered in form which is completely miscible with the County water supply.

The Preventative Solution shall effectively retard the mineral structure of struvite, vivianite, or calcium carbonate whereas it does not form hard crystalline structures and does not build-up in piping and on equipment or become abrasive to centrifuges and other working equipment.

The Preventative Solution must not require pre-blending and be able to be applied directly to the sludge – centrate lines and or wells as required by the District's system design.

Demonstrating the Preventative Solution's performance – testing must indicate at a <u>site-specific</u> location the ability to prevent hardened minerals from attaching to centrifuges and pumps causing grove wear in the centrifuge at 250 hours.

#### COUNTY OF ROCKLAND - DGS-PURCHASING

BLDG. A., 6TH FLOOR, 50 SANATORIUM RD, POMONA, NY 10970 TELEPHONE: 845-364-3820 / TELEFAX: 845-364-3809

Struvite Control – Non-Hazardous Mineral Prevention and Removal Additives

RFB-RC-2025-004

250 run time hours is for each centrifuge units. In addition to 250 run hour centrifuge performance test, the proposed product must meet a field demonstration for not less than 500 total run hours (not combined hours) for all centrifuges showing no significant struvite build up in any Feed Pumps, Feed Pipes (suction and discharge), centrate box, centrate discharge piping, drainage piping from centrifuge to plant drain lines, and all drain lines of centrate and spillage to the head of plant.

Chemical Composition – All vendors must supply to the wastewater treatment facility, the nominal composition and material inspection criteria of the Preventative Solution products. The material inspection criteria will be required with each delivery and recorded in the Certificate of Analysis (COA). At a minimum the COA will include pH, specific gravity, viscosity at 35 F and 75F and other such parameters to determine product conformance.

The Preventative Solution will not contain the use of free alkali, amines, amides, silicates, inorganic acids – hydrochloric, hydrofluoric acid, phosphoric acid, or sulfuric acid, phenols, cresylic type acids or their salts, EDTA, chromates and their salts, chlorine, sulfate, magnesium, calcium salts, and butyls. The products should contain no mineral seal oils or petroleum distillates. The concentration of elemental phosphorus and nitrilotriacetic acid are limited to 0.05% in accordance with local, state and federal regulations. Total Phosphorus and o-PO4 must both be in compliance with Local, State and Federal regulations. No filler ingredients will be utilized in the formulation, such as sodium chloride or sugars. In addition, the formulation may not contain any watch list or restricted substances per Federal (EPA), State and Local regulations. The product must contain no abrasives. The Preventative Solution will be considered noncorrosive (Skin Category 1) by having a pH above 4 and less than 11.5.

The Preventative Solution will be furnished in liquid form which is completely miscible with the County water supply.

The Preventative Solution shall not emit offensive odor or harmful or irritating vapors when used at temperatures ranging from 35°F to 150°F.

The Preventative Solution shall not damage the equipment which has mineral buildup including but not limited to piping (metal, glass, PVC), valves, gaskets, centrifuges, pumps, heat exchangers, and dewatering equipment.

The Preventative Solution shall be free rinsing and dilutable with County water. The Preventative Solution shall not cause out-gassing.

#### 7. PREVENTATIVE SOLUTION PRODUCT QUALIFICATIONS

The proposed product must meet both the laboratory testing for required technical characteristics and performance as well as a field demonstration utilizing representative equipment at the RCSD#1 for not less than 500 hours.

The product is required to be manufactured at a location meeting the requirements of the Manufacturer Qualifications.

#### COUNTY OF ROCKLAND - DGS-PURCHASING

BLDG. A., 6TH FLOOR, 50 SANATORIUM RD, POMONA, NY 10970 TELEPHONE: 845-364-3820 / TELEFAX: 845-364-3809

Struvite Control – Non-Hazardous Mineral Prevention and Removal Additives

RFB-RC-2025-004

The Preventative Solution must be non-toxic and non-hazardous. The product must be stable in storage for a period of not less than 2 years as certified by the manufacturer when stored in conditions from 35°F to 105°F. The chemical and physical property tests listed in Table 1 are required and shall be performed by a third-party independent laboratory. Results shall be submitted with the bid.

#### COUNTY OF ROCKLAND - DGS-PURCHASING

BLDG. A., 6TH FLOOR, 50 SANATORIUM RD, POMONA, NY 10970 TELEPHONE: 845-364-3820 / TELEFAX: 845-364-3809

Struvite Control – Non-Hazardous Mineral Prevention and Removal Additives

RFB-RC-2025-004

#### Table 1. Chemical and Physical Property Test Requirements Preventative Solution

Parameter	Test Method	Requirements
Visual (as received)	Visually inspect 100ml product in 200ml beaker	Clear, homogenous solution
Odor –Neat (as received)	Open sealed container.  Waft / sniff for  offensive odor.	No obtrusive odor
Flash point (as received)	ASTM D93	No flash observed to 212 F
pH (as received)	ASTM E70	4.0 – 11.5
Accelerated storage stability, (as received)	Note 1	No layering, separation or precipitation after 3 freeze- thaw cycles from 20°F to 105°F
Heat Stability (as received)	Note 2	No layering, separation or precipitation
Cold Stability (as received)	Note 2	No layering, separation or precipitation
Sudsing Test, (10% v/v)	Note 3	Foam Level (10% v/v)
Insoluble Matter (as received)	Note 4	Concentrate < 0.1%
Effect on PVC, 48 hours (as received)	White PVC immersed halfway in fluid at 100F for 48 hours	No degradation or discoloring of immersed portion after exposure
Effect on Neoprene O-rings 24 hours @ 100F, as received	Note 5	No degradation or swelling compared to control sample
Effect on Viton O-rings 24 hours @100F, as received	Note 5	No degradation or swelling compared to control sample
Viscosity at 50F	ASTM D2196	< 300 cps
Viscosity at 77F	ASTM D2196	< 150 cps
Viscosity at 100F	ASTM D2196	< 100 cps
Struvite anti-precipitation with Centrate water	Note 6	Samples should not have any precipitate after 40 minutes of mixing. Orthophosphate level with treatment after 40 minutes must be at least 4x higher than control (no treatment)
Field Testing Centrisys Centrifuges	250 hours observation and measure wear on equipment	No measurable wear in groves

#### COUNTY OF ROCKLAND - DGS-PURCHASING

BLDG. A., 6TH FLOOR, 50 SANATORIUM RD, POMONA, NY 10970 TELEPHONE: 845-364-3820 / TELEFAX: 845-364-3809

Struvite Control – Non-Hazardous Mineral Prevention and Removal Additives

RFB-RC-2025-004

#### *Note 1:*

Accelerated Storage Stability: Place a 50ml portion of thoroughly mixed Preventative Solution, as received, in each of three (3) stoppered 100 ml graduated cylinders. Put all three samples in a low temperature environment @  $20 \pm 2^{\circ}F$  ( $2 \pm 1^{\circ}C$ ) for 30 min. Remove cylinders; allow them to return to room temperature. Then place all three samples in a hot environment @  $105 \pm 2^{\circ}F$  ( $44 \pm 1^{\circ}C$ ) for 30 min; allow to air cool to room temperature. Repeat this freeze-thaw cycle two more times. Record all visible changes including layering, separation and precipitation.

#### *Note 2:*

Heat Stability: Fifty (50) ml of the concentrated Preventative Solution shall be placed in a 50 ml graduate mixing cylinder, the cylinder shall be stoppered. The cylinder shall be placed in a 60°C +/- 2 C (140°F +/-3°F) water bath and maintained at that temperature for six (6) hours. The water bath shall be sufficient depth to cover at least 30 ml of the Preventative Solution. At the end of the test period, no separation or layering of the Preventative Solution shall be evident.

<u>Cold Stability</u>: Fifty (50) ml of the concentrated Preventative Solution shall be placed in a 50 ml graduated cylinder, the cylinder shall be stoppered and cooled to a  $-18^{\circ}\text{C}$  +/- $5^{\circ}\text{C}$  ( $0^{\circ}\text{F} - 9^{\circ}\text{F}$ ). This temperature shall be maintained for one (1) hour. The Preventative Solution shall then be allowed to return to room temperature ( $75^{\circ}\text{F} - 80^{\circ}\text{F}$ ). At the end of this test period, no separation, precipitation or layering of the Preventative Solution will be evident.

#### *Note 3:*

Test Preventative Solution as received. Place 45 ml of filtered centrate water in graduated cylinder. Add 5ml concentrated Preventative Solution and conduct 30 pivotal movements in 30 seconds. Read foam level immediately, at 3 minutes, and 5-minute intervals.

#### *Note 4:*

Insoluble Matter: The concentrated Preventative Solution shall be thoroughly agitated and a 200 mg test sample withdrawn. The insoluble matter shall be collected with the aid of a vacuum filtering apparatus consisting of a water tap filter pump, a 2,000 ml Erlenmeyer flask, a size 4 (126-millimeter (mm)) Whatman No. 5 filter paper, or its equivalent. The filter paper shall be dried at 60°C (140°F) for 30 minutes in a gravity convection oven, cooled for three (3) minutes in a desiccator and weighed to the nearest 0.1 mg. The filter paper shall be laced in the Buchner funnel so that its circumference coincides with the circumference of the funnel. The vacuum shall be started and filter paper wetted with approximately 10cc of distilled water in order to secure it properly in place. The test sample shall be weighed to the nearest .1 mg then filtered. The sides of the beaker, which contained the test sample shall be rinsed with 25 cc of distilled water from a wash bottle and the rinse transferred to the funnel, ensuring that any remaining insoluble matter is completely transferred with the rinse. When all the initial liquid and the rinse have been transferred through the filter, the sides of the funnel shall be washed with 25 cc of distilled water from a wash bottle and the rinse allowed to filter. The vacuum on the flask shall be relieved and the filter paper removed from the funnel. The filter paper shall be

#### COUNTY OF ROCKLAND - DGS-PURCHASING

BLDG. A., 6TH FLOOR, 50 SANATORIUM RD, POMONA, NY 10970 TELEPHONE: 845-364-3820 / TELEFAX: 845-364-3809

Struvite Control – Non-Hazardous Mineral Prevention and Removal Additives

RFB-RC-2025-004

dried for one hour at 60°C (140°F) in a gravity convection oven, cooled for three (3) minutes in a desiccator, and weighed to the nearest 0.1 mg. The percent insoluble shall be calculated as follows:

# Final filter paper weight – initial filter paper weight x 100 = % insoluble Weight of Sample

Care should be exercised throughout the final drying and weighing cycles to maintain the flat surface of the filter paper in a horizontal position in order that none of the insoluble matter will be lost. Insoluble matter determinations shall be made on a minimum of two samples. The average of these samples must be less than 0.1%.

#### *Note 5:*

Immerse (3) neoprene O ring and Viton O ring specimens in a 200ml concentrated Preventative Solution, as received, in a 250 ml beaker for 24 hrs. @ 100 F, and immerse another (3) neoprene O ring and Viton O ring specimens in distilled water in same way as a control. The test conforms if no degradation of or swelling of the specimens is evident as compared to the distilled water control.

#### *Note* 6:

Struvite precipitation will be tested in filtered Centrate Water sample with Magnesium to Phosphate molar ratio of 2:1

Magnesium Chloride Solution (1.0M): MW of MgCl2.6H2O = 202.3. Add 40.66g MgCl2.6H2O to 100ml DI water and make to 200mL with DI.

Preventative Solution: 10mg/mL: Make 200mg neat product to 20mL with DI. Run at 0 (Control), 40 and 60ppm Preventative Solution

- 1. Filter centrate water using a 10-micron filter bag.
- 2. Measure pH of water and raise to 8.5 if required using NaOH.
- 3. Measure filtered centrate water per table below.
- 4. Add required amount of Preventative Solution to sample i.e. 0 (Control), 40 and 60 ppm.
- 5. Stir on high for 1 minute to ensure proper mixing of product in filtered centrate water.
- 6. Add 101.25uL of 1.0M MgCl<sub>2</sub> and let samples mix for 40 minutes.
- 7. After 40 minutes, observe samples for turbidity.
- 8. Filter samples using Whatman Filter Paper #5 (150mm).
- 9. Further filter filtrate using 0.45um syringe filter.
- 10. Using MC500 Colorimeter, Method 321, measure o-PO4 by diluting 2ml filtered sample with 10mL DI and analyze sample.

#### COUNTY OF ROCKLAND - DGS-PURCHASING

BLDG. A., 6TH FLOOR, 50 SANATORIUM RD, POMONA, NY 10970 TELEPHONE: 845-364-3820 / TELEFAX: 845-364-3809

Struvite Control – Non-Hazardous Mineral Prevention and Removal Additives

RFB-RC-2025-004

Solution	Target Preventative Solution (ppm product)	mL filtered Centrate Water for 50mL total volume	uL of 10mg/mL product to add for 50mL total volume
1	0	49.9	0
2	40	49.7	200
3	60	49.6	300

#### 8. CHEMICAL AND PHYSICAL PROPERTIES REQUIREMENTS FOR REMOVAL SOLUTION

The Removal Solution shall effectively remove struvite at a 1:3 w/w or 1:4 w/w basis when utilized with agitation provided by circulation or soak processes. Demonstrating the Removal Solution's performance – testing must indicate on a <u>site-specific struvite or mineral</u> sample performance of 2x that of ferric chloride on a 1:4w/w in 6 hours and an overall dissolving capability on a 1:4 w/w basis >95% effectiveness. Effectiveness ratio is based on struvite buildup density being treated.

Chemical Composition – All vendors must supply to the wastewater treatment facility, the nominal composition and material inspection criteria of the Removal Solution products to be tested. The material inspection criteria will be required with each delivery and recorded in the Certificate of Analysis (COA).

The Removal Solution will not contain the use of free alkali, amines, amides, silicates, inorganic acids – hydrochloric, hydrofluoric acid, phosphoric acid, or sulfuric acid, phenols, cresylic type acids or their salts, EDTA, chromates and their salts, chlorine, sulfate, magnesium, calcium salts, and butyls. The products should contain no mineral seal oils or petroleum distillates. The concentration of elemental phosphorus and nitrilotriacetic acid are limited to 0.05% in accordance with local, state and federal regulations. No filler ingredients will be utilized in the formulation, such as sodium chloride or sugars. In addition, the formulation may not contain any watch list or restricted substances per Federal (EPA), State and Local regulations. The product must be readily biodegradable and contain no abrasives. The Removal Solution will be considered noncorrosive (Skin Category 1) by having a pH above 2 and less than 11.5 per OSHA 1910.1200.

The Soak Solution will be furnished in liquid form which is completely miscible with the city water supply.

Product must NOT be harmful to wastestream when discharged to our drain lines. There must be 3<sup>rd</sup> party lab results prior to application.

The Removal Solution shall not emit offensive odor or harmful or irritating vapors when used at temperatures ranging from 30°F to 212°F.

#### COUNTY OF ROCKLAND - DGS-PURCHASING

BLDG. A., 6TH FLOOR, 50 SANATORIUM RD, POMONA, NY 10970 TELEPHONE: 845-364-3820 / TELEFAX: 845-364-3809

Struvite Control – Non-Hazardous Mineral Prevention and Removal Additives

RFB-RC-2025-004

#### 9. SOAK SOLUTION PRODUCT QUALIFICATION

The proposed product must meet both the laboratory testing for required technical characteristics and performance as well as a field demonstration utilizing representative equipment on piping that has a minimum of 50% accumulated mineral blockage at the Authority.

The product is required to be manufactured at a location meeting the requirements of the Manufacturer Qualifications.

The Soak Solution must be non-toxic and non-hazardous. The product must be stable in storage for a period of not less than 2 years as certified by the manufacturer when stored in conditions from 28°F to 105°F. The chemical and physical property tests listed in Table 1 are required and shall be performed by an approved independent laboratory.

Table 1. Chemical and Physical Property Test Requirements for Removal Solution

Parameter	Test Method	Requirements
Visual (as received)	Visually inspect 100ml product in 200ml beaker	Clear, homogenous solution
Odor –Neat	Open sealed container.	No Obtrusive odor
(as received)	Waft / sniff for offensive odor.	
Odor –during	Note 1	No Obtrusive odor or off-
application		gassing
Specific Gravity	ASTM D891-09	1.09 – 1.12
(as received)		
Flash point, as received	ASTM D93	No flash observed to 212 F
pH, (as received)	ASTM E70	>2.0
pH, 1:1000	ASTM E70 diluted with DI Water	>3.0
Accelerated storage stability, (as received)	Note 2	No layering, separation or precipitation after 3 freeze-thaw cycles from 20°F to 105°F
Heat Stability (as received)	Note 3	No layering, separation or precipitation
Cold Stability (as received)	Note 3	No layering, separation or precipitation

#### COUNTY OF ROCKLAND - DGS-PURCHASING

BLDG. A., 6TH FLOOR, 50 SANATORIUM RD, POMONA, NY 10970 TELEPHONE: 845-364-3820 / TELEFAX: 845-364-3809

TITLE: Struvite Control- Non-Hazardous Mineral Prevention and Removal Additives

RFB #: RFB-RC-2025-004

Freeze point (as received)	ASTM D1177	< 27F
Pour Point (as received)	ASTM D97-93	<23F
Sudsing Test, (10% v/v)	Note 4	Foam Level (10% v/v) Immediate - >25 mls After 3 minutes > 20 mls After 5 minutes < = 20 mls
Insoluble Matter (as received)	Note 5	Concentrate < 0.1%
Effect on PVC, 48 hours (as received)	White PVC immersed halfway in fluid at 100F for 48 hours	No degradation or discoloring of immersed portion after exposure
Effect on Neoprene Orings 24 hours @ 100F, as received	Note 6	No degradation or swelling compared to control sample
Effect on HNBR Orings 24 hours @100F, as received	Note 6	No degradation or swelling compared to control sample
Effect on Viton O-rings 24 hours @100F, as received	Note 6	No degradation or swelling compared to control sample
Foam Properties, (tested using a 10% v/v solution with distilled water)	ASTM D1173	1 minutes > 12 cm 3 minutes ≤ 5 cm 5 minutes ≤ 1 cm
Non-Volatile Matter as received	ASTM D800, determined from volatile content at 105C	>20%

#### COUNTY OF ROCKLAND - DGS-PURCHASING

BLDG. A., 6TH FLOOR, 50 SANATORIUM RD, POMONA, NY 10970 TELEPHONE: 845-364-3820 / TELEFAX: 845-364-3809

TITLE: Struvite Control- Non-Hazardous Mineral Prevention and Removal Additives

RFB #: RFB-RC-2025-004

#### *Note 1:*

Combine 50g of struvite with 200g of mineral Removal Solution in covered beaker. Mix for 20 minutes, remove cover and whaft/sniff for any odors. No obtrusive odors.

#### Note 2:

Place a 50ml portion of thoroughly mixed SOAK Solution, as received, in each of three (3) stoppered 100 ml graduated cylinders. Put all three samples in a low temperature environment @  $20 \pm 2$ °F ( $2 \pm 1$ °C) for 30 min. Remove cylinders; allow them to return to room temperature.

Then place all three samples in a hot environment @  $105 \pm 2^{\circ}F$  ( $44 \pm 1^{\circ}C$ ) for 30 min; allow to air cool to room temperature. Repeat this freeze-thaw cycle two more times. Record all visible changes including layering, separation and precipitation.

#### Note 3:

<u>Heat Stability</u>: Fifty (50) ml of the concentrated Removal Solution shall be placed in a 50 ml graduate mixing cylinder, the cylinder shall be stoppered. The cylinder shall be placed in a 60°C +/- 2 C (140°F +/-3°F) water bath and maintained at that temperature for six (6) hours. The water bath shall be sufficient depth to cover at least 30 ml of the Removal Solution. At the end of the test period, no separation or layering of the Removal Solution shall be evident.

<u>Cold Stability</u>: Fifty (50) ml of the concentrated Removal Solution shall be placed in a 50 ml graduated cylinder, the cylinder shall be stoppered and cooled to a  $-18^{\circ}\text{C} + /-5^{\circ}\text{C}$  ( $0^{\circ}\text{F} - 9^{\circ}\text{F}$ ). This temperature shall be maintained for one (1) hour. The Removal Solution shall then be allowed to return to room temperature ( $75^{\circ}\text{F} - 80^{\circ}\text{F}$ ). At the end of this test period, no separation, precipitation or layering of the Removal Solution will be evident.

#### Note 4:

Test Removal Solution as received. Place 45 ml of DI Water in graduated cylinder. Add 5ml concentrated Removal Solution and conduct 30 pivotal movements in 30 seconds. Read foam level immediately, at 3 minutes, and 5-minute intervals.

#### Note 5:

<u>Insoluble Matter</u>: The concentrated Removal Solution shall be thoroughly agitated and a 200 mg test sample withdrawn. The insoluble matter shall be collected with the aid of a vacuum filtering apparatus consisting of a water tap filter pump, a 2,000 ml Erlenmeyer flask, a size 4 (126-millimeter (mm)) Whatman No. 5 filter paper, or its equivalent. The filter paper shall be dried at 60°C (140°F) for 30 minutes in a gravity convection oven, cooled for three (3) minutes in a desiccator and weighed to the nearest 0.1 mg. The filter paper shall be

#### COUNTY OF ROCKLAND - DGS-PURCHASING

BLDG. A., 6TH FLOOR, 50 SANATORIUM RD, POMONA, NY 10970 TELEPHONE: 845-364-3820 / TELEFAX: 845-364-3809

TITLE: Struvite Control- Non-Hazardous Mineral Prevention and Removal Additives

RFB #: RFB-RC-2025-004

laced in the Buchner funnel so that its circumference coincides with the circumference of the funnel. The vacuum shall be weighed to the nearest .1 mg then filtered. The sides of the beaker, which contained the test sample shall be rinsed with 25 cc of distilled water from a wash bottle and the rinse transferred to the funnel, ensuring that any remaining insoluble matter is completely transferred with the rinse. When all the initial liquid and the rinse have been transferred through the filter, the sides of the funnel shall be washed with 25 cc of distilled water from a wash bottle and the rinse allowed to filter. The vacuum on the flask shall be relieved and the filter paper removed from the funnel. The filter paper shall be dried for one (1) hour at 60°C (140°F) in a gravity convection oven, cooled for three (3) minutes in a desiccator, and weighed to the nearest 0.1 mg. The percent insoluble shall be calculated as follows:

# Final filter paper weight – initial filter paper weight x 100 = % insoluble Weight of Sample

Care should be exercised throughout the final drying and weighing cycles to maintain the flat surface of the filter paper in a horizontal position in order that none of the insoluble matter will be lost. Insoluble matter determinations shall be made on a minimum of two samples. The average of these samples must be less than 0.1%.

#### *Note* 6:

Immerse (3) neoprene O ring, HNBR O ring and Viton O ring specimens in a 200ml concentrated Removal Solution, as received, in a 250 ml beaker for 24 hr. @ 100 F, and immerse another (3) neoprene O ring, HBNR O ring and Viton O ring specimens in distilled water in same way as a control. The test conforms if no degradation of or swelling of the specimens is evident as compared to the distilled water control.

#### 10. PREVENTATIVE AND SOAK SOLUTION COMPATIBILITY WITH EQUIPMENT

The Solutions shall not damage the equipment which has mineral buildup including but not limited to piping (metal, glass, PVC), valves, gaskets, centrifuges, pumps, heat exchangers, and dewatering equipment.

The Solutions shall be free rinsing and dilutable with city water. Solutions shall not cause out-gassing.

#### 11. MANUFACTURER QUALIFICATION FOR SOLUTIONS

The manufacturers shall maintain a plant of adequate size and facilities to properly service the WWTP with respect to inventory warehousing requirements, accounting, laboratory quality control area, and production facilities; in compliance with 49 U.S.C 5325 (j) (2) (D).

The manufacturer shall be properly registered ISO-9001 organization. If the manufacturer is not ISO-9001 certified, they are required to be ISO-9001 or ANSI/ASQ C1-1985 compliant. At time of bid, the

#### COUNTY OF ROCKLAND - DGS-PURCHASING

BLDG. A., 6TH FLOOR, 50 SANATORIUM RD, POMONA, NY 10970 TELEPHONE: 845-364-3820 / TELEFAX: 845-364-3809

TITLE: Struvite Control- Non-Hazardous Mineral Prevention and Removal Additives

RFB #: RFB-RC-2025-004

proposed manufacturer shall provide a copy of its Quality Control system for review to assure the Preventative Solution is produced within specification.

The manufacturer has sufficient financial resources to perform the contract, as required by 49 U.S.C. Section 5325 (j) (2) (D).

Timeless – manufacturer is able to comply with the required delivery or performance schedule, taking into consideration all existing commercial and governmental business commitments.

#### 12. <u>SERVICE REQUIREMENTS</u>

A qualified representative, from the manufacturer of the solutions, may visit the District's WWTP to assess the site conditions for the use of the solutions.

Upon request of an authorized RCSD#1 representative, the manufacturer (contractor) will conduct an Environmental Health & Safety presentation at the District's WWTP to the people that will be utilizing the material and answer any questions raised regarding the Preventative Solution and best practices to achieve optimum efficiency.

At the request of the District and at no additional cost, the manufacturer (contractor) shall render chemical and technical consulting service to the District.

#### 13. QUALIFICATION PROCESS

In the procurement of products requiring pre-qualification, the Authority will reject bids for products that have not been subjected to the required laboratory tests contained in this specification and successful field demonstration.

Failure to supply the required information in this or any other Section will be deemed sufficient cause for rejection of bid. The steps required for qualification are as follows:

The Bidder shall be fully responsible for providing the qualification laboratory tests to the Authority. The Bidder / Contractor must utilize a qualified independent commercial laboratory such as SMI Inc., 12219 SW 131 Ave., Miami, FL 33186-6401- Phone 305-971-7047 to conduct the qualification testing.

Bidder shall furnish a 16 section Globally Harmonized System (GHS) compliant Safety Data Sheet (SDS) as part of their bid submission and with each delivery. The SDS shall be reviewed by the District's Health and Safety Department for review for approval. The pH of the product shall comply with the physical properties stated in Table 1.

The apparent low bidder for the preventative solution shall poore enough material to conduct a 500-hour test to conduct a field test insuring that the mineral buildup will not cause harm to the centrifuges, pumps, piping, or any other device or equipment downstream of chemical injection

#### COUNTY OF ROCKLAND - DGS-PURCHASING

BLDG. A., 6TH FLOOR, 50 SANATORIUM RD, POMONA, NY 10970 TELEPHONE: 845-364-3820 / TELEFAX: 845-364-3809

TITLE: Struvite Control- Non-Hazardous Mineral Prevention and Removal Additives

RFB #: RFB-RC-2025-004

point. The centrifuges, pumps, piping, devices, and equipment will be checked every 250 hours for hard mineral build up that becomes abrasive. Any change to the identified test centrifuges grove wear will be grounds for disqualification at which time the County reserves the right to consider an award to the next lowest responsible responsive bidder.

The apparent low bidder for the removal solution shall perform a field demonstration utilizing representative equipment on piping that has a minimum of 50% accumulated mineral blockage. In the event a 50% blockage is unavailable the maximum piping currently blocked would suffice. Additionally, as a substitute test at the discretion of RCSD#1 A pump, or any restricted piece of equipment due to struvite buildup may be used. Any change to the identified test centrifuges grove wear will be grounds for disqualification at which time the County reserves the right to consider an award to the next lowest responsible responsive bidder. Any damage caused by vendor product will be vendor's responsibility to restore RCSD#1 Whole both financially and productively. This includes, but not limited to, Damage to centrifuges, pipes, pumps, loss of production, process upset, and any regulatory fines as a contributing result of harm caused by vendor chemical.

Bidder shall provide a minimum of at least three (3) documented successful cleaning operations at representative Wastewater Treatment Plants (WWTP). (see Certification of Experience Form).

#### 14. INSPECTION REQUIREMENTS

Manufacturers of the qualified Solutions are required to present a documented quality assurance program which is acceptable to the Authority. The documented quality system must meet or exceed the requirements of American Standard ANSI/ASQ C1-1985 or ISO 9001.

Distributor / Supplier quality program. In addition to the Manufacturer's documented quality control program, Distributors are required to maintain a quality program acceptable to the Authority. Distributors are fully responsible for the quality of the materials and must actively take precautions by working with the manufacturer to guarantee the quality of the product.

#### 15. LABELING

All cleaning compound shall be labeled in accordance with the following:

#### Tote Labeling

All labels shall contain the following information:

- The chemical name and the common name or trade name.
- A hazard warning, by symbols and words.
- The name, address, and telephone number of the manufacturer.
- All labels shall be affixed to the front and back of the tote.

#### COUNTY OF ROCKLAND - DGS-PURCHASING

BLDG. A., 6TH FLOOR, 50 SANATORIUM RD, POMONA, NY 10970 TELEPHONE: 845-364-3820 / TELEFAX: 845-364-3809

TITLE: Struvite Control- Non-Hazardous Mineral Prevention and Removal Additives

RFB #: RFB-RC-2025-004

- Labels shall be places approximately midway on the side of the tote.
- Labels shall be plastic coated or sprayed with a clear sealant that will render the label waterproof and compatible with the contents of the tote.
- Should the label be painted onto the side of the tote, the color of the label's lettering shall be in contrast with the color of the tote.
- Each tote shall be stenciled with the following information:
- Batch number with reference to the specific bath or mix of the cleaning compound supplied.
- All stenciled lettering shall be a minimum of 1½" high, upper case,
   letters and numerals. Color stenciling shall be in contrast with the color of the tote.
- Any totes delivered and identified as having improper labels or stenciling at the time of delivery or subsequent to delivery shall be returned to the Contractor at the sole cost and expense of the Contractor.

#### 16. PRICE ADJUSTMENT

The County recognizes this product or service has a price component that may have a commodity with changing costs. The Contractor/Supplier may request a Price Adjustment at the end of each contract year, upon renewal.

A Price Adjustment request must be made in writing and include the reason for the request, documentation supporting the request (ie, commodity increases), the current pricing, and the requested revised pricing.

The County will review the Price Adjustment request. If the Price Adjustment is deemed reasonable the Price Adjustment request will be accepted by written acknowledgement. If the request is not accepted the County may entirely reject the request or may counter with revised pricing. In either case the County will provide a written explanation in support of the decision.

The Director of Purchasing may use available indexes (e.g. CPI or PPI) to determine if the requested Price Adjustment is reasonable. Typically, a Price Adjustment that exceeds 5% will not be approved unless very unusual and significant changes have occurred in the industry.

In the event industry costs decline, the County shall have the right to receive, from the Contractor, a reasonable reduction in prices/pricing that reflect such cost changes in the industry. The County will make a written request to the Contractor for a Price Adjustment in writing with supporting documentation.

#### COUNTY OF ROCKLAND - DGS-PURCHASING

BLDG. A., 6TH FLOOR, 50 SANATORIUM RD, POMONA, NY 10970 TELEPHONE: 845-364-3820 / TELEFAX: 845-364-3809

TITLE: Struvite Control-Non-Hazardous Mineral Prevention and Removal Additives

RFB #: RFB-RC-2025-004

#### 17. AWARD

This contract is intended to be awarded as a whole to the lowest responsible responsive bidder meeting the stated requirements. The county reserves the right to award this contact on a line-by-line basis to the lowest responsible bidder(s) if it is in the best interest of the county.

The apparent low bidder for the preventative solution shall provide enough material to conduct a 500-hour test to conduct a field test insuring that the mineral buildup will not cause harm to the centrifuges, pumps, piping, or any other device or equipment downstream of chemical injection point. The centrifuges will be checked every 250 hours for hard mineral build up that becomes abrasive. Any change to the identified test centrifuges grove wear will be grounds for disqualification at which time the County reserves the right to consider an award to the next lowest responsible responsive bidder.

The apparent low bidder for the removal solution shall perform a field demonstration utilizing representative equipment on piping that has a minimum of 50% accumulated mineral blockage. In the event a 50% blockage is unavailable the maximum piping currently blocked would suffice. Additionally, as a substitute test at the discretion of RCSD#1 A pump, or any restricted piece of equipment due to struvite buildup may be used. Any change to the identified test centrifuges grove wear will be grounds for disqualification at which time the County reserves the right to consider an award to the next lowest responsible responsive bidder. Any damage caused by vendor product will be vendor's responsibility to restore RCSD#1 Whole both financially and productively. This includes, but not limited to, Damage to centrifuges, pipes, pumps, loss of production, process upset, and any regulatory fines as a contributing result of harm caused by vendor chemical.

In an effort to expedite the award of this contract, bidders may submit, with their bid, a valid Certificate of Liability (see sample Certificate for coverage and limits required and sample language for naming the County of Rockland as additionally insured), valid NYS Worker's Compensation and NYS Disability Certificates or Attestation of Exemption.

### **Safety Data Sheet**

May be used to comply with OSHA's Hazard Communication Standard, 29 CFR 1910.1200. Standard must be consulted for specific requirements.

## U.S. Department of Labor

Occupational Safety and Health Administration (Non-Mandatory Form)
Form Approved
OMB No. 1218-0072

1221 (111 1 (110 0000 011 2000 0110 2100)	Note: Blank spaces are not permitted. If any item is not applicable, or no information is available, the space must be
STRUVICIDETM O PM	marked to indicate that.

Section I: Product and Company Identification

Manufacturer's Name Grignard Company LLC	24 hour Emergency Telephone Contact Number CHEMTREC Domestic North America: 800-424-9300
Address (Number, Street, City, State, and ZIP Code) 505 Capobianco Plaza Rahway, NJ 07065	Telephone Number for Information 732-340-1111
Date Prepared June, 2017	Date Updated July, 2024

Section II: Hazard(s) Identification  Hazardous Components (Specific Chemical Identity; Common Name(s))  No hazardous ingredients	OSHA PEL	ACGIH TLV	Other Limits Recommended	
This material is not considered to be hazardous a	ccording to regi	ulatory guideline	es.	
HMIS Rating: Health $-1$ , Flammability $-0$ , R	Reactivity – 0			
Routes of Exposure: Eye contact, Skin Contact,	Ingestion, Inha	lation		
Health Hazards (Acute and Chronic) May cause irritation to the eyes, skin, and respiratory system.  Hazard Statements — H315+H320: Causes skin and eye irritation H335: May cause respiratory irritation				
Precautionary Statements –				

P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing.

P302+352: IF ON SKIN: Wash with plenty of water.

P304+340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

#### Signs and Symptoms of Exposure

None known

#### Medical Conditions Generally Aggravated by Exposure

Skin disorders, Respiratory disorders

#### Section III - Composition / Information on Ingredients

No reportable Hazardous Substance(s) or Complex Substance(s).

Grignard Company LLC withholds the specific chemical identity and/or exact percentages of the composition of our products due to this information being a part of our Intellectual Property.

#### Section IV: First Aid Measures

Eyes: Flush eyes with water for at least 15 minutes. If irritation persists, seek medical assistance **Skin:** Wash contact areas with soap and water. Take off contaminated clothing. Seek medical attention if irritation persists.

Inhalation: Move victim to fresh air. If symptoms persist, get medical attention.

**Ingestion:** Do NOT induce vomiting. Seek medical attention.

Section V: Fire - Fighting Measures

Flash Point (Method Used) > 212°F (Closed cup)	Flammable Limits N/A	LEL N/A	UEL N/A	
Extinguishing Media Use water fog, foam, CO <sub>2</sub> or dry chemical powder.				
Special Fire Fighting Procedures Wear self-contained breathing apparat	us and full protective clothing			
Unusual Fire and Explosion Hazard	ls			
None				

#### Section VI: Accidental Release Measures

#### Personal Precautions:

Isolate area. Keep unnecessary personnel away.

#### **Environmental precautions:**

Prevent further leakage or spillage if safe to do so.

#### Method for Clean Up:

Small spills: Use a non-combustible material to soak up the product and place into well labelled

container for later disposal.

Large Spills: Dike area to contain spill

Section VII: Handling and Storage

Detroit   121
Handling
Avoid contact with skin and eyes. Wash hands thoroughly after handling.
Storing
Store in a cool and dry place. Keep in a well-ventilated place.

Section VIII: Exposure Controls/Personal Protection

Generally not req	tection (Specify Type) uired. If ventilation is not suffice SH/MSHA respiratory protection		effectively prevent buildup of aerosols, e provided.	
Ventilation	Local Exhaust		Special	
General	To capture hot fumes.			
	Mechanical (General)		Other	
Protective Glove	es	Eye Pı	rotection	
Nitrile/Latex Chem		Chemi	nemical goggles.	
Other Protective Clothing or Equipment Suitable protective clothing.				
		s, such as	s washing after handling the material and	

Section IX: Physical and Chemical Properties

Boiling Point	N/A	Specific Gravity $(H_2O = 1)$	1.055 - 1.075		
Vapor Pressure (mm Hg.)	N/A	pН	> 3.5		
Vapor Density (AIR = 1)	N/A	Evaporation Rate (Butyl Acetate = 1)	N/A		
Solubility in Water: Complete					
Physical State: Liquid					
Appearance: Clear, Transparent					
Odor: Odorless					

Section X: Stability and Reactivity

Stability:	Stable	Hazardous Polymerization:	Will Not Occur
<b>Incompatibility</b> Strong alkalis	(Materials to	Avoid):	
Conditions to A Stable under nor			
Possibility of Haw	azardous Read	ctions:	
<b>Hazardous Dec</b> o	omposition Pr	oducts:	

Section XI: Toxicological Information

Carcinogenicity/Other Information:

None of the components are listed by: NTP, IARC, ACGIH, OSHA

**Section XII: Ecological Information** 

#### **Section XIII: Disposal Considerations**

#### **Disposal Recommendations:**

Disposal recommendations based on material as supplied. Disposal must be in accordance with current applicable laws and regulations.

Section XIV: Transportation

Land (DOT): Not regulated for Land Transport

Land (TDG): Not regulated for Land Transport

Sea (IMDG): Not regulated for Sea Transport according to IMDG-Code

Air (IATA): Not regulated for Air Transport

#### Section XV: Regulatory Information

#### **OSHA Hazard Communication Standard:**

When used for its intended purposes, this material is not classified as hazardous in accordance with OSHA 29 CFR 1910.1200.

**EPCRA:** This material contains no extremely hazardous substances.

SARA (311/312) Reportable Hazard Categories: None

SARA (313) Toxic Release Inventory: This material contains no chemicals subject to the supplier notification requirements of the SARA 313 Toxic Release Program.

The Following Ingredients are Cited on the Lists Below: None

#### Section XVI: Other Information

**Other Special Considerations:** 

None

**Disclaimer:** This information is to the best of our knowledge and belief, accurate and reliable as of the date complied. However, no representation, warranty or guarantee is made as to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability and completeness of such information for his own particular use. We do not accept liability for any loss or damage that may occur from the use of this information nor do we offer warranty against patent infringement.

# **Safety Data Sheet**

May be used to comply with OSHA's Hazard Communication Standard, 29 CFR 1910.1200. Standard must be consulted for specific requirements.

# U.S. Department of Labor

Occupational Safety and Health Administration (Non-Mandatory Form)
Form Approved
OMB No. 1218-0072

IDENTITY (As Used on Label and List)	Note: Blank spaces are not permitted. If any item is not
STRUVICIDE <sup>TM</sup> Soak	applicable, or no information is available, the space must be marked to indicate that.
	marked to mulcate mat.

Section I: Product and Company Identification

Manufacturer's Name	24 hour Emergency Telephone Contact Number
Grignard Company LLC	CHEMTREC
	Domestic North America: 800-424-9300
Address (Number, Street, City, State, and ZIP	Telephone Number for Information
Code)	732-340-1111
505 Capobianco Plaza	
Rahway, NJ 07065	
Date Prepared	Date Updated
September, 2018	July, 2024

Section II: Hazard(s) Identification

Hazardous Components (Specific Chemical Identity; Common Name(s)) Hydrochloric Acid CAS#7647-01-0	OSHA PEL	ACGIH TLV	Other Limits Recommended		
Routes of Exposure: Eye contact, Skin Cont	tact, Ingestion, In	halation			
Health Hazards (Acute and Chronic) Hazard Statements — H303: May be harmful if swallowed H314: Causes severe skin burns and eye damage when exposed for > 3 minutes to 60 minutes H335: May cause respiratory irritation					
Precautionary Statements – P280: Wear protective gloves and eye protection					
P281: Use personal protective equipment as required					
Signs and Symptoms of Exposure					
None known					
Medical Conditions Generally Aggravated by Exposure Not known					

#### STRUVICIDETM Soak

#### Section III - Composition / Information on Ingredients

CAS	Ingredient Name	% by Weight
7647-01-0	Hydrochloric Acid	5 – 7
Proprietary	Non-Hazardous Components	93 - 95

Grignard Company LLC withholds the specific chemical identity and/or exact percentages of the composition of our products due to this information being a part of our Intellectual Property.

#### Section IV: First Aid Measures

Eyes: Flush eyes with water for at least 15 minutes. If irritation persists, seek medical assistance Skin: Wash contact areas with soap and water. Take off contaminated clothing. Seek medical attention if irritation persists.

**Inhalation:** Move victim to fresh air. If symptoms persist, get medical attention.

Ingestion: Do NOT induce vomiting. Seek medical attention.

Section V: Fire - Fighting Measures

Flash Point (Method Used) Not flammable	Flammable Limits N/A	LEL N/A	UEL N/A
Extinguishing Media Use water fog, foam, CO <sub>2</sub> or dry chemical powder.			
Special Fire Fighting Procedures Wear self-contained breathing appara	tus and full protective clothing		
Unusual Fire and Explosion Hazard None	ls		

#### Section VI: Accidental Release Measures

#### Personal Precautions:

Isolate area. Keep unnecessary personnel away.

#### Environmental precautions:

Prevent further leakage or spillage if safe to do so.

#### Method for Clean Up:

**Small spills:** Rinse area with copious amounts of water to dilute. Sodium bicarbonate may also be used to absorb/neutralize liquid. Place into well labelled container for later disposal.

Large Spills: Dike area to contain spill

## STRUVICIDE<sup>TM</sup> Soak

Section VII: Handling and Storage

Handling Avoid contact with skin and eyes. Wash hands thoroughly after handling.	
Storing	
Store in a cool and dry place in closed containers. Keep in a well-ventilated place.	

Section VIII: Exposure Controls/Personal Protection

None required t			tilation is not sufficient to effectively respiratory protection must be provided.		
Ventilation	Local Exhaust		Special		
General					
	Mechanical (General)		Other		
Protective Gloves			Eye Protection		
Chemical resistant gloves		Chemical goggles			
Other Protecti Suitable protect	ve Clothing or Equipment ive clothing.				
		es, such a	s washing after handling the material		

Section IX: Physical and Chemical Properties

Boiling Point	N/A	Specific Gravity (H <sub>2</sub> O = 1)	1.05 - 1.07		
Vapor Pressure (mm Hg.)	N/A	pH	< 2.0		
Vapor Density (AIR = 1)	N/A	Evaporation Rate (Butyl Acetate = 1)	N/A		
Solubility in Water: Complete					
Physical State: Liquid					
Appearance: Clear, Yellow liquid					
Odor: Slight Acidic					

#### STRUVICIDE<sup>TM</sup> Soak

Section X: Stability and Reactivity

Stability:	Stable	Hazardous Polymerization:	Will Not Occur
-	ty (Materials to oxidizing agents	•	
Conditions to Extreme temp		with incompatible materials	
Possibility of Will not occur	Hazardous Read	ctions:	
Hazardous D Carbon oxides	ecomposition Pr	oducts:	

Section XI: Toxicological Information

No toxicity tests have been carried out for this product. Acute toxicity data was determined based on toxicity of individual components contained for this product

Acute oral toxicity: May result in gastrointestinal irritation Acute inhalation: May cause irritation to upper respiratory tract.

Acute dermal toxicity: Not been determined Skin irritation: Prolonged contact may cause burns Eye irritation: May cause severe eye irritation

Carcinogenicity/Other Information:

None of the components are listed by: NTP, IARC, ACGIH, OSHA

Section XII: Ecological Information

Toxicity: May affect aquatic organisms if it lowers aquatic system pH < 5 Biodegradability: Not applicable Bio-accumulative potential: Not expected Other Adverse Effects: Not available

#### Section XIII: Disposal Considerations

#### **Disposal Recommendations:**

Disposal must be in accordance with current applicable laws and regulations. Pure dissolved material is calcium chloride when used as directed.

#### STRUVICIDETM Soak

#### Section XIV: Transportation

Land (DOT): UN1789, Hydrochloric Acid, 8, II	
Land (TDG): UN1789, Hydrochloric Acid, 8, II	
Sea (IMDG): UN1789, Hydrochloric Acid, 8, II	
Air (IATA): UN1789, Hydrochloric Acid, 8, II	

#### Section XV: Regulatory Information

#### **OSHA Hazard Communication Standard:**

When used for its intended purposes, this material is not classified as hazardous in accordance with OSHA 29 CFR 1910.1200.

EPCRA: This material contains no extremely hazardous substances.

SARA (311/312) Reportable Hazard Categories: Acute health hazard, Chronic health hazard

SARA (313) Toxic Release Inventory: This material contains no chemicals that are subject to the reporting requirements of the SARA 313 Toxic Release Program

The Following Ingredients are Cited on the Lists Below: None

#### Section XVI: Other Information

Other Special Considerations:
None

**Disclaimer:** This information is to the best of our knowledge and belief, accurate and reliable as of the date complied. However, no representation, warranty or guarantee is made as to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability and completeness of such information for his own particular use. We do not accept liability for any loss or damage that may occur from the use of this information nor do we offer warranty against patent infringement.