COUNTY OF ROCKLAND Department of General Services **Purchasing Division**

Contract Award Notification

Title:		Bus Fleet-Inspection, Preventative Maintenance and Repair		
Contract Period:		09/01/2021 THROUGH 08/31/2022 WITH 2- 1 YEAR OPTIONS Extended through 8/31/23 w/1 year option Ext thru 8/31/24 Extended through 11/30/24		
Original Date of	Issue:	09/01/2021		
Date of Revision	:	08/29/24		
BID No:		RFB-RC-2021-033		
Catalog:		Auto-Vehicles		
Authorized Users:		County Agencies, All Political Subdivisions		
Authorized Users	5:	County Agencies, All Political Subdivisions		
Authorized Users	5:	County Agencies, All Political Subdivisions Address Inquiries to:		

Description

This contract is to provide inspection, preventative maintenance and repair of buses.

Contract #	Vendor Number	Contractor & Address	Telephone No.
BID 21-033	0000005748	Chestnut Ridge Transportation	845-356-2200/
		56 W. Church Street Spring Valley, NY 10977	631-926-8027
		Contact: Mr. Ronald Gambini	
		rongambini@thetransgroup.com	FAX: 845-356-1200

PAGE 1 OF 25

CHESTNUT RIDGE TRANSPORTATION

Paratransit Fleet -Inspection, Preventative Maintenance and Repair

COUNTY OF ROCKLAND DGS – PURCHASING DEPARTMENT BLDG. A, 6th FLOOR, 50 SANATORIUM ROAD POMONA, NY 10970 TELEPHONE NO.: 845-364-3820 FAX NO.: 845-364-3809

INE NO.	DESCRIPTION	ITEM NUMBER	QUANTITY	UNIT	OPT YEAR 2 PRICING
1	ATTACHMENT "D" Ford E-450 Gas Engine Vehicles Inspection and Preventative Maintenance: "A" SERVICE LEVEL	92824000063	1	Each	\$366.92
2	ATTACHMENT "K" Dodge Grand Caravan Vehicles Inspection and Preventative Maintenance: "A" SERVICE LEVEL	92824000103	1	Each	\$265.87
3	ATTACHMENT "D" Ford E-450 Gas Engine Vehicles Inspection and Preventative Maintenance: "B" SERVICE LEVEL	92824000064	1	Each	\$535.60
4	ATTACHMENT "K" Dodge Grand Caravan Vehicles Inspection and Preventative Maintenance: "B" SERVICE LEVEL	9282400104	1	Each	\$402.12
5	ATTACHMENT "E" Wheelchair Lift Inspection, Adjustments and Preventative Maintenance for wheelchair lift will be performed at every preventative maintenance service for Ford E-450	92824000081	1	Each	\$50.49
6	Bus Cleaning INTERIOR (Section 2.34 of RFB-RC-2021-033)	92824000082	1	Each	\$183.24
7	Bus Cleaning EXTERIOR (Section 2.34 of RFB-RC-2021-033)	92824000083	1	Each	\$60.59
8	Repairs: Labor Rate Per Hour	92824000085	1	Each	\$136.24
9	Materials - Percent % Mark Up (Percent Mark-Up NOT to exceed 20%). For third party new OEM equivalent parts and materials which may be purchased in conjunction with repairs other than preventative maintenance services. Estimated Materials: \$1,000.00	92824000086	1	Each	\$1,190.00
10	Percent (%) Markup for Engines and Transmissions (Percent Mark-Up NOT to exceed 5%) . Estimated Purchases: \$1,000.00	92824000100	1	Each	\$1,010.00
11	Sub -Contracting - Percent % Markup For all Sub-Contracted work. (Percent Mark-Up NOT to exceed 5%. Estimated Purchases: \$500.00	92824000087	1	Each	\$500.00
12	NYS Inspections, for gasoline engine vehicles: at the current NYS Inspection rate. To be included in overall total bid	92824000089	1	Each	\$26.00
13	NYS Tire Disposal Fee, at the current NYS disposal fee of \$2.50/tire. To be included in overall total	92824000090	1	Each	\$2.50
14	Labor rates to replace tires: price per tire. Includes mounting, dismounting and balancing with beads	92824000091	1	Each	\$22.36

CHESTNUT RIDGE TRANSPORTATION

Paratransit Fleet -Inspection, Preventative Maintenance and Repair

COUNTY OF ROCKLAND DGS – PURCHASING DEPARTMENT BLDG. A, 6th FLOOR, 50 SANATORIUM ROAD POMONA, NY 10970 TELEPHONE NO.: 845-364-3820 FAX NO.: 845-364-3809

LINE NO.	DESCRIPTION	ITEM NUMBER	QUANTITY	UNIT	OPT YEAR 2 PRICING
15	Alignments, Front Wheel, as needed. To inspect all steering and suspension components for wear, set front toe-in, caster, and camber if necessary.	92824000092	1	Each	\$121.68
16	Alignments, Four Wheel, as needed. To inspect all steering and suspension components for wear, set front toe-in, caster, and camber if necessary.	92824000105	1	Each	\$121.68
17	One-way cost for pick up OR drop off of vehicles: as specified (Enter "0.00 " if providing NO COST for pick up and delivery as noted below in line 18)	92824000101	1	Each	\$27.04
18	Wheel Lug Re-Torque as specified (1st Wheel only per visit): Performed at the County's transportation facility (50 Sanatorium Road, Bldg. T) (Travel costs to be included)	92824000102	1	Each	\$58.24
19	Wheel Lug Re-Torque as specified (Per Wheel for all additional wheels per visit): Performed at the County's transportation facility (50 Sanatorium Road, Bldg. T) (No travel costs to be included)	92824000093	1	Each	\$11.39
20	Wheel Cleaning and Painting as specified	92824000094	1	Each	\$7.85
21	BID INCLUDES PICK UP AND DELIVERY OF VEHICLES Select " YES or " NO " (If neither are marked or NO is marked then the Mileage & Time Costs for the County to transport the vehicles will be added to each section and used in determining lowest cost): CIRCLE ONE. Refer to Section 2.12 for	92824	1	Each	\$0.00
	GRAND TOTAL				\$5,100.85

COUNTY OF ROCKLAND - DGS-PURCHASING BLDG. A., 6th FLOOR, 50 SANATORIUM RD, POMONA, NY 10970 TELEPHONE: 845-364-3820 / TELEFAX: 845-364-3809

TITLE: Paratransit Fleet -Inspection, Preventative Maintenance and Repair BID NUMBER: RFB-RC-2021-033

SECTION 2 - SPECIFICATIONS

2.0 SCOPE OF WORK

- 2.1. Bidder shall provide inspection services, maintenance, and repair for the Rockland County Department of Public Transportation TRIPS vehicle fleet. The work shall include but is not limited to inspection of mechanical parts, preventative maintenance and repairs as needed on vehicles and inspection and repairs of vehicle wheelchair lifts. Pricing shall be provided for the Contractor to transport a vehicle from the County's transportation facility to the Contractor's facility for preventative maintenance and repair. These vehicles shall be inspected to New York State Department of Motor Vehicle standards and procedures.
- 2.2. The County of Rockland will designate when a vehicle is to be provided to the Contractor for service. The Contractor is required to perform the selected Preventative Maintenance Service Level on the vehicle, as designated by the Authorized Representative of the County of Rockland, and follow that service level's scope of work identified on Attachment D or Attachment K.
- 2.3. Bidder's shop shall have a minimum of two (2) indoor lifts capable to raise vehicles stated in attachment "A" without interference and have all the shop equipment and diagnostic software necessary to maintain, inspect and repair stated fleet. A minimum of two (2) qualified technicians are required.
 - 2.3.1. The County reserves the right to inspect the bidder's facilities, equipment, personnel, and organization at any time or take any other action necessary to determine the bidder's ability to perform. The Director of Purchasing reserves the right to reject bids where evidence or evaluation is determined to indicate inability to perform work required under this bid.
- 2.4. The contract is for a period of one year from the date of award with two additional one-year options. The decision to exercise an option year lies solely with the County.
- 2.5. Bidders shall use the inspection forms developed by the County of Rockland for TRIPS vehicle inspections. These forms utilize requirements from both New York State Department of Motor Vehicles and, as a guideline, New York State Department of Transportation (NYSDOT). The TRIPS fleet is not part of the New York State biannual inspection, however; the County does require that the TRIPS fleet meet NYSDOT inspection standards.
- 2.6. Fleet make up: Refer to Attachment A for further fleet details.
- 2.7. The County of Rockland and/or New York State contracts shall be used for towing and tires unless otherwise determined in writing by the County.
- 2.8. The Bidder shall be a trained service provider for Ricon and Braun lifts prior to contract award and shall provide documentation from the manufacturer that they have been trained to service these lift systems or demonstrate experience of working history on the lift systems stated. Documentation is to be provided to the County within 5 business days from date of request.
- 2.9 The Bidder shall have a certified air conditioning technician and a certified technician with medium duty electrical and computer experience on staff. Technicians shall be required to perform all air conditioning preventative maintenance on TRIPS vehicles. The Bidder shall meet 609 technician's certification program of the United States EPA (Environmental Protection Agency). Example: ASE (Automotive Service Excellence) Documentation to be provided to the County within 5 business days from date of request.
- 2.10 Drug and Alcohol Testing

The Contractor shall submit, prior to contract award, a written drug and alcohol testing program for safety-sensitive employees. Volunteer drivers are not subject to testing unless the volunteers are required to hold a commercial driver's license (CDL) or receive remuneration in excess of expenses incurred while engaged in a safety-sensitive function. Safety-sensitive employees are employees that perform maintaining, repairing, overhauling, and rebuilding a revenue service

COUNTY OF ROCKLAND - DGS-PURCHASING BLDG. A., 6th FLOOR, 50 SANATORIUM RD, POMONA, NY 10970 TELEPHONE: 845-364-3820 / TELEFAX: 845-364-3809

TITLE:	BID NUMBER:
Paratransit Fleet -Inspection, Preventative	RFB-RC-2021-033
Maintenance and Repair	

vehicle or equipment used in revenue service. Documentation to be provided to the County within 5 business days from date of request.

The grantee and its subrecipients, contractors, subcontractors, and lessees covered by 49 CFR Part 655 must have a drug and alcohol policy detailing the provisions of their drug and alcohol program. The policy should cover all the provisions noted below and should reflect all updates and regulation amendments. The following checklist identifies the minimum requirements of a policy as defined by 49 CFR 655.15:

- Proof of policy adoption by the appropriate governing body with effective date indicated
- Identity of the person designated by the employer to answer questions about the anti-drug and alcohol misuse program
- Categories of employees who are subject to testing
- Prohibited behavior, including when the regulations prohibit the use of alcohol and drugs
- Testing circumstances for drugs and alcohol (i.e., pre-employment, random, post-accident, reasonable suspicion, return-to-duty, and follow-up testing)
- Drug and alcohol testing procedures consistent with 49 CFR Part 40, as amended
- Requirement that covered employees submit to drug and alcohol testing administered in accordance with FTA regulations
- Description of the behavior and circumstances that constitute a refusal to take a drug and/or alcohol test and a statement that a refusal constitutes a verified positive test result

Description of the consequences for a covered employee who has a verified positive drug test result or a confirmed alcohol test with an alcohol concentration of 0.04 or greater. If the system has a second chance policy, a description of the evaluation and treatment processes must be included.

Description of the consequences for covered employees found to have an alcohol concentration of 0.02 or greater but less than 0.04

In addition to the requirements listed above, the policy should include the grantee's policy toward retesting of negative dilute urine collections as required by 49 CFR 40.197 which states that if the MRO informs the agency that a *negative* drug test was dilute, the agency may, but is not required to, direct the employee to take another test immediately. All employees must be treated the same for this purpose. For example, the grantee must not retest some employees and not others. The grantee may retest for some types of tests (e.g., pre-employment tests)

and not others. The policy should state whether or not immediate retesting for negative dilutes is required and, if required, that the second test will be the test of record.

2.11 The Bidder shall include a price for the transportation of the TRIPS vehicles to and from the County's transportation facility. The Authorized Representative of the County of Rockland will determine whether vehicles will be transported by the County or by the Contractor.

Bidders can offer to pick-up and deliver vehicles at no charge to the County of Rockland. The bid response shall clearly indicate on the appropriate line of the pricing pages for each section a YES or NO if offering/not offering this service. If "NEITHER" is indicated or "NO" is selected, then the cost for the County to deliver and pick-up vehicles shall be used in the evaluation process. If a vendor offers to pick-up and deliver vehicles at no cost to the County; vehicles shall be picked up within 24 hours of contact and returned within 24 hours after completion of repairs. The County shall complete the Mileage and Time Costs for each bidder's location listed for all Sections and it shall be added to each bid section total and used as part of the evaluation and award.

COUNTY OF ROCKLAND - DGS-PURCHASING BLDG. A., 6th FLOOR, 50 SANATORIUM RD, POMONA, NY 10970 TELEPHONE: 845-364-3820 / TELEFAX: 845-364-3809

TITLE:	BID NUMBER:
Paratransit Fleet -Inspection, Preventative	RFB-RC-2021-033
Maintenance and Repair	

Mileage Cost will be based on:

Est. Annual Amt. of Trips X Miles from location X (2 X .56 /Mile) = Mileage Cost

Time Cost will be based on:

Est. Annual Amt. of Trips X Time from location X (2 X Wage (\$53)/Hour) = Time Cost

The Bidder must provide personnel available six (6) days a week (Monday through Saturday) excluding national holidays. The Bidder shall also be able to provide emergency service seven (7) days a week, 24 hours a day.

2.12 At all times when any wheels are removed from a County TRIPS vehicle, the following recommended torque sequence shall be used to tighten lug nuts and a torque wrench shall be used for final tightening of all the lug nuts to the proper torque specifications. The red and green torque flags shall be used in addition to the torque seal (orange) or other approved equal (by Authorized County Representative) shall be put on the lug nuts and studs.

Preventative Maintenance (PM) Wheel Lug Torque requirements below:

2.12.1 Wheel Lug Torque Procedure During Preventative Maintenance

- 2.12.1.1 Remove all "GREEN" Flags and remove all wheels (save flags)
- 2.12.1.2 Inspect complete rim, lug holes, web for cracks (area between holes), tire valve and tire including side walls, inspect studs for damage, inspect wheel flange/hub for cleanliness
- 2.12.1.3 Sand, wire brush or use sanding disc to clean any rust, paint or debris from the wheel flange, any mating surfaces and hub as needed upon inspection. **Do not** use a grinder or similar tool that removes or gouges the base metal
- 2.12.1.4 Install wheel on vehicle, start lug nuts by hand
- 2.12.1.5 Tighten lug nuts with an air gun using cross pattern, make sure the torque on the air gun is turned down below 100-foot pounds, also make sure wheel is flush with flange
- 2.12.1.6 Lower vehicle without full weight on vehicle (just so the wheels will not turn during torque procedure)
- 2.12.1.7 With a torque wrench tighten all lugs using the cross pattern attached technique and torque to 120-foot pounds
- 2.12.1.8 Perform torque sequence on front lugs using cross pattern attached and torque to 150-foot pounds (NO EXTENSION ON TORQUE WRENCH)
- 2.12.1.9 Perform torque sequence on rear lugs using cross pattern attached to 160-foot pounds (USING A (5) INCH EXTENSION ON THE END OF THE TORQUE WRENCH) (using 2 pounds per inch increase method for the length of the extension)
- 2.12.1.10 Road test vehicle a minimum of one (1) mile, if required, due to repairs that were performed during service, "S" turns should be included in road test, re-torque all wheels and inspect for any wheels for looseness
- 2.12.1.11 Install "RED" flags pointing to the adjacent stud with the lettering facing outward
- 2.12.1.12 Install "Orange" dye to each lug nut and onto the stud about a ¼ of an inch in thickness
- 2.12.2 Wheel Lug Re-Torque Procedure to be performed between 250 and 350 miles at the County's transportation facility. These mileage requirements are to be followed as close as the operation allows.
 - 2.12.2.1 Lift or jack the vehicle so the full weight is removed from the axle
 - 2.12.2.2 Remove "RED" flags and wire brush complete nut and stud of any old dye compound (save flags for reuse)

COUNTY OF ROCKLAND - DGS-PURCHASING BLDG. A., 6th FLOOR, 50 SANATORIUM RD, POMONA, NY 10970 TELEPHONE: 845-364-3820 / TELEFAX: 845-364-3809

TLELI HONL: 045 504 50207 TLELI MX: 045 504 5007		
TITLE:	BID NUMBER:	
Paratransit Fleet -Inspection, Preventative	RFB-RC-2021-033	
Maintenance and Repair		

- 2.12.2.3 Torque front lugs using cross pattern attached and torque to 150-foot pounds (NO EXTENSION ON TORQUE WRENCH)
- 2.12.2.4 Torque rear lugs using cross pattern attached to 160-foot pounds (USING A five (5) INCH EXTENSION ON THE END OF THE TORQUE WRENCH) (using 2 pounds per inch increase method for the length of the extension)
- 2.12.2.5 Install "GREEN" flags pointing to the adjacent stud with the lettering facing outward
- 2.12.2.6 Install "Orange" dye to each lug nut and onto the stud about a ¹/₄ of an inch in thickness
- 2.12.2.7 The Authorized Representative of the County of Rockland may request to have wheels refinished, following visual inspection, using the procedure outlined below:
- 2.13 Wheel Cleaning and Painting of Cutaway Vehicles
 - 2.13.1 The Authorized Representative of the County of Rockland will inspect wheels and may require that wheels not in service be cleaned so as to remove all of the rust, and any buildup of paint or debris, with special attention to mating surfaces. Wheels must be painted with a low VOC high gloss enamel (water based or powder coated) type paint compatible with wheel material and application.
 - 2.13.2 Paint Specification: Type- High Gloss; Color- PPG White or approved equal; Wheel mating surface paint thickness not to exceed-3 mils
 - 2.13.3 Wheels found to be defective shall not be painted and the wheel shall be returned to the County of Rockland. New valve stems shall be used on all cleaned wheels. The County of Rockland shall provide an adequate supply of steel wheels to support the float of wheel movement during this process.
- 2.14 Tire Balancing

2.14.1 Any tire that is being mounted shall be balanced using "IMI Equal Flexx" vibration dampening beads at the recommended manufactures rate per tire. Alternate products used for balancing must be approved by an Authorized Representative of the County of Rockland and used at the recommended rate of the bead manufacturing company's specifications. (Attachment G)

- 2.15 Instructions for checking the emergency brake on all TRIPS vehicles Chassis:
 - 2.15.1 The emergency brake feature of buses and vans does require testing to verify that it is performing adequately. It is required that the emergency brake be tested through a performance based or "static" test to determine its operability and then only if inadequate performance is found should investigation through visual means and/or component disassembly be performed. A performance-based test procedure would require a means of determining that the emergency brake is, in fact, able to hold the vehicle stationary when activated. To determine this, the bidder's service technician can set the vehicle emergency brake on a level surface and then place the vehicle into drive/low range and apply moderate acceleration up to 1100 RPM using the accelerator pedal. If the brake holds the vehicle and no forward movement is identified, then the emergency brake can be considered operational and providing adequate performance. Should the vehicle creep forward then the emergency brake would become suspect and further visual investigation and/or disassembly would be required to adjust the emergency brake assembly until adequate performance is realized as identified by the test procedure outlined above. When the rear brake pads and rotor need to be changed, a full inspection of the emergency brake and or replacement is required.
- 2.16 The Bidder shall keep accurate and timely records for each vehicle, which include listing the repairs and/or maintenance performed on each vehicle, the time spent on each repair, the parts used for each repair and the cost of parts (prior to mark-up) used to make the repair. These records must be provided immediately as requested, to the County of Rockland. Upon termination of the agreement, these records are to be turned over intact to the County of Rockland
 - 2.16.1 All Repair work must be guaranteed, at a minimum for one hundred eighty (180) days

COUNTY OF ROCKLAND - DGS-PURCHASING BLDG. A., 6th FLOOR, 50 SANATORIUM RD, POMONA, NY 10970 TELEPHONE: 845-364-3820 / TELEFAX: 845-364-3809

TITLE:	BID NUMBER:	
Paratransit Fleet -Inspection, Preventative	RFB-RC-2021-033	
Maintenance and Repair		

- 2.17 Vehicle body warranty work to be performed only as approved by the Authorized Representative of the County of Rockland and the vehicle body manufacturer.
 - 2.17.1 If approval is granted, as per Section 2.17, vehicle body manufacturer warranty work shall be performed at the current vehicle body manufacturer's labor rate and billed directly to the vehicle body manufacturer.
 - 2.17.2 The Contractor agrees to accept the warranty rate specified above when performing vehicle body warranty repairs on County TRIPS vehicles.
- 2.18 The County of Rockland must receive copies of all warranty repair invoices.
- 2.19 OEM Chassis Warranty Work
 - 2.19.1 The Contractor shall advise the Authorized County of Rockland Representative of any repair items identified during the course of a Preventative Maintenance (PM) that would normally fall under the OEM warranty. The Authorized Representative of the County of Rockland will advise the Contractor on how to proceed.
- 2.20 The Authorized Representative of the County of Rockland shall supply, via e-mail, to the successful bidder the required service, Preventative Maintenance Service Level, and repair as well as mileage of each vehicle covered under the Contract.
- 2.21 Attachments B & I are the TRIPS Maintenance Inspection Checklists. Each checklist is to be performed when required as part of the requirements in Attachments D and K. This requirement is listed within the Preventative Maintenance Service Levels as "Perform multi-point inspection as per Attachment B- TRIPS Maintenance Inspection Checklist for Ford E-450 Cutaway Vehicles and Attachment I TRIPS Maintenance Inspection Checklist for Dodge Grand Caravans.
- 2.22 Tires will be supplied by the County of Rockland to the Contractor and shall be stored and inventoried in a separate location or manner from the Contractor's own inventory. Any tires supplied by the County shall be used for the County TRIPS service only. The County's tires shall be inventoried monthly. A copy of the tire inventory shall be e-mailed to the Authorized Representative of the County of Rockland on the 2nd business day of each month.
- 2.23 All prices bid for preventative maintenance shall include the costs for required fluids and filters in the bid price submitted. All shop supplies, chemicals, rags, oil disposal or any other disposal fees shall be included in the repair pricing and Preventative Maintenance service pricing.
- 2.24 Bidder shall be required to keep all County of Rockland vehicles stored in a building and/or in a secured fenced yard or may have an open area with 24-hour security monitoring.
- 2.25 The Bidder shall have the ability to store multiple vehicles with indoor storage or a fenced yard or 24-hour security monitoring.
- 2.26 The Bidder shall be required to have sufficient stock of all parts and supplies required for preventative maintenance services.
- 2.27 Only the bidder's employees shall drive County of Rockland vehicles and shall be properly licensed, with a valid CDL, for the vehicle being driven, as required by New York State Department of Motor Vehicles.
- 2.28 The Bidder shall either have an official State of New York safety/ gasoline emissions inspection station license, with certified technicians, to perform inspections on the current TRIPS vehicles or have the capabilities to subcontract to an authorized official State of New York safety/ gasoline emissions licensed station, with certified technicians, for the TRIPS vehicles' yearly inspection. If inspection services will be subcontracted, a list of State of New York certified/licensed stations and technicians shall be included with the bid submittal. No mark-up will be paid on the subcontracting of inspection services. The County reserves the right to obtain required annual inspections on its own.
- 2.29 The Bidder shall be required to use nationally recognized labor and time guides such as Motors, Mitchell or All Data for all repairs under this contract. Any straight time above two hours shall be approved by the Authorized

COUNTY OF ROCKLAND - DGS-PURCHASING BLDG. A., 6th FLOOR, 50 SANATORIUM RD, POMONA, NY 10970 TELEPHONE: 845-364-3820 / TELEFAX: 845-364-3809

TITLE:	BID NUMBER:
Paratransit Fleet -Inspection, Preventative	RFB-RC-2021-033
Maintenance and Repair	

Representative of the County of Rockland. The bid response shall provide the Labor and time guide that will be used. Any discrepancies will be referred to All Data systems. The use of All-Data, Motors or Mitchell labor times are for actual repairs to be performed under this contract. Any required work scope that is not addressed directly in these labor guides must be approved by the County of Rockland Authorized Representative in advance of the commencement of the additional work scope. The Contractor is required to substantiate exactly how the proposed labor hours were determined when initially requesting approval of the designated work scope. **Note: The use of labor and time guides is not required for the development of the bidder's preventative maintenance service level pricing. Pricing for preventative maintenance service levels shall be developed by the Bidder to offer the most competitive rates possible.**

- 2.30 The County retains the right to negotiate with the determined lowest Bidder for lower than the nationally recognized labor and time rates published in the guides.
- 2.31 The Bidder shall provide an emergency contact for repairs/ breakdowns 24 hours a day, 7 days a week.

2.32 APPROVED EQUAL OR EQUIVALENT PRODUCT

- 2.32.1 In various sections of these Specifications, maintenance supplies are described by manufacturer and brand name, Bidder shall base the bid using only OEM parts for Preventative Maintenance services and repairs unless authorized by the County of Rockland.
- 2.32.2 If bidding on an approved equal or equivalent product, Bidder must submit Manufacturer's detailed specifications, brochures and MSDS sheets (if applicable) with their bid.

2.33 PAYMENT

2.33.1 The Bidder shall not pass on to the County of Rockland charges for sales tax.

2.33.2 Labor Charges

- 2.33.2.1 The invoice must list specifically the type of employee or laborer utilized and the number of man-hours worked. The Contractor's labor charges must correspond to 1) the amount of time published in the time and labor guide; 2) the labor rate the Contractor supplied with the bid. The Bidder agrees and hereby certifies that all labor charges contained in their invoices and vouchers shall be only those that were required and necessary to complete the required work. All straight time labor shall be billed from the time Bidder's employee starts and finishes.
- 2.33.2.2 The invoices for payment shall list specifically all parts and materials for each item and include appropriate commodity codes, which will be provided by the County of Rockland after contract award. The County of Rockland may require verification of these costs by copy of the invoice as submitted to the Contractor for payment. The Bidder agrees and hereby certifies that all parts and materials which they purchase shall be at lowest price available at the time considering the prevailing conditions and circumstances for which it is required that the purchase be made.
- 2.33.2.3 The County of Rockland reserves the right to supply material when deemed in the best interest of the County.
- 2.33.2.4 Documentation of material costs (invoices, etc.) of items greater than \$400.00, or as requested by the County, shall be provided with bidder's invoices.
- 2.33.2.5 Additional Items There shall be no additional charge for overnight delivery of parts or supplies without prior approval from the County of Rockland Authorized Representative. The overnight shipment of spare parts or supplies on an emergency basis shall be kept at a minimum and there shall be no markup for overnight charges. No other costs, except those in the Contractors original bid proposal at the time of the bid, are to be submitted to the County of Rockland for payment. The Bidder further agrees that should it be determined by the County of Rockland that the bidder is falsifying his/her invoices or partaking in

COUNTY OF ROCKLAND - DGS-PURCHASING BLDG. A., 6th FLOOR, 50 SANATORIUM RD, POMONA, NY 10970 TELEPHONE: 845-364-3820 / TELEFAX: 845-364-3809

TELEFIIONE. 843-304-38207 TELEFAA. 843-304-3809	
TITLE:	BID NUMBER:
Paratransit Fleet -Inspection, Preventative	RFB-RC-2021-033
Maintenance and Repair	

fraudulent practices so as to reflect higher costs than actually incurred in the repair, that this falsification or fraudulent practice shall be considered a material breach of the terms of the Contract.

- 2.33.2.6 Detailed description of all completed preventative maintenance and/or repair work, including any work performed by a sub-contractor, shall accompany all invoices.
 - 2.33.2.6.1 Any repairs required, in addition to Preventative Maintenance service, will require an estimate that must be approved in advance by the authorized representative of the County of Rockland before work commences. Date, time and name of the Authorized County Representative who authorized this repair shall be documented on the final invoice.
- 2.33.2.7 Detailed invoices of completed work may be requested by the County of Rockland at any time.
- 2.33.2.8 Preventative maintenance services and repairs shall be invoiced and submitted separately on a monthly basis.
- 2.33.2.9 A monthly statement of invoices shall be provided by the seventh day of the following month.

2.34 VEHICLE CLEANING

The Contractor is required to comply with the clean water requirements Section 33 USC., 1251. In addition, the Contractor **shall** comply with all state or local laws and regulations covering such operations. The Department of Public Transportation does not have additional requirements.

At the request of RCDPT the Contractor must supply all cleaning equipment, supplies and materials (including but not limited to, trash, bags, gloves, cleaners, soaps, brushes, mops, rags, scrapers, squeegees, towels, hose nozzles, etc.) needed to accomplish both Interior and Exterior cleaning duties. These cleaning duties are described below:

Chemical Agents (Interior and Exterior)

Contractor shall use environmentally friendly chemicals to the maximum extent. A complete listing of chemicals, including all MSDS information, must be submitted to the County upon contract award. If at any time chemicals change, the Contractor must submit an updated chemical list before the new chemical is used.

Contractor must be versed in the handling of hazardous waste and Biohazard types of materials.

Windows & Clear Partitions (Interior and Exterior)

All windows shall be completely clean and free of debris. All windows shall be thoroughly rinsed and streakfree. Contractor shall remove cleaning solution from windows with a squeegee or similar device. Special care shall be used to clean window decals. Contractor shall be liable if decals are damaged or removed. **Mirrors, Front Windows, Front Door Glass and Windshield (Interior and Exterior)**

Special attention shall be given to the mirrors, front windows, front door glass and windshield. These surfaces must be completely clean and streak-free without exception.

Driver's Area and Dash (Interior)

Extra attention is required in the driver area. The dash and area surrounding the driver seat shall be free of debris. A vacuum-type device should be used to contain debris and airborne particulate matter. The pedals and surrounding floor shall be completely clean and free of debris. The driver seat shall be thoroughly cleaned and disinfected. The front dash, including switches and two-way radio microphone, driver's door panel and steering wheel shall be completely wiped clean with a disinfectant cleaner. All gauges shall be cleaned. The complete front dash and doorway area must be free of debris and streak-free.

COUNTY OF ROCKLAND - DGS-PURCHASING BLDG. A., 6th FLOOR, 50 SANATORIUM RD, POMONA, NY 10970 TELEPHONE: 845-364-3820 / TELEFAX: 845-364-3809

TITLE:	BID NUMBER:	
Paratransit Fleet -Inspection, Preventative	RFB-RC-2021-033	
Maintenance and Repair		

<u>Note:</u> Care should be taken not to spray any cleaners directly into switches, radio, or any other electrical equipment.

Trash Container (Interior)

Each trash container shall be thoroughly emptied, cleaned, and disinfected.

Interior Panels (including but not limited to sidewalls, window trim, modesty panels)

All interior trim panels shall be thoroughly cleaned using a disinfectant solution. Special attention must be given to corners, doorways and the intersection of the sidewall and floor.

Seating (Interior)

General dry cleaning shall be performed on all seats with a vacuum-type device to remove all loose and embedded debris. Special attention shall be used in the area between the wall and seat, between seats, and between the back and bottom cushion. Buses, cars or vans may have vinyl and/or cloth seats.

<u>Note</u>: Ant cloth seat should not be soaked. The seat underside and back shall be completely free of debris, including chewing gum.

Hand Rails, Vertical Stanchions and Seating Handholds (Interior)

Seating handholds, vertical stanchions and horizontal overhead rails shall be thoroughly cleaned and wiped down with a disinfectant solution.

Floor/ Seat Tie Down Tracks (Interior)

Seat belt tie down tracks should be vacuumed, scrubbed with soap and water, and blow dried with compressed air. Tracks must be free of all debris.

Contractor shall ensure that all aisles and area under seats are free of all debris and dust. Contractor must ensure that all surfaces, fixtures, and furniture (i.e., floors, walkways, lights, mats, seats, etc.) which comprise the interior shall be clean and free of foreign matter and odors and have a clean, uniform, and polished appearance.

All flooring shall be vacuumed, and spot treated for stains and gum removal. Floor shall be washed with disinfectant soap solution and rinsed with clean water with a "clean mop" or steam vacuum.

Carpeted vehicles shall be vacuumed, and all debris removed from under the seat area.

Air Quality (Interior)

Contractor shall use products that leave a non-offensive fragrance. Scented products shall not leave an overpowering inhalable fragrance. Upon completion of cleaning the interior shall have a fresh clean scent.

Vehicle Exterior

Wash (Soap and Rinse) or pressure wash (Soap and Rinse) all painted surfaces, glass, and wheels. Dry all exterior mirrors and glass

2.35 INCREASES

2.35.1 In the second and third years of this agreement, at the County of Rockland's option, the Contractor may receive a Unit Cost increase not to exceed the prevailing Consumer Price Index for All Urban Consumers. The decision of the County of Rockland is "Final and Binding". At the option of the County of Rockland, this contract may be extended for two (2) one-year terms with the prevailing CPI-U increase.

COUNTY OF ROCKLAND - DGS-PURCHASING BLDG. A., 6th FLOOR, 50 SANATORIUM RD, POMONA, NY 10970 TELEPHONE: 845-364-3820 / TELEFAX: 845-364-3809

TITLE:	BID NUMBER:	
Paratransit Fleet -Inspection, Preventative	RFB-RC-2021-033	
Maintenance and Repair		

- 2.35.2 CPI-U means the Consumer Price Index for U.S. City Average-Consumer Price Index for All Urban Consumers as published by the Bureau of Labor Statistics of the United States Department of Labor or a successor or substitute index, appropriately adjusted. The Final and <u>Binding</u> decision to extend or not extend this agreement shall rest with the County of Rockland.
- 2.35.3 Vendors shall submit a letter to the Director of Purchasing addressing **any unscheduled price increases** from the manufacturers. This letter must also include, on the manufacturer's letterhead, all information to support any unscheduled increase. Any increase authorized is at the sole discretion of the Director of Purchasing and shall be made in writing.

2.36 DISCOUNT/MARK-UP

- 2.36.1 Third party new OEM equivalent replacement parts and materials, with the exception of OEM parts, engines and transmissions, are to be charged at vendor's cost-plus percentage markup as specified the bidder's response not to exceed 20%. OEM parts, Engines and transmissions are to be charged at vendors cost plus percentage markup not to exceed 5%. Offers containing chain or multiple discounts may be considered non-responsive.
- 2.36.2 Any / All shipping charges (special handling, overnight, etc.) are to be invoiced to the County at cost. No markup allowed.

2.37 GENERAL INFORMATION

- 2.37.1 Bids shall be submitted on original bid forms. No photocopies accepted. All information shall be submitted correctly. Affidavits must be signed, filled out, and notarized.
- 2.37.2 Please allow enough time when submitting your bid, for the bid to be received by the bid opening date and time as specified. Late bids shall not be accepted.

2.38 AWARD

2.38.1 This bid shall be awarded to the lowest responsive and responsible bidder in accordance with Rockland County Procurement Policy. The County reserves the right to take bids separately if the Director of Purchasing approves a finding that the supply or service available under the contract will not meet a nonrecurring special need of the County of Rockland. It is further understood and agreed to between the parties to the resulting contract that the County of Rockland shall not be obligated to either purchase or pay for supplies and services covered by such contract unless and until they are ordered and delivered to the County of Rockland. The County shall complete the Mileage & Time Costs for each bidder that does not offer to pick up and deliver vehicles at no charge and this cost shall be added to each bidder's total cost and used as part of the evaluation and award.

								Miles As of	Body Warranty		Drive Train Warranty	Extended Drive
No.	Unit #	Year	Make	Model	Engine	Vin #	Plate	4-26-2021	(Coach & Equiptment)	Chassis Warranty (Ford)	(Ford)	Train Warranty (Ford)
1	RC-11	2015	Ford	E450 G		1FDEE4FL7FDA02809	AV9205	126,698	12 Months 12,000 Miles	3 years 36,000 Bumper to Bumper	5 Years 60,000 miles	5 Years 100,000 Miles
2	RC-12	2015	Ford	E450 G	5.4 L	1FDEE4FL3FDA02810	AV9207	128,451	12 Months 12,000 Miles	3 years 36,000 Bumper to Bumper	5 Years 60,000 miles	5 Years 100,000 Miles
3	RC-14	2015	Ford	E450 G	5.4 L	1FDEE4FL5FDA02811	AV9209	118,292	12 Months 12,000 Miles	3 years 36,000 Bumper to Bumper	5 Years 60,000 miles	5 Years 100,000 Miles
4	RC-15	2015	Ford	E450 G	5.4 L	1FDEE4FL7FDA02812	AV9211	127,821	12 Months 12,000 Miles	3 years 36,000 Bumper to Bumper	5 Years 60,000 miles	5 Years 100,000 Miles
5	RC-16	2015	Ford	E450 G	5.4 L	1FDEE4FL9FDA02813	AV9212	125,838	12 Months 12,000 Miles	3 years 36,000 Bumper to Bumper	5 Years 60,000 miles	5 Years 100,000 Miles
6	RC-17	2015	Ford	E450 G	5.4 L	1FDEE4FL0FDA02814	AV9215	124,095	12 Months 12,000 Miles	3 years 36,000 Bumper to Bumper	5 Years 60,000 miles	5 Years 100,000 Miles
7	RC-18	2015	Ford	E450 G	5.4 L	1FDEE4FL2FDA02815	AV9217	129,609	12 Months 12,000 Miles	3 years 36,000 Bumper to Bumper	5 Years 60,000 miles	5 Years 100,000 Miles
8	RC-19	2015	Ford	E450 G	5.4 L	1FDEE4FL4FDA02816	AV9219	132,597	12 Months 12,000 Miles	3 years 36,000 Bumper to Bumper	5 Years 60,000 miles	5 Years 100,000 Miles
9	RC-20	2015	Ford	E450 G	5.4 L	1FDEE4FL6FDA02817	AV9221	127,726	12 Months 12,000 Miles	3 years 36,000 Bumper to Bumper	5 Years 60,000 miles	5 Years 100,000 Miles
10	RC-21	2015	Ford	E450 G	5.4 L	1FDEE4FL8FDA02818	AV9222	126,413	12 Months 12,000 Miles	3 years 36,000 Bumper to Bumper	5 Years 60,000 miles	5 Years 100,000 Miles
11	RC-22	2015	Ford	E450 G	5.4 L	1FDEE4FLXFDA02819	AV9248	123,014	12 Months 12,000 Miles	3 years 36,000 Bumper to Bumper	5 Years 60,000 miles	5 Years 100,000 Miles
12	RC-23	2015	Ford	E450 G	5.4 L	1FDEE4FL6FDA02820	AV9250	127,849	12 Months 12,000 Miles	3 years 36,000 Bumper to Bumper	5 Years 60,000 miles	5 Years 100,000 Miles
13	RC-24	2015	Ford	E450 G	5.4 L	1FDEE4FL8FDA02821	AV9251	120,031	12 Months 12,000 Miles	3 years 36,000 Bumper to Bumper	5 Years 60,000 miles	5 Years 100,000 Miles
14	RC-25	2015	Ford	E450 G	5.4 L	1FDEE4FLXFDA02822	AV9252	125,238	12 Months 12,000 Miles	3 years 36,000 Bumper to Bumper	5 Years 60,000 miles	5 Years 100,000 Miles
15	RC-26	2015	Ford	E450 G	5.4 L	1FDEE4FL1FDA02823	AV9253	122,869	12 Months 12,000 Miles	3 years 36,000 Bumper to Bumper	5 Years 60,000 miles	5 Years 100,000 Miles
16	RC-27	2015	Ford	E450 G	5.4 L	1FDEE4FL3FDA02824	AV9254	128,855	12 Months 12,000 Miles	3 years 36,000 Bumper to Bumper	5 Years 60,000 miles	5 Years 100,000 Miles
17	RC-28	2015	Ford	E450 G	5.4 L	1FDEE4FL5FDA02825	AV9255	131,869	12 Months 12,000 Miles	3 years 36,000 Bumper to Bumper	5 Years 60,000 miles	5 Years 100,000 Miles
18	RC-29	2015	Ford	E450 G	5.4 L	1FDEE4FL7FDA02826	AV9256	128,683	12 Months 12,000 Miles	3 years 36,000 Bumper to Bumper	5 Years 60,000 miles	5 Years 100,000 Miles
19	RC-30	2015	Ford	E450 G	5.4 L	1FDEE4FL9FDA02827	AV9257	113,471	12 Months 12,000 Miles	3 years 36,000 Bumper to Bumper	5 Years 60,000 miles	5 Years 100,000 Miles
20	RC-31	2015	Ford	E450 G	5.4 L	1FDEE4FL7FDA15771	AX3646	110,609	12 Months 12,000 Miles	3 years 36,000 Bumper to Bumper	5 Years 60,000 miles	5 Years 100,000 Miles
21	RC-32	2015	Ford	E450 G	5.4 L	1FDEE4FL9FDA15772	AX3644	110,350	12 Months 12,000 Miles	3 years 36,000 Bumper to Bumper	5 Years 60,000 miles	5 Years 100,000 Miles
22	RC-6	2019				Dodge Grand Caravan			Pending Delivery	3 years 36,000 Bumper to Bumper	5 Years 60,000 miles	
23	RC-7	2019				Dodge Grand Caravan			Pending Delivery	3 years 36,000 Bumper to Bumper	5 Years 60,000 miles	
24	RC-8	2019				Dodge Grand Caravan			Pending Delivery	3 years 36,000 Bumper to Bumper	5 Years 60,000 miles	
25	RC-9	2019				Dodge Grand Caravan			Pending Delivery	3 years 36,000 Bumper to Bumper	5 Years 60,000 miles	
26	RC-10	2019				Dodge Grand Caravan			Pending Delivery	3 years 36,000 Bumper to Bumper	5 Years 60,000 miles	

ATTACHMENT A

R=Repaired $\sqrt{=OK}$

ATTACHMENT B

TRIPS Maintenance Inspection Ford E-450 Mechanic_____ Miles In_____ Out____

NA= Not Applicable

		Date			
BODY	OK	CHASSIS	OK	MOTOR/TRANS	OK
All Door Controls		Ball Joints		Accelerator Pedal	
All Exterior Lights & Lenses		Brake lines, hoses		Air Pump / Chains	
All Interior Lights		Brake Diaphragms/Booster		All Fluid Levels (P/S, washer, etc.)	
Back Up Alarm		Brake Pedal Pad		Belt Tensioners	
Body Inspection Complete		Check Belts		Belts & Hoses	
Dash Lights		Drive Shaft & Joints		Check Coolant Leaks	
Emergency Exits		E Brake Static Test		Check Oil Leaks	
Fender Flaps & Wells		Frame		Check Trans Leaks/Linkage	
Fire Extinguisher		Front Brakes		Engine Coolant -10 Degrees	
First Aid Kit Complete		Fuel Tanks & Lines		Exhaust & Shields Complete	
Floor & Step wells		Horn		Mounts & Supports	
Glass / Roof Hatch		Hydraulic Brake Leaks		Water Pump	
Heat & A/C Operation		Lateral Rods & Brackets		Transmission Fluid level	
Mirrors Inside/Outside		Radiator Inspection			
Seats & Belts		Radius Rods & Brackets			
Stanchions		Rear Brakes		Electrical	
Three Triangles		Rear End Fluid Level		Alternator Output	
Windows Push Out/Alarm		Rims & Lug Nuts		Battery Condition & Cables	
Windshield		Shocks & Bushings		Gauges/ Oil, fuel, amp, temp.	
Windshield Wipers		Springs/Bushings		Starter Connections	
		Steering Arm- Drag Link			
		Steering Box & Lines		Misc.	
		Tie Rods			
		Tire Pressure			
		Record Tire Depth			
		LF RF			
		LRO LRI			
		RRO RRI		Notes:	
Cleaning as Requested					
Clean Inside					
Clean Outside					
Check ($$) if the following servic	es were	performed at PM:			
Changed Air Filter		Changed Transmission Fluid		Changed Motor Oil & Filter	
Changed Rear End Oil		Change Transmission Filter		Changed Engine Coolant	
Replace Spark Plugs					

Preventative Maintenance Service Leve	Is for 2015 Gas I	Ford E-450
Service Level	Α	В
Change oil and filter and add up to 6.0 quarts of oil	Х	X
Inspect and lubricate all non-sealed steering linkage, ball joints, suspension joints, half and drive-shafts and u-joints	X	x
Perform multi-point inspection as per Attachment B TRIPS Maintenance Inspection Checklist for Ford E-450 of RFB-RC- 2021-033	x	x
Inspect and rotate tires, check wheel bearing end play and turning noise	X	x
Test the emergency brake system as described in paragraph 2.16.1 of the Section 2- Specifications of RFB-RC-2021-033	X	x
Inspect & Repack Front Wheel Bearings, Replace Rotor Seal, Measure Brake Pad Thickness, Measure Front Rotors, Measure Rear Pads & Rotors, Lubricate Front & Rear Caliper slides, Fill out Brake Measurements Report (Attachment H)		x
Corresponds with Line Items 1 & 3 in Attachment F	1	3

ATTACHMENT D

Wheelchair Lift Maintenance Procedures for 2015 Gas Ford E-450

Every Service Level	
Listen for abnormal noises as lift operates (i.e. grinding or binding noises)	Х
Verify control pendent is undamaged and cable connector is tight	Х
Verify that the system detects objects in the threshold and actuates the audible alarm	Х
Verify that the sensor inhibits downward movement of platform when weight is present on the lower bridgeplate	Х
Inspect electrical wiring for frayed wires, loose connectors, etc.	Х
Place vehicle in non-interlock mode and verify it does not operate	Х
Verify that the lift decals are properly affixed, clearly visible, and legible, replace if necessary	Х
Verify that armrest fasteners are properly tightened	Х
Verify that vehicle mounting and support points are undamaged	Х
Verify that mounting points are sufficiently tight and free of corrosion	Х
Verify that link pins on arms are properly installed, free from damage, and locked in position	Х
Verify that platform moves freely, without binding or wobble	Х
Verify that bridgeplate operates without binding, deploys fully when platform stops at floor level, rests against baseplate	Х
Verify that rollstop is opened completely when platform is at ground level and closes and locks when platform leaves ground	Х
Check and add fluid when platform is at ground level. Fluid that is added when platform is not at ground level will overflow when platform is lowered	Х
Verify that hydraulic fluid level is at the FULL mark when platform is at ground level. If needed, add manufacturers specified hydraulic oil	Х
Verify there are no hydraulic leaks	Х
Verify that the manual backup pump operates properly	Х
Clean lift with mild soap and water and wipe dry. Prevent rust by coating all surfaces with a light weight oil. Remove excess oil	Х
Spray penetrating oil where specified in accordance with the manufacturers specifications following the directions on container. Remove excess grease from surrounding areas	Х
Check hydraulic cylinder for evidence of leaks	Х
Inspect hydraulic hoses for damage and confirm fittings are tight	Х
Perform any necessary adjustments for full proper operation	Х

ATTACHMENT "E"

TIRE BALANCING PROCEDURE FOR FORD E-450

Tire Balancing Procedure and Installation Instructions for IMI Equal Flexx Balancing Beads

Any tire that is being mounted shall be balanced using "IMI Equal Flexx" vibration dampening beads at the recommended manufactures rate per tire. Alternate products used for balancing must be approved by an Authorized Representative of the County of Rockland and used at the recommended rate of the bead manufacturing company's specifications.

INSTALLATION INSTRUCTIONS

Before installing EQUAL Flexx, read the quantity chart.

1. Simply drop the EQUAL Flexx bag into the tire before mounting.

- Do not tear or open bag.
- 2. Mount the tire on the wheel. Inflate and adjust the air pressure of the tire.
 - Avoid over lubricating tire bead or installing EQUAL Flexx in tires filled with sealant.

Contents are non-toxic, environmentally safe, and non-flammable.

TRIPS Ford E-450 Brake Measurement Sheet								
Left	Front	Right Front						
Rotor Thickness	Discard Thickness	Rotor Thickness	Discard Thickness					
	38.4 mm		38.4 mm					
Outer Pad 16/32	Inner Pad 16/32	Outer Pad 16/32	Inner Pad 16/32					
Left	Rear	Right Rear						
Rotor Thickness	Discard Thickness	Rotor Thickness	Discard Thickness					
	40.4 mm		40.4 mm					
Outer Pad 16/32	Inner Pad 16/32	Outer Pad 16/32	Inner Pad 16/32					

Note: Any brake pad 6/32 or less are to be replaced in axle pairs and reported to an Authorized Representative of the County of Rockland for replacement approval. Any rotor at or below discard thickness shall be replaced in axle pairs and reported to an Authorized Representative of the County of Rockland for replacement approval.

Vehicle #

Date

Mileage

Mechanic

R=Repaired $\sqrt{=OK}$

ATTACHMENT G TRIPS Maintenance Inspection Dodge Grand Caravans Mechanic____

Miles In	
Out	

NA= Not Applicable

Date_____

BODY	ΟΚ	CHASSIS	ОК	MOTOR/TRANS	OK
All Door Controls		Axel Boots		Accelerator Pedal	
All Exterior Lights & Lenses		Ball Joints		All Fluid Levels (P/S, washer, etc.)	
All Interior Lights		Brake lines, hoses		Belt Tensioners	
Back Up Alarm		Brake Controller		Belts & Hoses	
Body Inspection Complete		Brake Pedal Pad		Check Coolant Leaks	
Dash Lights Fault Lights		Check Belts		Check Oil Leaks	
Fender Flaps & Wells		E Brake Static Test		Check Trans Leaks/Linkage	
Fire Extinguisher		Frame/Underbody		Engine Coolant -10 Degrees	
First Aid Kit Complete		Front Brakes		Exhaust & Shields Complete	
Floor & Step wells		Fuel Tanks & Lines		Mounts & Supports	
Glass		Horn		Water Pump	
Heat & A/C Operation		Hydraulic Brake Leaks		Transmission Fluid level	
Mirrors Inside/Outside		Radiator Inspection			
Seats & Belts		Rear Brakes			
Three Triangles		Rear End Fluid Level		Electrical	
Windshield		Rims & Lug Nuts		Alternator Output	
Windshield Wipers		Shocks & Bushings		Battery Condition & Cables	
Manual Lift		Springs/Bushings		Gauges/ Oil, fuel, amp, temp.	
		Steering Gear		Starter Connections	
		Steering Lines/Hoses			
		Tie Rods		Misc.	
		Tire Pressure			
		Record Tire Depth			
		LF RF			
		LR RR			
				Notes:	
Cleaning as Requested					
Clean Inside					
Clean Outside					
Check Below ($$) if the following					
Changed Air Filter		Changed Transmission Filter		Changed Motor Oil & Filter	
Changed Rear End Oil		Changed Transmission Fluid		Changed Engine Coolant	
Replaced Spark Plugs					
Inchlaced chaik Flugs		1	I	1	

RFB-RC-2021-033 ATTACHMENT H BRAKE MEASUREMENTS

TRIPS Dodge Grand Caravan Brake Measurement Sheet								
Left	Front	Right Front						
Rotor Thickness	Discard Thickness	Rotor Thickness	Discard Thickness					
	26.4 mm		26.4 mm					
Outer Pad 16/32	Inner Pad 16/32	Outer Pad 16/32	Inner Pad 16/32					
Left	Rear	Righ	nt Rear					
	Rear Discard Thickness	Righ Rotor Thickness	It Rear Discard Thickness					
		, i i i i i i i i i i i i i i i i i i i						
	Discard Thickness	, i i i i i i i i i i i i i i i i i i i	Discard Thickness					
Rotor Thickness	Discard Thickness 10.4 mm	Rotor Thickness	Discard Thickness 10.4 mm					

Note: Any brake pad 6/32 or less are to be replaced in axle pairs and reported to an Authorized Representative of the County of Rockland for replacement approval. Any rotor at or below discard thickness shall be replaced in axle pairs and reported to an Authorized Representative of the County of Rockland for replacement approval.

Vehicle #

Mileage

Date

Mechanic

Attachment I

Preventative Maintenance Service Levels for 2019 Dodge Grand Caravans						
Service Level	Α	В				
Change oil and filter and add up to 6.0 quarts of oil	X	X				
Inspect and lubricate all non-sealed steering linkage, ball joints, suspension joints	X	X				
Perform multi-point inspection as per Attachment I TRIPS Maintenance Inspection Checklist for Dodge Grand Caravans of RFB-RC-2021-033	Х	X				
Inspect and rotate tires check, wheel bearing end play and turning noise	X	X				
Test the emergency brake system as described in paragraph 2.16.1 of the Section 2- Specifications of RFB-RC-2021-033	X	X				
Inspect and Measure Brake Pad Thickness, Measure Front Rotors, Measure Rear Pads & Rotors, Lubricate Front & Rear Caliper slides, Fill out Brake Measurements Report (Attachment J)		X				
Corresponds with Line Items 2 & 4 in Attachment F	2	4				

ATTACHMENT "K"

THIS FORM MUST BE SUBMITTED WITH YOUR BID

CERTIFICATION OF PRIMARY PARTICIPANT Regarding Debarment, Suspension and Other Responsibility Matters

certifies to the best of its knowledge (firm name/principal) and belief, that it and its principals:

- Are not presently debarred, suspended, proposed for debarment, declared ineligible, or voluntarily excluded from 1. covered transactions by any Federal department or agency;
- 2. Have not within a three-year period preceding this proposal been convicted of or had a civil judgment rendered against them for commission of fraud or a criminal offense in connection with obtaining, attempting to obtain, or performing a public (Federal, State or local) transaction or contract under a public transaction; violation of Federal or State antitrust statutes or commission of embezzlement, theft, forgery, bribery, falsification or destruction of records, making false statements, or receiving stolen property;
- 3. Are not presently indicted for or otherwise criminally or civilly charged by a governmental entity (Federal, State or local) with commission of any of the offenses enumerated in paragraph (2) of this certification; and
- 4. Have not within a three-year period preceding this application/proposal had one or more public transactions (Federal, State or local) terminated for cause or default.

If unable to certify to any of the statements in this certification, the participant shall attach an explanation to this certification.

The primary participant,

_____ certifies or

(firm name/principal) affirms the truthfulness and accuracy of the contents of the statements submitted on or with this certification and understands that the provisions of 31 U.S.C. sections 3801 et seq. are applicable thereto.

Signature and Title of Authorized Official

Date

THIS FORM MUST BE SUBMITTED WITH YOUR BID

ATTACHMENT "L"

THIS FORM MUST BE SUBMITTED WITH YOUR BID

CERTIFICATION OF LOWER-TIER PARTICIPANTS Regarding Debarment, Suspension and Other Ineligibility and Voluntary Exclusion

The ______(firm name/principal)

certifies by submission of this proposal, that neither it nor its principals are presently debarred, suspended, proposed for debarment, declared ineligible, or voluntarily excluded from participant in this transaction by any Federal department or agency.

If unable to certify to any of the statements in this certification, such participant shall attach an explanation to this proposal.

The ______(firm name/principal)

certifies or affirms the truthfulness and accuracy of the statements submitted on or with this certification and understands that the provisions of 31 U.S.C. sections 3801 et seq. are applicable thereto.

Signature and Title of Authorized Official

Date

THIS FORM MUST BE SUBMITTED WITH YOUR BID

ATTACHMENT "M"

DISADVANTAGED BUSINESS ENTERPRISE (DBE) BIDDERS LIST RESPONSE FORM

THIS FORM MUST BE SUBMITTED WITH YOUR BID

****TO BE FILLED OUT BY THE PRIME CONTRACTOR AND ALL SUB-CONTRACTORS**** Please provide the following information:

1. Business Name:

2. Business Address:

Street City State Zip

3. Is this business certified as a Disadvantaged Business Enterprise? a. Yes b. No

4. Name of Contact Person:

5. Phone:

5. Email

6. Will you subcontract any of your work? a. Yes* b. No

(* If "Yes," the subcontractor(s) must complete an individual Bidders List Form also.) The undersigned declares that the information set forth on this page is current, complete and accurate.

Authorized Signature: Date: _____

Printed Name: _____

Title: _____

THIS FORM MUST BE SUBMITTED WITH YOUR BID