## COUNTY OF ROCKLAND Department of General Services **Purchasing Division**

# **Contract Award Notification**

Title:	Printers – Furnish & Deliver Specified Hewlett Packard Printers	
Contract Period:	July 12, 2022 through July 11, 2023 w/ 4 one-year options Ext thru 7/11/24 w/3-1-year options, Ext thru 7/11/25 w/ (2) 1-yr options, Ext thru 7/11/26 w/ 1-yr option	
Original Date of Issue:	July 11, 2022	
Date of Revision:	04/25/25	
BID No:	RFB-RC-2022-092	
Catalog:	Computers	
Authorized Users:		gencies, Other States & Political Subdivisions Therein, Local chool Districts & Non-Profit Agencies
	Addr	ress Inquiries To:
	Name: Title: Phone: Fax: E-mail:	Claudia Moodie Purchaser II 845-364-3821 845-364-3809 moodiec@co.rockland.ny.us

## **Description**

This contract is to provide HP printers

-3135

NOTE: Delivery may be delayed, at a minimum 60 days ARO. The attached HP price list reflects current net pricing for additional models. This contract award is valid for purchases utilizing federal grant funds.

## **PAGE 1 OF 22**

## **County of Rockland** CONTRACT

Dept. of General Services Purchasing Division 50 Sanatorium Rd Bldg A, 6th FI, Room 609 POMONA NY 10970 www.rcpurchasing.com

## **Dispatch via Print**

)9

Supplier 000005054 Facsimile Communications Industries Inc. Adam Ehrlickman GPO PO BOX 26200 New York NY 10087-6200

### Phone 212/741-6400

Tax Exempt? T	aehrlickman@tomorrowsoffice.com ax Exempt ID:		
Line # Supplier Item	Item Desc	Item ID	Price UOM
1	Furnish and Deliver HP Color LaserJet E45028dn	20477100109	500.00000 Each
2	Furnish and Deliver HP Color LaserJet E47528f MFP - Pricing offered includes FOB Destination	20477100110	812.00000 Each
3	Furnish and Deliver HP Mono LaserJet E40040dn - Pricing offered includes FOB Destination	20477100111	429.00000 Each
4	Percentage discount off of HPs current published list price for printers/MFPs. 28% discount offer includes FOB Destination.	20477100112	1.00000 Dollar

TERMS AND CONDITIONS OF RFB-RC-2022-092 INCORPORATED HEREIN BY REFERENCE.

Authorized Signature	
Paul J	Brenn

PAGE: 9

### COUNTY OF ROCKLAND - DGS-PURCHASING BLDG. A., 6TH FLOOR, 50 SANATORIUM RD, POMONA, NY 10970 TELEPHONE: 845-364-3820 / TELEFAX: 845-364-3809

Printers – Furnish and Deliver Specified Hewlett Packard Printers RFB-RC-2022-092

## PURCHASES BY OTHER

## LOCAL GOVERNMENTS, SCHOOL DISTRICTS, AND NON PROFIT AGENCIES

As per the New York State General Municipal Law, all political subdivisions of New York State are allowed to make purchases through the resulting contract(s). As per Rockland County Procurement Policy, Non Profit Agencies approved to participate in New York State's Contract Extension Program are authorized to make purchases through the resulting contract(s).

- 1. The County of Rockland shall make all contract award information available to other political subdivisions and non profit agencies through our website: <u>www.rcpurchasing.com</u>
- 2. Any other political subdivision or Rockland County non profit agency will issue purchase orders directly to vendors within the specified contract period referencing the County's contract and shall be liable for any payments due on such purchase orders; and shall accept sole responsibility for any payment due.
- 3. All purchases shall be subject to audit and inspection by the other political subdivisions and Rockland County non profit agencies for which the purchase was made.
- 4. No officer, board or agency of a county, town, village, or school district shall make any purchase through the County when bids have been received for such purchase by such officer, board or agency, unless such purchase may be made upon the same terms, conditions and specifications at a lower price through the County.
- 5. All Bidders shall be on notice that as a condition of the award of a County contract, the successful bidder shall accept the award of a similar contract with any other political subdivision in New York State and Rockland County non profit agencies authorized to use New York State's contracts, if called upon to do so. A listing of approved Rockland County non profit agencies is available on the Purchasing Division's website at www.rcpurchasing.com. The County, however, will not be responsible for any debts incurred by the participants pursuant to this or any other agreement.
- 6. Necessary deviations from the County's specifications in the award of a participant contract, whether such deviations relate to quantities, or delivery points shall be resolved between the successful bidder and the other political subdivisions and Rockland County non profit agencies.

### COUNTY OF ROCKLAND - DGS-PURCHASING BLDG. A., 6TH FLOOR, 50 SANATORIUM RD, POMONA, NY 10970 TELEPHONE: 845-364-3820 / TELEFAX: 845-364-3809

Printers – Furnish and Deliver Specified Hewlett Packard Printers RFB-RC-2022-092

## **SPECIFICATIONS**

## 1. SCOPE OF WORK

- 1.1. Furnish and deliver the specified Hewlett Packard (HP) Printers. In accordance with Legislative Resolution 427 of 1997 authorizing the standardization of IT Printers to be Mfg. by Hewlett Packard no alternates will be accepted or considered.
- 1.2. The County has an immediate need for the following HP Models:

1.2.1.	HP Color LaserJet E45028dn –	Total Quantity 2 Each
1.2.2.	HP Color LaserJet E47528f MFP –	Total Quantity 3 Each
1.2.3.	HP Mono LaserJet E40040dn -	Total Quantity 14 Each

- 1.3. Additional quantities may be ordered on an as needed basis.
- 1.4. Pricing submitted are to be for new printers. Used or refurbished printers will not be authorized or accepted.

## 2. PRICING

- 2.1. Unit Pricing for the specified models must be submitted in accordance with the proposal pages.
- 2.2. Bidders must submit a percentage discount off of HP's current published list price for printers/MFP's not specifically listed in this solicitation.

## 2.3. PRICELISTS / DISCOUNTS

2.3.1. A copy of the current Manufacturers' Price list must be uploaded with the bid response. Once awarded a contract, the percentage discount offered to authorized users may, at the contractor's option, be increased based on individual orders. Discounts may be greater, but in no instance shall they be lower than the awarded discount.

## 2.4. PRICELIST UPDATES

2.4.1. Upon approval of the contract by the Purchasing Director, contractors may update their contract product line to reflect manufacturer's addition of new products as established by the manufacturer in their normal course of business and new product pricing. Contractors will be allowed to update their product line semi-annually. All product list updates must first be approved in writing by the Purchasing Director before they become effective. All percentage discounts bid shall remain firm (unchanged) for the duration of the resulting contract. Contractor shall provide requesting authorized users with copies of approved pricelist(s) or manufacturer web link upon request

### COUNTY OF ROCKLAND - DGS-PURCHASING BLDG. A., 6TH FLOOR, 50 SANATORIUM RD, POMONA, NY 10970 TELEPHONE: 845-364-3820 / TELEFAX: 845-364-3809

Printers – Furnish and Deliver Specified Hewlett	RFB-RC-2022-092
Packard Printers	

## 3. PRICE ADJUSTMENT

3.1. The County recognizes this product or service has a price component that may have a commodity with changing costs. The Contractor/Supplier may request a Price Adjustment no more frequently than once each quarter (3-month period).

A Price Adjustment request must be made in writing and include the reason for the request, documentation supporting the request (ie, commodity increases), the current pricing, and the requested revised pricing.

The County will review the Price Adjustment request. If the Price Adjustment is deemed reasonable the Price Adjustment request will be accepted by written acknowledgement. If the request is not accepted the County may entirely reject the request or may counter with revised pricing. In either case the County will provide a written explanation in support of the decision.

The Director of Purchasing may use available indexes (e.g. CPI or PPI) to determine if the requested Price Adjustment is reasonable. Typically, a Price Adjustment that exceeds 5% will not be approved unless very unusual and significant changes have occurred in the industry.

In the event industry costs decline, the County shall have the right to receive, from the Contractor, a reasonable reduction in prices/pricing that reflect such cost changes in the industry. The County will make a written request to the Contractor for a Price Adjustment in writing with supporting documentation.

## 4. WARRANTY

- 4.1. Printers must be warranted against all defect in material and workmanship as specified by the manufacturer. All warranties from the manufacturer shall apply. Bidder shall, as part of its bid furnish its warranty/guarantee for all goods/services to be furnished hereunder. As a minimum, Bidder shall warrant all goods for a period of one year from date of acceptance.
  - 4.1.1. Bidder shall be obligated to repair or replace all defects in material or workmanship which are discovered or exist during said period.

## 5. EXPEREINCE

- 5.1. Bidder must be an authorized re-seller and service provider of HP printers. Authorization letter from HP must be uploaded with your bid submission.
- 5.2. Bidder must provide evidence of a minimum of two (2) years experience providing and servicing HP Printers (see Certificate of Experience).

		<b>PAGE:</b> 12
COUNTY OF ROCKLAN	D - DGS-PURCHASING	
BLDG. A., 6TH FLOOR, 50 SANAT	ORIUM RD, POMONA, NY 10970	
TELEPHONE: 845-364-3820	/ TELEFAX: 845-364-3809	
Printers – Furnish and Deliver Specified Hewlett	RFB-RC-2022-092	
Packard Printers		

## 6. FEDERAL CONTRACT CLAUSES

6.1. Some purchases may be made off of this contract utilizing Federal Grant Funds, therefore, it is required that bidders complete and submit these clauses with their bid submission.

## 7. AWARD

7.1. Bid to be awarded to the lowest responsive responsible bidder meeting the stated requirements. The County reserves the right to award this solicitation on a line by line basis.

Referral No. 9200/9209

Introduced by: Hon. Catherine Nowicki Hon. Denis Troy

### RESOLUTION NO. 426 AUTHORIZING STANDARDIZATION FOR PURCHASE OF PERSONAL AND LAP TOP COMPUTERS, PRINTERS AND NETWORKING EQUIPMENT

Mr. Murphy offered the following resolution which was seconded by Mr. Koplen and unanimously adopted:  $\dot{\phantom{x}}$ 

WHEREAS, the Director of Purchasing has requested that the Legislature, by a vote of at least three-fifths of its members, authorize the standardization of purchases of personal and lap top computers, printers and networking equipment, and

WHEREAS, standardization for purchases will be more effcient and cost-effective for the following reasons:

The Director of Purchasing has researched various outlets available to purchase Hewlett Packard computer products and equipment and has determined, that the County can purchase Hewlett Packard products for at least 5% below the current State contract prices. Prices were obtained from Meridian Technology, which holds the current State contract, as well as Comp USA and CIC Systems.

The following quotes were received for the County's standard configuration:

CIC Systems	\$1,860.00
Comp USA	\$1,888.00
Meridian Technology	\$2,082.52

In order to efficiently issue Invitations to Bid for computer products, it is necessary to standardize to one particular brand to eliminate the requirement for using the term "or equal" in the bid specification.

If the County fails to standardize its computer hardware requirements, it would have to accept bids from over 100 different manufacturers of personal computers, printers and networking equipment. The County has previously attempted this, and had to reject all bids because it would have taken over six months to analyze the bids.

The standardization to a particular brand will enable the County to continue purchasing its preferred brands within a time frame that can ensure the continued smooth operation of County government, and

WHEREAS, the Computer Conversion Committee and the Budget & Finance Committee of this Legislature have met, considered and unanimously approved this resolution, now, therefore, be it

654

September 2,1997

RESOLVED, that pursuant to General Municipal Law Section 103 (5), the standardization of purchasing contracts for personal and laptop computers, printers and networking equipment utilized by the County of Rockland is authorized, as follows:

PersonalComputers: LapTopComputers: Printers: NetworkingEquipment: Hewlett Packard Hewlett Packard Hewlett Packard 3COM

## RFB-RC-2022-092

## Product Price List Effective 06/13/2022

## Atlantic Attachment P1 - HP MSRP Pricing

Product Category	Part Number/SKU	Description	Base List Price	Discount	Net Pricin
P-3	3GX99A	HP Color LaserJet Managed E55040dn Prntr	\$2,123.44	28%	\$ 1,528.8
P-3	3GY03A	HP Color LaserJet Managed E65150dn Prntr	\$2,819.41	28%	\$ 2,029.9
Р-3	3GY09A	HP LaserJet Managed E60155dn Printer	\$2,106.23	28%	\$ 1,516.4
P-3	3GY10A	HP LaserJet Managed E60165dn Printer	\$2,738.73	28%	\$ 1,971.8
P-3	3GY12A	HP LaserJet Managed E60175dn Printer	\$3,898.31	28%	\$ 2,806.7
P-3	3GY14A	HP LaserJet Managed MFP E62655dn Printer	\$3,796.49	28%	\$ 2,733.4
P-3	3GY25A	HP Color LaserJet Mgd MFP E57540dn Prntr	\$4,207.87	28%	\$ 3,029.6
P-3	3GY31A	HP Color LaserJet Mgd MFP E67650dh Prntr	\$6,735.58		\$ 4,849.62
P-3	3PZ15A	HP LaserJet Enterprise M406dn Printer	\$675.94	28%	\$ 486.68
P-3	3PZ35A	HP LaserJet Managed E40040dn Printer	\$1,038.45	28%	\$ 747.6
P-3	3PZ55A	HP LaserJet Enterprise MFP M430f Printer	\$966.88	28%	\$ 696.1
P-3	3PZ75A	HP LaserJet Managed MFP E42540f Printer	\$1,666.00	28%	\$ 1,199.5
P-3	3PZ95A	HP Color LaserJet Ent M455dn Printer	\$758.73	28%	\$ 546.29
P-3	3QA35A	HP Color LaserJet Mngd E45028dn Printer	\$1,258.85	28%	\$ 906.3
P-3	3QA55A	HP Color LaserJet Ent MFP M480f Printer	\$1,048.83		\$ 755.1
P-3	3QA75A	HP Color LaserJet Mngd MFP E47528f Prntr	\$1,855.88	28%	\$ 1,336.2
P-3	3WT91A	HP Color LaserJet Ent MFP M776z Printer	\$8,001.00	28%	\$ 5,760.72
P-3	7PS82A	HP LaserJet Ent M610dn Printer	\$1,276.50	28%	\$ 919.0
P-3	7PS84A	HP LaserJet Ent M611dn Printer	\$1,698.17	28%	\$ 1,222.6
P-3	7PS86A	HP LaserJet Ent M612dn Printer	\$2,426.50	28%	\$ 1,747.0
P-3	7PS86A#BGJ	HP LaserJet Ent M612dn Printer	\$2,426.50		\$ 1,747.0
P-3	7PS95A	HP LaserJet Ent Flow MFP M634h Prntr	\$3,469.65	28%	\$ 2,498.1
P-3	7PS96A	HP LaserJet Enterprise MFP M634z Printer	\$5,334.93	28%	\$ 3,841.1
P-3	7PS97A	HP LaserJet Enterprise MFP M635h Printer	\$3,351.60	28%	\$ 2,413.1
P-3	7PS97A#BGJ	HP LaserJet Enterprise MFP M635h Printer	\$3,351.60		\$ 2,413.1
P-3	7PS98A	HP LaserJet Enterprise MFP M635fht Prntr	\$4,343.26	28%	\$ 3,127.1
P-3	7PS99A#BGJ	HP LaserJet Ent Flow MFP M635z Printer	\$6,444.65	28%	\$ 4,640.1
P-3	7PT00A	HP LaserJet Enterprise MFP M636fh Prntr	\$4,095.35		\$ 2,948.6
P-3	7ZU78A#BGJ	HP Color LaserJet Ent M555dn Prntr	\$1,164.07		\$ 838.1
P-3	7ZU81A	HP Color LaserJet Ent M554dn Prntr	\$918.08		\$ 661.0
P-3	7ZU85A	HP Color LaserJet Ent MFP M578dn Printer	\$2,666.20		\$ 1,919.6
P-3	7ZU86A	HP Color LaserJet Ent MFP M578f Printer	\$3,164.88		\$ 2,278.7
P-3	7ZU87A	HP LaserJet Clr Ent Flw MFP M578c Prntr	\$3,779.53		\$ 2,721.2

# HP Color LaserJet Managed E45028dn



## HP's entry-level Enterprise-class color printer with speeds up to 27 ppm<sup>9</sup> and strongest security.<sup>1</sup>

HP Managed MFPs and printers are optimized for managed environments. With increased monthly page volumes and fewer interventions, this portfolio of products can help reduce printing and copying costs. See your HP Authorized Reseller for details.





## Easy to use, simple to manage

- HP FutureSmart firmware can be updated with the latest features<sup>2</sup> to optimize your investment for years to come.
- Centralize control of your printing environment with HP Web Jetadmin—and help build business efficiency.<sup>3</sup> Easily enable workflows across your fleet with a consistent user experience and intuitive, tablet-like icons.
- Set up this printer fast, and easily manage device settings to help increase efficiency.

### The world's most secure printing<sup>1</sup>

- The operating code (BIOS) is automatically checked during startup and repairs itself if compromised.
- Common Criteria certified<sup>4</sup> to continually monitor memory activity to detect and stop attacks in real time.
- Firmware is automatically checked during startup to determine if it's authentic code—digitally signed by HP.
- The printer's outgoing network connections are inspected to stop suspicious requests and thwart malware.



### Enhanced productivity to empower work teams

- Give workgroups what they need to succeed with hundreds of HP and third-party solutions and card reader support.
- Help ensure the security of confidential information with PIN/Pull printing to retrieve print jobs.
- Stay connected with an optional accessory for wireless,<sup>6</sup> Bluetooth<sup>®</sup> Low Energy, and NFC touch-to-print.
- Print directly from the 2.7-inch (6.9 cm) color display.



## Sustainability is smart business

- Help save paper right out of the box. Two-sided (duplex) printing is set at default for automatic savings.<sup>7</sup>
- Help reduce wasted paper and toner by only printing jobs that are truly needed, using HP Roam for Business.<sup>8</sup>
- Save energy without sacrificing performance—this printer is ENERGY STAR® and Blue Angel certified.
- Leverage HP End of Life Solutions to ensure your Hardware and Supplies are sustainably retired.

This printer uses dynamic security, which may be updated periodically by firmware updates. The printer is intended to be used solely with cartridges using an original HP chip. Cartridges using a non-HP chip may not function or may cease to function. More at: Learn more at www.hp.com/learn/ds

## Technical specifications

Product name	HP Color LaserJet Managed E45028dn
Product number	30435A
Functions	
Print	
Duplex printing	Automatic (default)
Print speed <sup>7</sup>	Black (A4, normal) Up to 27 ppm; Color (A4, normal): Up to 27 ppm; Black (A4, duplex): Up to 24 ipm; Color (A4, duplex): Up to 24 ipm; Black (letter, normal): Up to 29 ppm; Black (letter, duplex): Up to 25 ipm; Color (letter, normal): Up to 29 ppm; Color (letter, duplex): Up to 25 ipm;
First page out <sup>9</sup>	Black (A4, ready): As fast as 9.5 sec; Color (A4, ready): As fast as 11.0 sec; Black (A4, sleep): As fast as 11.0 sec; Color (A4, sleep): As fast as 12.1 sec
Print technology	Laser
Print resolution	Black (best): Up to 600 x 600 dpi; Black (normal): Up to 600 x 600 dpi; Color (best): Up to 600 x 600 dpi; Color (normal): Up to 600 x 600 dpi
Print resolution technology	HP ImageREt 3600, Enhanced (600x600 dpi), Fine Lines (1200x1200 dpi), Quickview (300x300 dpi)
Print cartridges number	4 (1 each black, cyan, magenta, yellow)
Standard print languages	HP PCL 6, HP PCL 5, HP PostScript level 3 emulation, native PDF printing (v 1.7), Apple AirPrint™
Printer management	HP Printer Assistant, HP Web JetAdmin Software, HP JetAdvantage Security Manager, HP SNMP Proxy Agent (Part of HP WebJetAdmin), HP WS Pro Proxy Agent (Part of HP WebJetAdmin), Printe Administrator Resource Kit for HP Universal Print Driver (Driver Configuration Utility - Driver Deployment Utility - Managed Printing Administrator)
Connectivity	
Standard connectivity	2 Hi-Speed USB 2.0 Host; 1 Hi-Speed USB 2.0 Device; 1 Gigabyte Ethernet 10/100/1000T network; 1 FAX
Mobile printing capability <sup>6</sup>	HP ePrint; Apple AirPrint™; Mopria™ Certified; NFC touch-to-print (optional); Wi-Fi® Direct printing; ROAM capable for easy printing; PrinterOn Print
Wireless capability	Optional, enabled with purchase of a wireless hardware accessory. Dual band Wireless Station and Wi-Fi Direct functionality available with HP Jetdirect 3100w BLE/NFC/Wireless Accessory 3JN69A
Network capabilities	Yes, via HP Jetdirect Ethernet embedded print server (standard) which supports: 10Base-T, 100Base-Tx, 1000Base-T; 802.3az (EEE) support on Fast Ethernet and Gig Links; IPsec (standard); 802.11a/b/g/n wireless networking (Optional); second Ethernet port (Optional).
Memory	Standard: 1.25 GB; Maximum: 1.25 GB
Processor speed	800MHz
Warm-up time	180 sec
Paper handling	
Duty cycle (monthly)	Duty cycle (monthly, A4): Up to 65,000 pages; Recommended monthly page volume: 1,500 to 7,500 pages
Input capacity	50-sheet multipurpose tray, 250-sheet input tray; Optional 550-sheet tray; All trays include fixed-size paper tray guides
Output capacity	150-sheet output bin
Number of paper trays	Standard: 2; Maximum: 3
Media types	Paper (bond, brochure, colored, glossy, letterhead, photo, plain, preprinted, prepunched, recycled, rough), postcards, labels, envelopes
Media weight	Tray 1: 60 to 176 g/m <sup>2</sup> (up to 200 g/m <sup>2</sup> with postcards and HP Color laser glossy photo papers); Tray 2: 60 to 163 g/m <sup>2</sup> (up to 176 g/m <sup>2</sup> with postcards, up to 200 g/m <sup>2</sup> HP Color laser glossy photo papers); optional Tray 3: 60 to 163 g/m <sup>2</sup> (up to 176 g/m <sup>2</sup> with postcards, up to 150 g/m <sup>2</sup> Glossy media); Automatic duplexer: 60 to 163 g/m <sup>2</sup>
Media size	Custom (metric): Tray 1: 76 x 127 to 216 x 356 mm; Tray 2: 98 x 148 to 216 x 356 mm; Optional Tray: 98 x 148 to 216 x 356 mm; Supported (metric): Tray 1: A4, RA4, A5, B5 (JIS), B6 (JIS), 10 x 15 cm, A6, 16K, envelopes (B5, C5 ISO, C6, DL ISO); Custom: 76 x 127 to 216 x 356 mm; Tray 2: A4; RA4; A5; B5 (JIS); B6 (JIS); 10 x 15 cm; A6; 16K; 98 x 148 to 216 x 356 mm; Optional Tray 3: A4; RA4; A5; B5 (JIS); B6 (JIS); B6 (JIS); B6 (JIS); B6 (JIS); B6 (JIS); B6 (JIS); Corr, A6; 16K; 98 x 148 to 216 x 356 mm; Optional Tray 3: A4; RA4; A5; B5 (JIS); B6 (JIS);
Printer dimensions (W x D x H)	413.6 x 472 x 304.4 mm
Printer weight	~18.9 kg
Software included	No software solutions are included in the Box only on http://hp.com or http://123.hp.com
What's in the box <sup>2</sup>	HP Color LaserJet Managed E45028dn printer; HP Black Original LaserJet Toner Cartridge (~2,400 pages) HP Cyan, Magenta, Yellow Original LaserJet Toner Cartridges (~2,100 pages each); Fixed-Size Paper Tray Guides; Getting started Guide; 1 Power cord
Warranty	One-year, On-site Repair 24-hour, 7 days a week phone support
Systems	
Compatible operating systems	Windows Client OS (32/64 bit)-, Win10, Win8.1, Win7 Ultimate, Mobile OS-, iOS, Android, Mac-, Apple® MacOS High Sierra v10.13, Apple® MacOS Mojave v10.14, Apple® MacOS Catalina v10.15, Discrete PCL6 Printer Driver-, For more information on the supported operating systems go to http://support.hp.com, Enter your product name and search, Click on User Guides and enter your product name and search for User Guide, Search for your (Product Name) - User Guide, Search for the Supported Operating Systems section, UPD PCL6 / PS Printer Drivers, Supported Operating systems, For more information on the supported operating systems see www.hp.com/go/upd
Minimum system requirements	Windows: 2 GB available hard disk space Internet connection or USB port Internet browser. For additional OS hardware requirements see microsoft.com; Mac: 2 GB available hard drive space Internet connection or USB port Internet browser. For additional OS hardware requirements see apple.com
Security management	Identity management: Kerberos authentication, LDAP authentication, 1000 user PIN codes, Optional HP and 3rd party advanced authentication solutions (e.g., badge readers); Network: IPsec/firewall with Certificate, Pre-shared Key, Kerberos authentication, Supports WIA-10 IPsec onfiguration Plug-in, 802.1X authentication (EAP-PEAP; EAP-TLS), SNMPv3, HTTPS, Certificates, Access Control List; Data: Storage Encryption, Encrypted PDF & Email (uses FIPS 140 validated cryptographic libraries from Microsoft), SSL/TLS (HTTPS), Encrypted Credentials; Device: HP Sure Start Secure Boot (BIOS Integrity Checking with self-healing capability), Intrusion Detection (Constant in-device monitoring for attacks), Whitelisting (loads only known good code), Embedded Trusted Platform Module, HP Connection Inspector, Security lock slot, USB port disablement; Security management: Compatible with HP JetAdvantage Security Manager, Device Security Syslog Messages processed and accessible in Arcsight and Splunk SIEMs
Fonts and typefaces	105 internal TrueType fonts scalable in HP PCL, 92 internal scalable fonts in HP PostScript Level 3 emulation (Euro symbol built-in); 1 internal Unicode Fonts (Andale Mono World Type); 2 Internal Windows Vista 8 Fonts (Calibri, Cambria);additional font solutions available via third-party flash memory cards; HP LaserJet Fonts and IPDS Emulation available at Http://www.hp.com/qolaserjetfonts
Control panel	2.7" Color Non-Touch Control Panel with 24 Keypad
Display	2.658" diagonal Color TFT-LCD back-lit (960 (H) x 240 (V)
Power	Requirements: 110-volt input voltage: 110 to 127 VAC (+/- 10%), 60 Hz (+/- 3 Hz); 220-volt input voltage: 220 to 240 VAC (+/- 10%), 50/60Hz (+/- 3 Hz) (Not dual voltage, power supply varies by part number with # Option code identifier); Consumption: 574 watts (cative printing), 16.7 watts (ready), 1.1 watts (sleep), 0.08 watts (auto-off/manual-on), 0.08 watts (manual off); Typical Electricity Consumption (TEO <sup>3</sup> : 1.105 kWh/week Bue Anagi); 0.37 kWh/week (Energy Star 3.07); Power supply type: Internal (built-in) Power Supply)
Operating environment	Operating humidity range: 10 to 90% RH; Recommended operating humidity range: 30 to 70% RH
Acoustics	Acoustic power emissions: 5.9 B(A) @ 27 ipm; Acoustic power emissions (ready): 4.5 B(A) ; Acoustic pressure emissions: 48 dB(A) @ 27 ipm; Acoustic pressure emissions bystander (ready): 33 dB(A)
Safety approvals and requirements	IEC 60950-1:2005 +A1:2009 +A2:2013 (International); EN60950-1:2006 +A11:2009 +A1:2010 +A12:2011 +A2:2013 (EU); EN 60825-1:2014/IEC 60825-1:2014 (Class 1 Laser Product); EN 62479:2010/IEC 62479:2010, Low Voltage Directive 2014/35/EU with CE Mark (Europe); GS Certificate (Germany, Europe); UL/cUL Listed and UC Coc (US/Canada); CAN/CSA C2.2 No. 60950-1-07 2nd Ed. 2011-12; Compliance with Laser safety standards 21 CFR 1040.10 and 1040.11 except for deviations pursuant to Laser notice No. 50, Dated June 24, 2007; Other safety approvals as required by individual countries.
Supported network protocols	Via built-in networking solution: TCP/IP, IPv4, IPv6; Print: TCP-IP port 9100 Direct Mode, LPD, Web Services Printing, IPP 2.0, Apple AirPrint <sup>M</sup> , HP ePrint; Discovery; SLP, Bonjour, Web Services Discovery; IP Config: IPv4 (BootP, DHCP, AutoIP, Manual), IPv6 (Stateless Link-Local and via Router, Statefull via DHCPv6); Management: SNMPv2/v3, HTTP/HTTPS, Syslog; Security: SNMPv3, SSL Cert Management, IPSec(IKEv1 and IKEv2), Firewall, 802.1x

## Ordering information

### Accessories

Number	Description
3JN69A	HP Jetdirect 3100w BLE/NFC/Wireless Accessory
4QL32A	HP Legic Secure USB Reader
8FP31A	HP Jetdirect LAN Accessory
CF404A	HP LaserJet 550-sheet Feeder Tray
X3D03A	HP Universal USB Proximity Card Reader
Y7C05A	HP HIP2 Keystroke Reader

### HP Care Packs

### Number Description

Hannoel	
U11WSE	HP 3 year Next Business Day Service for EMJLC28
U11WTE	HP 4 year Next Business Day Service for EMJLC28
U11WVE	HP 5 year Next Business Day Service for EMJLC28
U11WWE	HP 3 year 4 hour 9x5 Service for EMJLC28
U11WXE	HP 4 year 4 hour 9x5 Service for EMJLC28
U11WYE	HP 5 year 4 hour 9x5 Service for EMJLC28
U11WZE	HP 3 year Parts Exchange Service for EMJLC28 (Managed Component Only)
U11X0E	HP 4 year Parts Exchange Service for EMJLC28 (Managed Component Only)
U11X1E	HP 5 year Parts Exchange Service for EMJLC28 (Managed Component Only)
U11X2PE	HP 1 year Post Warranty Next Business Day Service for EMJLC28
U11X3PE	HP 2 year Post Warranty Next Business Day Service for EMJLC28
U11X4PE	HP 1 year Post Warranty 4 hour 9x5 Service for EMJLC28
U11X5PE	HP 2 year Post Warranty 4 hour 9x5 Service for EMJLC28
U11X6PE	HP 1 year Post Wty Parts Exchange Service for EMJLC28 (Managed Component Only)
U11X7PE	HP 2 year Post Wty Parts Exchange Service for EMJLC28 (Managed Component Only)

Protect your investment with HP Care Pack. Let HP certified engineers resolve your technical issues. For more details on HP Care Pack, go to hp.com/go/cpc





P Care Pac

### Original HP toner cartridges, maintenance supplies and Supported paper

### Number Description

 4WN07A
 HP Everyday Laser Glossy FSC Paper 120 gsm-150 sht/Tabloid/11 x 17 in

 4WN08A
 HP Everyday Laser Glossy FSC Paper 120 gsm-150 sht/Letter 8.5 x 11 in

 7MV81A
 HP Everyday Laser Glossy FSC Paper 120 gsm-150 sht/A3/297 x 420 mm

 7MV82A
 HP Everyday Laser Glossy FSC Paper 120 gsm-150 sht/A4/210 x 297 mm

Contact HP via phone: Asia: 65 6253 8500

### HP Inc. offices

Australia	(613) 8833 5000	hp.com.au
China	(010) 6564 3888	hp.com.cn
Hong Kong	(852) 3077 2688	hp.com.hk
India	(80) 2612 9000	hp.com/in
Indonesia	(62-21) 5799 1088	hp.com/id
Korea	(02) 2199 0114	hp.co.kr
Malaysia	(603) 2332 3333	hp.com.my
New Zealand	(09) 918 9555	hp.co.nz
Philippines	(632) 888 5900	hp.com/ph
Singapore	(65) 6275 3888	hp.com.sg
Taiwan	(02) 3789 9900	hp.com.tw
Thailand	(662) 353 9500	hp.com/th
Vietnam	(848) 3823 4151	hp.com/vn

For the following countries, please fax your queries to (65) 6275 6707 Bangladesh, Bhutan, Brunei, Cambodia, Maldives, Nepal, Pakistan, Sri Lanka

### Solutions

For more solutions information, please visit hp.com/go/gsc

### Footnotes

<sup>1</sup> HP's most advanced embedded security features are available on HP Managed and Enterprise devices with HP FutureSmart firmware 4.5 or above. Claim based on HP review of 2019 published features of competitive in-class printers. Only HP offers a combination of security features to automatically detect, stop, and recover from attacks with a self-healing reboot, in alignment with NIST SP 800-193 guidelines for device cyber resiliency. For a list of compatible products, visit

hp.com/go/PrintersThatProtect. For more information, visit hp.com/go/PrinterSecurityClaims<sup>2</sup> Some features enabled by future HP FutureSmart firmware upgrades may not be available on older devices, if for example, physical product characteristics limit the functionality of the new feature.

<sup>3</sup> HP Web Jetadmin is free and available for download at hp.com/go/webjetadmin
<sup>4</sup> Third-party certification based on Common Criteria Information Technology Security Evaluation ISO/IEC 15408 Standard requirements as of May 2019. Certification applicable to HP Managed and Enterprise devices running HP FutureSmart Firmware version 4.5.1 and later. For more information: https://www.commoncriteriaportal.org/files/epfiles/Certification%20Report%20-%20HP%20Intrusion%20Detection.pdf

<sup>6</sup> Use of the HP Trusted Platform Module may require a firmware upgrade.
 <sup>6</sup> Wireless performance is dependent on physical environment and distance from access point and may be limited during active VPN connections.

<sup>7</sup> Dependent upon country setup specifications.

<sup>8</sup> To enable HP Roam, some devices may require firmware to be upgraded and an optional accessory to add Bluetooth® Low Energy (BLE) beaconing capabilities. Subscription may be required. For more information, visit hp.com/go/roam <sup>9</sup> Measured using ISO/IEC 24734, excludes first set of test documents. For more information, see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity

### Technical specifications disclaimers

<sup>1</sup> EPEAT® registered where applicable, EPEAT registration varies by country. See http://www.epeat.net for registration status by country.

<sup>2</sup> For yield information on the cartridge(s) included with your printer, see http://www.hp.com/go/toneryield. Yield values measured in accordance with ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors.

<sup>3</sup> Typical Electricity Consumption (TEC) rating represents the typical electricity consumed by a product during 1 week, measured in kilowatt-hours (kWh). <sup>4</sup> Declared yields based on ISO/IEC 19798 and continuous printing. Actual yields vary vary considerably based on images printed and other factors. For details see http://www.hp.com/toneryield

<sup>5</sup> Declared yields based on ISO/IEC 19798 and continuous printing. Actual yields vary vary considerably based on images printed and other factors. For details see http://www.hp.com/toneryield

<sup>6</sup> To enable HP Roam, some devices may require firmware to be upgraded and an optional accessory to add Bluetooth<sup>®</sup> Low Energy (BLE) beaconing capabilities. Customer can purchase the HP Jetdirect 3100w BLE/NFC/Wireless accessory or the RadBeacon USB. Subscription may be required. For more information, visit http://www.hp.com/go/roam

<sup>7</sup> Measured using ISO/IEC 24734, excludes first set of test documents. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity. <sup>8</sup> Measured using ISO/IEC 24734 Feature Performance Test, excludes first set of test documents. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software

<sup>9</sup> Measured using ISO/IEC 17629. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

### To learn more, visit hp.com

© Copyright 2020 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein



# HP Color LaserJet Managed MFP E47528f



## HP's entry-level Enterprise-class Color MFP with speeds up to 27 ppm<sup>10</sup> and strongest security.<sup>1</sup>

HP Managed MFPs and printers are optimized for managed environments. With increased monthly page volumes and fewer interventions, this portfolio of products can help reduce printing and copying costs. See your HP Authorized Reseller for details.





## Easy to use, simple to manage

- HP FutureSmart firmware can be updated with the latest features<sup>2</sup> to optimize your investment for years to come.
- Centralize control of your printing environment with HP Web Jetadmin—and help build business efficiency. Easily enable workflows across your fleet with a consistent user experience and intuitive, tablet-like icons.
- Set up this MFP fast, and easily manage device settings to help increase efficiency.

## The world's most secure printing<sup>1</sup>

- The operating code (BIOS) is automatically checked during startup and repairs itself if compromised.
- Common Criteria certified<sup>4</sup> to continually monitor memory activity to detect and stop attacks in real time.
- Firmware is automatically checked during startup to determine if it's authentic code—digitally signed by HP.
- The printer's outgoing network connections are inspected to stop suspicious requests and thwart malware.



### Enhanced productivity to empower work teams

- Give workgroups what they need to succeed with hundreds of HP and third-party solutions and card reader support.
- Optimize workflows, reduce steps and errors, and support mobile workers with optional MFP apps that meet your specific business needs.
- Help ensure the security of confidential information with PIN/Pull printing to retrieve print jobs.
- Stay connected with an optional accessory for wireless,<sup>6</sup> Bluetooth® Low Energy, and NFC touch-to-print.



## Sustainability is smart business

- Help save paper right out of the box. Two-sided (duplex) printing is set at default for automatic savings.
- Help reduce wasted paper and toner by only printing jobs that are truly needed, using HP Roam for Business.<sup>8</sup> •
- Save energy without sacrificing performance—this MFP is ENERGY STAR® and Blue Angel certified.
- Leverage HP End of Life Solutions to ensure your Hardware and Supplies are sustainably retired.

This printer uses dynamic security, which may be updated periodically by firmware updates. The printer is intended to be used solely with cartridges using an original HP chip. Cartridges using a non-HP chip may not function or may cease to function. More at: Learn more at www.hp.com/learn/ds

## Technical specifications

Product name	HP Color LaserJet Managed MFP E47528f
Product number	3QA75A Driet conviccon fax
Functions Print	Print, copy, scan, fax
Duplex printing	Automatic (default)
Print speed <sup>8</sup>	Black (A4, normal) Up to 27 ppm; Color (A4, normal): Up to 27 ppm; Black (A4, duplex): Up to 24 ipm; Color (A4, duplex): Up to 24 ipm; Black (letter, normal): Up to 29 ppm; Black (letter, duplex): Up to 24 ipm; Color (letter, normal): Up to 29 ppm; Black (letter, duplex): Up to 24 ipm; Color (letter, normal): Up to 29 ppm; Color (letter, duplex): Up to 25 ipm; Color (letter, normal): Up to 29 ppm; Color (letter, duplex): Up to 25 ipm; Color (letter, normal): Up to 29 ppm; Color (letter, duplex): Up to 25 ipm; Color (letter, normal): Up to 29 ppm; Color (letter, duplex): Up to 25 ipm; Color (letter, normal): Up to 29 ppm; Color (letter, duplex): Up to 25 ipm; Color (letter, normal): Up to 29 ppm; Color (letter, duplex): Up to 25 ipm; Color (letter, normal): Up to 29 ppm; Color (letter, duplex): Up to 25 ipm; Color (letter, normal): Up to 29 ppm; Color (letter, duplex): Up to 25 ipm; Color (letter, normal): Up to 29 ppm; Color (letter, duplex): Up to 26 ipm; Color (letter, normal): Up to 29 ppm; Color (letter, duplex): Up to 26 ipm; Color (letter, normal): Up to 29 ppm; Color (lett
First page out <sup>9</sup>	Black (A4, ready): As fast as 9.5 sec; Color (A4, ready): As fast as 11.0 sec; Black (A4, sleep): As fast as 11.0 sec; Color (A4, sleep): As fast as 12.1 sec
Print technology	Laser
Print resolution	Black (best): Up to 600 x 600 dpi; Black (normal): Up to 600 x 600 dpi; Color (best): Up to 600 x 600 dpi; Color (normal): Up to 600 x 600 dpi
Print resolution technology	HP ImageREt 3600, Enhanced (600x600 dpi), Fine Lines (1200x1200 dpi), Quickview (300x300 dpi)
Print cartridges number	4 (1 each black, cyan, magenta, yellow)
Standard print languages	HP PCL 6, HP PCL 5, HP PostScript level 3 emulation, native PDF printing (v 1.7), Apple AirPrint™ HP Printer Assistant, HP Web JetAdmin Software, HP JetAdvantage Security Manager, HP SNMP Proxy Agent (Part of HP WebJetAdmin), HP WS Pro Proxy Agent (Part of HP WebJetAdmin), Printe
Printer management Scan	Administrator Resource Kit for HP Universal Print Driver (Driver Configuration Utility – Driver Deployment Utility – Managed Printing Administrator)
Scan speed <sup>12</sup>	Normal (A4): Up to 29 ppm/46 ipm (b&w), up to 20 ppm/35 ipm (color); Duplex (A4): Up to 46 ipm (b&w), up to 35 ipm (color)
Scanner specifications	Scanner type Flatbed, ADF: Scan technology. Contact Image Sensor (CIS): Duplex ADF scanning: Yes, single pass duplex scanning: Scan size maximum (ADF): 216 x 356 mm; Scan size maximum (flatbed): 216 x 297 mm; Optical scan resolution: up to 600 dpi; Enhanced Scan Resolution: up to 600 dpi; Hardware resolution: up to 600 x 600 dpi
Scanner advanced features	Optimize text/picture; Image adjustments; Job build; Output quality setting; Selectable scan resolution 75 to 600 dpi; Auto detect color; Edge Erase; Job notification; Blank page suppression; HP Quick Sets
Сору	
Copy speed	Black (A4, normal): Up to 27 cpm; Black (letter, normal): Up to 28 cpm; Black (A4, duplex): Up to 24 cpm; Black (letter, duplex): Up to 25 cpm; Color (A4, duplex): Up to 27 cpm; Color (letter, duplex): Up to 28 cpm; Color (letter, duplex): Up to 28 cpm; Color (A4, duplex): Up to 24 cpm; Color (letter, duplex): Up to 25 cpm; Color (A4, duplex): Up to 24 cpm; Color (letter, duplex): Up to 25 cpm; Color (A4, duplex): Up to 24 cpm; Color (letter, duplex): Up to 25 cpm; Color (A4, duplex): Up to 27 cpm; Color (letter, duplex): Up to 26 cpm; Color (A4, duplex): Up to 24 cpm; Color (letter, duplex): Up to 25 cpm; Color (A4, duplex): Up to 24 cpm; Color (letter, duplex): Up to 25 cpm; Color (A4, duplex): Up to 24 cpm; Color (letter, duplex): Up to 25 cpm; Color (A4, duplex): Up to 24 cpm; Color (letter, duplex): Up to 25 cpm; Color (A4, duplex): Up to 24 cpm; Color (letter, duplex): Up to 25 cpm; Color (A4, duplex): Up to 24 cpm; Color (letter, duplex): Up to 25 cpm; Color (A4, duplex): Up to 24 cpm; Color (letter, duplex): Up to 25 cpm; Color (A4, duplex): Up to 24 cpm; Color (letter, duplex): Up to 25 cpm; Color (A4, duplex): Up to 24 cpm; Color (letter, duplex): Up to 25 cpm; Color (A4, duplex): Up to 24 cpm; Color (letter, duplex): Up to 25 cpm; Color (A4, duplex): Up to 25 cpm; Color (letter, duplex): Up t
First copy out	Black (A4, ready): As fast as 9.6 sec; Black (A4, sleep): As fast as 11.2 sec; Black (letter, ready): As fast as 9.5 sec; Color (letter, ready): As fast as 11.2 sec; Color (A4, ready): As fast as 11.2 sec; Color (A4, sleep): As fast as 12.7 sec
Copier specifications Fax <sup>6</sup>	Copier settings: Two-sided copying; Scalability; Image adjustments (darkness, contrast, background cleanup, sharpness); N-up; N or Z-ordering; Content orientation; Collation; Booklet; Job build; Edge-to-edge; Job storage; ID Copy; Book Copy; A-to-B Copy (different media sizes); Maximum number of copies: Up to 9999 copies
Fax speed	33.6 kbps (maximum); 14.4 kbps (default) / 3 sec per page Fax memory: Dependent on the amount of available disk space; Fax resolution: Up to 300 x 300 dp; Auto fax reduction supported: Yes; Auto-redialing: Yes; Fax delayed sending: No; Distinctive
Fax specifications	ring detection supported: No; Fax forwarding supported: Yes; Junk barrier supported: Yes, as blocked fax numbers; Maximum speed dialing numbers: Up to 1000 numbers; PC interface supported: Yes, software not included; Fax polling supported: Yes (poll to receive only)
Fax smart software features	Stored faxes; Fax archiving; Fax forwarding; Scale to fit; Fax address book; LAN/Internet fax; Fax number confirmation; Holiday fax schedule
Connectivity	
Standard connectivity	2 Hi-Speed USB 2.0 Host; 1 Hi-Speed USB 2.0 Device; 1 Gigabit Ethernet 10/100/1000T network; 1 FAX
Mobile printing capability <sup>5</sup> Wireless capability	HP ePrint; Apple AirPrint™; Mopria™ Certified; Wi-Fi® Direct Printing; NFC Touch-to-print (optional); Roam capable for easy printing; PrinterOn Print Optional, enabled with purchase of a wireless hardware accessory. Dual band Wireless Station and Wi-Fi Direct functionality available with HP Jetdirect 3100w BLE/NFC/Wireless Accessory 3JN69A
Network capabilities	Yes, via HP Jetdirect Ethernet embedded print server (standard) which supports: 10Base-T, 100Base-Tx, 1000Base-T; 802.3az (EEE) support on Fast Ethernet and Gig Links; IPsec (standard); 802.11a/b/d/n wireless networking (Optional); second Ethernet port (Optional).
Memory	Standard: 2 GB; Maximum: 2 GB
Hard disk	Not available
Processor speed	800 MHz
Warm-up time	170 sec
Paper handling	
Duty cycle (monthly)	Duty cycle (monthy, A4): Up to 65,000 pages; Recommended monthy page volume 1,200 to 7,500
Input capacity Output capacity	50-sheet multipurpose tray, 250-sheet input tray; Optional 550-sheet tray; All trays include fixed-size paper tray guides 150-sheet output bin
Number of paper trays	Standard: 2; Maximum: 3
Media types	Paper (bond, brochure, colored, glossy, letterhead, photo, plain, preprinted, prepunched, recycled, rough), postcards, labels, envelopes
Media weight	Tray 1: 60 to 176 g/m <sup>2</sup> (up to 200 g/m <sup>2</sup> with postcards and HP Color laser glossy photo papers); Tray 2: 60 to 163 g/m <sup>2</sup> (up to 176 g/m <sup>2</sup> with postcards, up to 200 g/m <sup>2</sup> HP Color laser glossy photo papers); optional Tray 3: 60 to 163 g/m <sup>2</sup> (up to 176 g/m <sup>2</sup> with postcards, up to 150 g/m <sup>2</sup> with postcards, up to 150 g/m <sup>2</sup> (up to 176 g/m <sup>2</sup> with postcards) and HP Color laser glossy photo papers); optional Tray 3: 60 to 163 g/m <sup>2</sup> (up to 176 g/m <sup>2</sup> with postcards) and HP Color laser glossy photo papers); optional Tray 3: 60 to 163 g/m <sup>2</sup> (up to 176 g/m <sup>2</sup> with postcards) and HP Color laser glossy photo papers); optional Tray 3: 60 to 163 g/m <sup>2</sup> (up to 176 g/m <sup>2</sup> with postcards) and HP Color laser glossy photo papers); optional Tray 3: 60 to 163 g/m <sup>2</sup> (up to 176 g/m <sup>2</sup> with postcards), up to 150 g/m <sup>2</sup> Glossy media); Automatic duplexer: 60 to 163 g/m <sup>2</sup>
Media size	Custom (metric): Tray 1: 76 x 127 to 216 x 356 mm; Tray 2: 98 x 148 to 216 x 356 mm; Optional Tray: 98 x 148 to 216 x 356 mm; Supported (metric): Tray 1: A4, RA4, A5, B5 (JIS), B6 (JIS), 10 x 15 cm, A6, 16K, envelopes (B5, C5 ISO, C6, DL ISO); Custom: 76 x 127 to 216 x 356 mm; ADF: letter; legal; oficio; executive; statement; A4; RA4; A5; B5 (JIS); B6 (JIS); 10 x 15 cm; A6; 16K; 98 x 148 to 216 x 356 mm; Optional Tray 3: A4, RA4; A5; B5 (JIS); B6 (JIS); D1 x 15 cm; A6; 16K; 98 x 148 to 216 x 356 mm; ADF: letter; legal; oficio; executive; statement; A4; RA4; A5; B5 (JIS); B6 (JIS); D1 x 15 cm; A6; 16K; 98 x 148 to 216 x 356 mm; ADF: letter; legal; oficio; executive; statement; A4; RA4; A5; B5 (JIS); B6 (JIS); D1 x 15 cm; A6; 16K; 98 x 148 to 216 x 356 mm; ADF: letter; legal; oficio; executive; statement; A4; RA4; A5; B5 (JIS); B6 (JIS); D1 x 15 cm; A6; 16K; 98 x 148 to 216 x 356 mm; ADF: letter; legal; oficio; executive; statement; A4; RA4; A5; B5 (JIS); B6 (JIS); D1 x 15 cm; A6; 16K; 98 x 148 to 216 x 356 mm; ADF: letter; legal; oficio; executive; statement; A4; RA4; A5; B5 (JIS); B6 (JIS); D1 x 15 cm; A6; 16K; 98 x 148 to 216 x 356 mm; ADF: letter; legal; oficio; executive; statement; A4; RA4; A5; B5 (JIS); B6 (JIS); D1 x 15 cm; A6; A5; B5 (JIS); B6 (JIS); D1 x 15 cm; A6; A5; B5 (JIS); B6 (JIS); D1 x 15 cm; A6; A5; B5 (JIS); B6 (JIS); D1 x 15 cm; A5; B5 (JIS); B6 (JIS); D1 x 15 cm; A5; A5; A5; A5; A5; A5; A5; A5; A5; A5
Printer dimensions (W x D x H)	415.4 x 472 x 399.8 mm
Printer weight	23.2 kg
Software included	No software solutions are included in the Box only on http://hp.com or http://123.hp.com
What's in the box <sup>1</sup>	HP Color LaserJet Managed MFP E47528f printer; HP Black Original LaserJet Toner Cartridge (~2,400 pages); HP Cyan, Magenta, Yellow Original LaserJet Toner Cartridges (~2,100 pages each); Fixed-Size Paper Tray Guides; Getting started Guide; 1 Power cord
Warranty Systems	One-Year, On-site Repair 24-hour / 7 day a week phone support
Compatible operating systems	Windows Client OS (32/64 bit)-, Win10, Win8.1, Win7 Ultimate, Mobile OS-, iOS, Android, Mac-, Apple® MacOS High Sierra v10.13, Apple® MacOS Mojave v10.14, Apple® MacOS Catalina v10.15, Discrete PCL6 Printer Driver-, For more information on the supported operating systems go to http://support.hp.com, Enter your product name and search, Click on User Guides and enter your product name and search for User Guide, Search for your (Product Name) - User Guide, Search for the Supported Operating Systems section, UPD PCL6 / PS Printer Drivers, Supported Operating systems, For more information on the supported operating systems see www.hp.com/go/upd
Minimum system requirements	Windows: 2 GB available hard disk space Internet connection or USB port Internet browser. For additional OS hardware requirements see microsoft.com; Mac: 2 GB available hard drive space Internet connection or USB port Internet browser. For additional OS hardware requirements see apple.com
Security management	Identity management: Kerberos authentication, LDAP authentication, 1000 user PIN codes, Optional HP and 3rd party advanced authentication solutions (e.g., badge readers); Network: IPsec/firewall with Certificate, Pre-shared Key, Kerberos authentication, Supports WJA-10 IPsec configuration Plug-in, 802.1X authentication (EAP-PEAP; EAP-TLS), SNMPv3, HTTPS, Certificates, Access Control List; Data: Storage Encryption, Encrypted PDF & Email (uses FIPS 140 validated cryptographic libraries from Microsoft), SSL/TLS (HTTPS), Encrypted Credentials; Device: HP Sure Start Secure Boot (BIOS Integrity Checking with self-healing capability), Intrusion Detection (Constant in-device monitoring for attacks), Whitelisting (loads only known good code), Embedded Trusted Platform Module, HP Connection Inspector, Security lock slot, USB port disablement; Security management: Compatible with HP JetAdvantage Security Manager, Device Security Syslog Messages processed and accessible in Arcsight and Splunk SIEMs
Fonts and typefaces	105 internal. TrueType fonts scalable in HP PCL, 92 internal scalable fonts in HP PostScript Level 3 emulation (Euro symbol built-in); 1 internal Unicode Fonts (Andale Mono World Type); 2 Internal Windows Vista 8 Fonts (Calibri, Cambria);additional font solutions available via third-party flash memory cards; HP LaserJet Fonts and IPDS Emulation available at Http://www.hp.com/gollaserjetfonts
Control panel	4.3" Color Capacitive Touch Control Panel
Disalar	
Display	4.3" diagonal Color TFT-LCD back-lit 480 RGB (H) x 272 (V)
Power	Requirements: 110-volt input voltage: 110 to 127 VAC (+/- 10%), 60 Hz (+/- 3 Hz); 220-volt input voltage: 220 to 240 VAC (+/- 10%), 50/60Hz (+/- 3 Hz) (Not dual voltage, power supply varies by part number with # Option code identifier); Consumption: 581 watts (active printing), 21.9 watts (ready), 1.0 watts (sleep), 0.08 watts (auto-off/manual-on), 0.08 watts (manual off); Typical
	Requirements: 110-volt input voltage: 110 to 127 VAC (+/- 10%), 60 Hz (+/- 3 Hz); 220-volt input voltage: 220 to 240 VAC (+/- 10%), 50/60Hz (+/- 3 Hz) (Not dual voltage, power supply varies
Power	Requirements: 110-volt input voltage: 110 to 127 VAC (+/- 10%), 60 Hz (+/- 3 Hz); 220-volt input voltage: 220 to 240 VAC (+/- 10%), 50/60Hz (+/- 3 Hz) (Not dual voltage, power supply varies by part number with # Option code identifier); Consumption: 581 watts (cative printing), 21.9 watts (ready), 1.0 watts (sleep), 0.08 watts (auto-off/manual-on), 0.08 watts (manual off); Typical Electricity Consumption (TEO) <sup>11</sup> : 1.051 kWh/week (Blue Angel): 0.245 kWh/week (Energy Star 3.0); Power supply type: Internal (Built-in) power supply         Operating temperature range: 15 to 32.5°C; Recommended operating temperature range: 15 to 27°C       Operating humidity range: 30 to 70% RH         Acoustic power emissions: 6.1 B(A) (Printing at 27 ipm); Acoustic power emissions (ready): 3.6 B(A); Acoustic pressure emissions: 49 dB(A) (Printing at 27 ipm); Acoustic pressure emissions by stander (ready): 20 dB(A)
Power Operating environment	Requirements: 110-volt input voltage: 110 to 127 VAC (+/- 10%), 60 Hz (+/- 3 Hz); 220-volt input voltage: 220 to 240 VAC (+/- 10%), 50/60Hz (+/- 3 Hz) (Not dual voltage, power supply varies by part number with # Option code identifier); Consumption: 581 watts (active printing), 21.9 watts (ready), 1.0 watts (sleep), 0.08 watts (auto-off/manual-on), 0.08 watts (manual off); Typical Electricity Consumption (TEQ <sup>11</sup> : 1.051 kWh/week (Blue Angel); 0.425 kWh/week (Energy Star 3.0); Power supply type: Internal (Built-in) power supply Operating temperature range: 15 to 32.5°C; Recommended operating temperature range: 15 to 27°C Operating humidity range: 10 to 90% RH; Recommended operating humidity range: 30 to 70% RH Acoustic power emissions: 6.1 B(A) (Printing at 27 ipm); Acoustic power emissions (ready); 3.6 B(A); Acoustic pressure emissions: 49 dB(A) (Printing at 27 ipm); Acoustic pressure emissions

## Ordering information

### Accessories

Number	Description
3JN69A	HP Jetdirect 3100w BLE/NFC/Wireless Accessory
4QL32A	HP Legic Secure USB Reader
8FP31A	HP Jetdirect LAN Accessory
B5L31A	HP Foreign Interface Harness
CF404A	HP LaserJet 550-sheet Feeder Tray
X3D03A	HP Universal USB Proximity Card Reader
Y7C05A	HP HIP2 Keystroke Reader

### HP Care Packs

### Number Description

	•
U11VKE	HP 3 year Next Business Day Service for Color LaserJet Managed MFP E47528
U11VLE	HP 4 year Next Business Day Service for Color LaserJet Managed MFP E47528
U11VME	HP 5 year Next Business Day Service for Color LaserJet Managed MFP E47528
U11VNE	HP 3 year 4 hour 9x5 Service for Color LaserJet Managed MFP E47528
U11VQE	HP 4 year 4 hour 9x5 Service for Color LaserJet Managed MFP E47528
U11VRE	HP 5 year 4 hour 9x5 Service for Color LaserJet Managed MFP E47528
U11VSE	HP 3 year Parts Exchange Service for Color LaserJet Managed MFP E47528 (Managed Component Only)
U11VTE	HP 4 year Parts Exchange Service for Color LaserJet Managed MFP E47528 (Managed Component Only)
U11VVE	HP 5 year Parts Exchange Service for Color Laser Jet Managed MFP E47528 (Managed Component Only)
U11VWPE	HP 1 year Post Warranty Next Business Day Service for Color LaserJet Managed MFP E47528
U11VXPE	HP 2 year Post Warranty Next Business Day Service for Color LaserJet Managed MFP E47528
U11VYPE	HP 1 year Post Warranty 4 hour 9x5 Service for Color LaserJet Managed MFP E47528
U11VZPE	HP 2 year Post Warranty 4 hour 9x5 Service for Color LaserJet Managed MFP E47528

U11DPPE HP 1 year Post Wty Parts Exchange SVC for Color Laser Jet Managed MFP E47528 (Managed Component Only)

U11VPPE HP 2 year Post Wty Parts Exchange SVC for Color Laser Jet Managed MFP E47528 (Managed Component Only)

Protect your investment with HP Care Pack. Let HP certified engineers resolve your technical issues. For more details on HP Care Pack, go to hp.com/go/cpc



### Original HP toner cartridges, maintenance supplies and Supported paper

### Number Description

 4WN07A
 HP Everyday Laser Glossy FSC Paper 120 gsm-150 sht/Tabloid/11 x 17 in

 4WN08A
 HP Everyday Laser Glossy FSC Paper 120 gsm-150 sht/Letter 8.5 x 11 in

 7MV81A
 HP Everyday Laser Glossy FSC Paper 120 gsm-150 sht/A3/297 x 420 mm

 7MV82A
 HP Everyday Laser Glossy FSC Paper 120 gsm-150 sht/A4/210 x 297 mm

Contact HP via phone: Asia: 65 6253 8500

### HP Inc. offices

Australia	(613) 8833 5000	hp.com.au
China	(010) 6564 3888	hp.com.cn
Hong Kong	(852) 3077 2688	hp.com.hk
India	(80) 2612 9000	hp.com/in
Indonesia	(62-21) 5799 1088	hp.com/id
Korea	(02) 2199 0114	hp.co.kr
Malaysia	(603) 2332 3333	hp.com.my
New Zealand	(09) 918 9555	hp.co.nz
Philippines	(632) 888 5900	hp.com/ph
Singapore	(65) 6275 3888	hp.com.sg
Taiwan	(02) 3789 9900	hp.com.tw
Thailand	(662) 353 9500	hp.com/th
Vietnam	(848) 3823 4151	hp.com/vn

For the following countries, please fax your queries to (65) 6275 6707 Bangladesh, Bhutan, Brunei, Cambodia, Maldives, Nepal, Pakistan, Sri Lanka

### Solutions

For more solutions information, please visit hp.com/go/gsc

### Footnotes

<sup>1</sup> HP's most advanced embedded security features are available on HP Enterprise and HP Managed devices with HP FutureSmart firmware 4.5 or above. Claim based on HP review of 2019 published features of competitive in-class printers. Only HP offers a combination of security features to automatically detect, stop, and recover from attacks with a self-healing reboot, in alignment with NIST SP 800-193 guidelines for device cyber resiliency. For a list of compatible products,

visit hp.com/go/PrintersThatProtect. For more information, visit hp.com/go/PrinterSecurityClaims<sup>2</sup> Some features enabled by future HP FutureSmart firmware upgrades may not be available on older devices, if for example, physical product characteristics limit the functionality of the new feature.

<sup>3</sup> HP Web Jetadmin is free and available for download at hp.com/go/webjetadmin
<sup>4</sup> Third-party certification based on Common Criteria Information Technology Security Evaluation ISO/IEC 15408 Standard requirements as of May 2019. Certification applicable to HP Enterprise and Managed devices running HP FutureSmart Firmware version 4.5.1 and later. For more information: https://www.commoncriteriaportal.org/files/epfiles/Certification%20Report%20-%20HP%20Intrusion%20Detection.pdf

<sup>6</sup> Use of the HP Trusted Platform Module may require a firmware upgrade.
 <sup>6</sup> Wireless performance is dependent on physical environment and distance from access point and may be limited during active VPN connections.

<sup>7</sup> Dependent upon country setup specifications.

<sup>8</sup> To enable HP Roam, some devices may require firmware to be upgraded and an optional accessory to add Bluetooth® Low Energy (BLE) beaconing capabilities. Subscription may be required. For more information, visit hp.com/go/roam <sup>9</sup> Firmware upgrade required

<sup>10</sup> Measured using ISO/IEC 24734, excludes first set of test documents. For more information, see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

### Technical specifications disclaimers

<sup>1</sup> For yield information on the cartridge(s) included with your printer, see http://www.hp.com/go/toneryield. Yield values measured in accordance with ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors

<sup>2</sup> Declared yields based on ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see http://www.hp.com/go/toneryield. <sup>3</sup> Declared yield value in accordance with ISO/IEC 19798. Actual yields vary considerably based on images printed and other factors. For more information, visit: http://www.hp.com/go/toneryield. <sup>4</sup> EPEAT® registered where applicable. EPEAT registration varies by country. See http://www.epeat.net for registration status by country.

<sup>5</sup> To enable HP Roam, some devices may require firmware to be upgraded and an optional accessory to add Bluetooth® Low Energy (BLE) beaconing capabilities. Customer can purchase the HP Jetdirect 3100w BLE/NFC/Wireless accessory or the RadBeacon USB. Subscription may be required. For more information, visit http://www.hp.com/go/roam

<sup>6</sup> To enable HP Roam, some devices may require firmware to be upgraded and an optional accessory to add Bluetooth<sup>®</sup> Low Energy (BLE) beaconing capabilities. Customer can purchase the HP Jetdirect 3100w BLE/NFC/Wireless accessory or the RadBeacon USB. Subscription may be required. For more information, visit http://www.hp.com/go/roam

<sup>9</sup> Measured using ISO/IEC 24734 Feature Performance Test, excludes first set of test documents. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

complexity. <sup>9</sup> Measured using ISO/IEC 17629. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity 10 Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Energy Star value typically based on measurement of 115V device and 230V for Blue Angel. <sup>11</sup> Typical Electricity Consumption (TEC) rating represents the typical electricity consumed by a product during 1 week, measured in kilowatt-hours (kWh).

12 Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software.

### To learn more, visit hp.com

© Copyright 2020 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein



# HP LaserJet Managed E40040dn



## HP's entry-level Enterprise-class printer with speeds up to 40 ppm<sup>9</sup> and strongest security.<sup>1</sup>

HP Managed MFPs and printers are optimized for managed environments. With increased monthly page volumes and fewer interventions, this portfolio of products can help reduce printing and copying costs. See your HP Authorized Reseller for details.





## Easy to use, simple to manage

- HP FutureSmart firmware can be updated with the latest features<sup>2</sup> to optimize your investment for years to come.
- Centralize control of your printing environment with HP Web Jetadmin—and help build business efficiency.<sup>3</sup>
- Easily enable workflows across your fleet with a consistent user experience and intuitive, tablet-like icons.
- Set up this printer fast, and easily manage device settings to help increase efficiency.



## The world's most secure printing<sup>1</sup>

- The operating code (BIOS) is automatically checked during startup and repairs itself if compromised.
- Common Criteria certified<sup>4</sup> to continually monitor memory activity to detect and stop attacks in real time.
- Firmware is automatically checked during startup to determine if it's authentic code—digitally signed by HP.
- The printer's outgoing network connections are inspected to stop suspicious requests and thwart malware.



### Enhanced productivity to empower work teams

- Give workgroups what they need to succeed with hundreds of HP and third-party solutions and card reader support.
- Help ensure the security of confidential information with PIN/Pull printing to retrieve print jobs.
- Stay connected with an optional accessory for wireless,<sup>6</sup> Bluetooth<sup>®</sup> Low Energy, and NFC touch-to-print.
- Print directly from the 2.7-inch (6.9 cm) color display.



### Sustainability is smart business

- Help save paper right out of the box. Two-sided (duplex) printing is set at default for automatic savings.<sup>7</sup>
- Help reduce wasted paper and toner by only printing jobs that are truly needed, using HP Roam for Business.<sup>8</sup>
  - Save energy without sacrificing performance—this printer is ENERGY STAR<sup>®</sup> and Blue Angel certified.
  - Leverage HP End of Life Solutions to ensure your Hardware and Supplies are sustainably retired.

## Technical specifications

Product name Product number Functions Print Duplex printing Print speed <sup>8</sup> First page out <sup>10</sup> Print technology Print resolution Print resolution technology Print resolution technology Print cartridges number Standard print languages Print in technology Print in technology Print cartridges number Print in technology Print in	HP Laser Jet Managed E40040dn 3P235A Print Automatic (default) Black (A4, normal) Up to 38 ppm (default); Up to 40 ppm (HP High Speed Mode); Black (A4, duplex): Up to 31 ipm; Black (letter, normal): Up to 40 ppm (default); Up to 42 ppm (HP High Speed Mode); Black (A4, ready): As fast as 6.5 sec; Black (A4, sleep): As fast as 8.8 sec Laser Black (best): Up to 1200 x 1200 dpi; Black (normal): Up to 600 x 600 dpi; Color (normal): Up to 600 x 600 dpi 300 dpi, 600 dpi, HP FastRes 1200, HP ProRes 1200 1 (black) HP PCL 6, HP PCL 5, HP PostScript Level 3 emulation, native PDF printing (v 1.7), Apple AirPrint™ HP Printer Assistant, HP Web JetAdmin Software, HP JetAdvantage Security Manager, HP SNMP Proxy Agent (Part of HP WebJetAdmin), Printer Administrator) HP Speed USB 2.0 Host; 1 Hi-Speed USB 2.0 Device; 1 Gigabit Ethernet 10/100/1000T network UP. Dick date in the 200 ministrator in the printer 10/100/1000T network	
Functions Print Duplex printing Print speed <sup>8</sup> First page out <sup>10</sup> Print technology Print resolution Print resolution technology Print cartridges number Standard print languages	Print Automatic (default) Black (A4, normal) Up to 38 ppm (default); Up to 40 ppm (HP High Speed Mode); Black (A4, duplex): Up to 31 ipm; Black (letter, normal): Up to 40 ppm (default); Up to 42 ppm (HP High Speed Mode); Black (A4, ready): As fast as 6.5 sec; Black (A4, sleep): As fast as 8.8 sec Laser Black (best): Up to 1200 x 1200 dpi; Black (normal): Up to 600 x 600 dpi; Color (normal): Up to 600 x 600 dpi 300 dpi, 600 dpi, HP FastRes 1200, HP ProRes 1200 1 (black) HP PCL 6, HP PCL 5, HP PostScript level 3 emulation, native PDF printing (v 1.7), Apple AirPrint™ HP Printer Assistant, HP Web JetAdmin Software, HP JetAdvantage Security Manager, HP SNMP Proxy Agent (Part of HP WebJetAdmin), HP WS Pro Proxy Agent (Part of HP WebJetAdmin), Printer Administrator Resource Kit for HP Universal Print Driver Configuration Utility - Driver Deployment Utility - Managed Printing Administrator) 1 Hi-Speed USB 2.0 Host; 1 Hi-Speed USB 2.0 Device; 1 Gigabit Ethernet 10/100/1000T network	
Print Duplex printing Print speed <sup>8</sup> First page out <sup>10</sup> Print technology Print resolution Print resolution technology Print cartridges number Standard print languages	Automatic (default) Black (A4, normal) Up to 38 ppm (default); Up to 40 ppm (HP High Speed Mode); Black (A4, duplex): Up to 31 ipm; Black (letter, normal); Up to 40 ppm (default); Up to 42 ppm (HP High Speed Mode); Black (A4, ready): As fast as 6.5 sec; Black (A4, sleep): As fast as 8.8 sec Laser Black (best): Up to 1200 x 1200 dpi; Black (normal): Up to 600 x 600 dpi; Color (normal): Up to 600 x 600 dpi 300 dpi, 600 dpi, HP FastRes 1200, HP ProRes 1200 1 (black) HP PCL 6, HP PCL 5, HP PostScript level 3 emulation, native PDF printing (v 1.7), Apple AirPrint™ HP Printer Assistant, HP Web JetAdmin Software, HP JetAdvantage Security Manager, HP SNMP Proxy Agent (Part of HP WebJetAdmin), HP WS Pro Proxy Agent (Part of HP WebJetAdmin), Printer Administrator Resource Kit for HP Universal Print Driver (Driver Configuration Utility - Driver Deployment Utility - Managed Printing Administrator) 1 Hi-Speed USB 2.0 Host; 1 Hi-Speed USB 2.0 Device; 1 Gigabit Ethernet 10/100/1000T network	
Duplex printing Print speed <sup>8</sup> First page out <sup>10</sup> Print technology Print resolution Print resolution technology Print cartridges number Standard print languages	Black (A4, normal) Up to 38 ppm (default); Up to 40 ppm (HP High Speed Mode); Black (A4, duplex): Up to 31 ipm; Black (letter, normal): Up to 40 ppm (default); Up to 42 ppm (HP High Speed Mode); Black (A4, ready): As fast as 6.5 sec; Black (A4, sleep): As fast as 8.8 sec Laser Black (best): Up to 1200 x 1200 dpi; Black (normal): Up to 600 x 600 dpi; Color (normal): Up to 600 x 600 dpi 300 dpi, 600 dpi, HP FastRes 1200, HP ProRes 1200 1 (black) HP PCL 6, HP PCL 5, HP PostScript level 3 emulation, native PDF printing (v 1.7), Apple AirPrint™ HP Printer Assistant, HP Web JetAdmin Software, HP JetAdvantage Security Manager, HP SNMP Proxy Agent (Part of HP WebJetAdmin), HP WS Pro Proxy Agent (Part of HP WebJetAdmin), Printer Assistant, HP Web JetAdmin Software, HP JetAdvantage Security Manager, HP SNMP Proxy Agent (Part of HP WebJetAdmin), HP WS Pro Proxy Agent (Part of HP WebJetAdmin), Printer Administrator Resource Kit for HP Universal Print Driver Configuration Utility - Driver Deployment Utility - Managed Printing Administrator) 1 Hi-Speed USB 2.0 Host; 1 Hi-Speed USB 2.0 Device; 1 Gigabit Ethernet 10/100/1000T network	
Print speed <sup>8</sup> First page out <sup>10</sup> Print technology Print resolution Print resolution technology Print cartridges number Standard print languages	Black (A4, normal) Up to 38 ppm (default); Up to 40 ppm (HP High Speed Mode); Black (A4, duplex): Up to 31 ipm; Black (letter, normal): Up to 40 ppm (default); Up to 42 ppm (HP High Speed Mode); Black (A4, ready): As fast as 6.5 sec; Black (A4, sleep): As fast as 8.8 sec Laser Black (best): Up to 1200 x 1200 dpi; Black (normal): Up to 600 x 600 dpi; Color (normal): Up to 600 x 600 dpi 300 dpi, 600 dpi, HP FastRes 1200, HP ProRes 1200 1 (black) HP PCL 6, HP PCL 5, HP PostScript level 3 emulation, native PDF printing (v 1.7), Apple AirPrint™ HP Printer Assistant, HP Web JetAdmin Software, HP JetAdvantage Security Manager, HP SNMP Proxy Agent (Part of HP WebJetAdmin), HP WS Pro Proxy Agent (Part of HP WebJetAdmin), Printer Assistant, HP Web JetAdmin Software, HP JetAdvantage Security Manager, HP SNMP Proxy Agent (Part of HP WebJetAdmin), HP WS Pro Proxy Agent (Part of HP WebJetAdmin), Printer Administrator Resource Kit for HP Universal Print Driver Configuration Utility - Driver Deployment Utility - Managed Printing Administrator) 1 Hi-Speed USB 2.0 Host; 1 Hi-Speed USB 2.0 Device; 1 Gigabit Ethernet 10/100/1000T network	
First page out <sup>10</sup> Print technology Print resolution Print resolution technology Print cartridges number Standard print languages	Mode); Black (letter, duplex): Up to 33 ipm; Black (A4, ready): As fast as 6.5 sec; Black (A4, sleep): As fast as 8.8 sec Laser Black (best): Up to 1200 × 1200 dpi; Black (normal): Up to 600 × 600 dpi; Color (normal): Up to 600 × 600 dpi 300 dpi, 600 dpi, HP FastRes 1200, HP ProRes 1200 1 (black) HP PCL 6, HP PCL 5, HP PostScript level 3 emulation, native PDF printing (v 1.7), Apple AirPrint <sup>™</sup> HP Printer Assistant, HP Web JetAdmin Software, HP JetAdvantage Security Manager, HP SNMP Proxy Agent (Part of HP WebJetAdmin), HP WS Pro Proxy Agent (Part of HP WebJetAdmin), Printer Administrator Resource Kit for HP Universal Print Driver (Driver Configuration Utility - Driver Deployment Utility - Managed Printing Administrator) 1 Hi-Speed USB 2.0 Host; 1 Hi-Speed USB 2.0 Device; 1 Gigabit Ethernet 10/100/1000T network	
Print technology Print resolution Print resolution technology Print cartridges number Standard print languages	Laser Black (best): Up to 1200 x 1200 dpi; Black (normal): Up to 600 x 600 dpi; Color (normal): Up to 600 x 600 dpi 300 dpi, 600 dpi, HP FastRes 1200, HP ProRes 1200 1 (black) HP PCL 6, HP PCL 5, HP PostScript level 3 emulation, native PDF printing (v 1.7), Apple AirPrint™ HP Printer Assistant, HP Web JetAdmin Software, HP JetAdvantage Security Manager, HP SNMP Proxy Agent (Part of HP WebJetAdmin), HP WS Pro Proxy Agent (Part of HP WebJetAdmin), Printer Assistant, HP Universal Print Driver (Driver Configuration Utility - Driver Deployment Utility - Managed Printing Administrator) 1 Hi-Speed USB 2.0 Host; 1 Hi-Speed USB 2.0 Device; 1 Gigabit Ethernet 10/100/1000T network	
Print resolution Print resolution technology Print cartridges number Standard print languages	Black (best): Up to 1200 x 1200 dpi; Black (normal): Up to 600 x 600 dpi; Color (normal): Up to 600 x 600 dpi 300 dpi, 600 dpi, HP FastRes 1200, HP ProRes 1200 1 (black) HP PCL 6, HP PCL 5, HP PostScript level 3 emulation, native PDF printing (v 1.7), Apple AirPrint™ HP Printer Assistant, HP Web JetAdmin Software, HP JetAdvantage Security Manager, HP SNMP Proxy Agent (Part of HP WebJetAdmin), HP WS Pro Proxy Agent (Part of HP WebJetAdmin), Printer Administrator Resource Kit for HP Universal Print Driver (Driver Configuration Utility - Driver Deployment Utility - Managed Printing Administrator) 1 Hi-Speed USB 2.0 Host; 1 Hi-Speed USB 2.0 Device; 1 Gigabit Ethernet 10/100/1000T network	
Print resolution technology Print cartridges number Standard print languages	300 dpi, 600 dpi, HP FastRes 1200, HP ProRes 1200 1 (black) HP PCL 6, HP PCL 5, HP PostScript level 3 emulation, native PDF printing (v 1.7), Apple AirPrint™ HP Printer Assistant, HP Web JetAdmin Software, HP JetAdvantage Security Manager, HP SNMP Proxy Agent (Part of HP WebJetAdmin), HP WS Pro Proxy Agent (Part of HP WebJetAdmin), Printer Administrator Resource Kit for HP Universal Print Driver (Driver Configuration Utility – Driver Deployment Utility – Managed Printing Administrator) 1 Hi-Speed USB 2.0 Host; 1 Hi-Speed USB 2.0 Device; 1 Gigabit Ethernet 10/100/1000T network	
Print cartridges number Standard print languages	1 (black) HP PCL 6, HP PCL 5, HP PostScript level 3 emulation, native PDF printing (v 1.7), Apple AirPrint™ HP Printer Assistant, HP Web JetAdmin Software, HP JetAdvantage Security Manager, HP SNMP Proxy Agent (Part of HP WebJetAdmin), HP WS Pro Proxy Agent (Part of HP WebJetAdmin), Printer Administrator Resource Kit for HP Universal Print Driver (Driver Configuration Utility - Driver Deployment Utility - Managed Printing Administrator) 1 Hi-Speed USB 2.0 Host; 1 Hi-Speed USB 2.0 Device; 1 Gigabit Ethernet 10/100/1000T network	
Standard print languages	HP PCL 6, HP PCL 5, HP PostScript level 3 emulation, native PDF printing (v 1.7), Apple AirPrint™ HP Printer Assistant, HP Web JetAdmin Software, HP JetAdvantage Security Manager, HP SNMP Proxy Agent (Part of HP WebJetAdmin), HP WS Pro Proxy Agent (Part of HP WebJetAdmin), Printer Administrator Resource Kit for HP Universal Print Driver (Driver Configuration Utility – Driver Deployment Utility – Managed Printing Administrator) 1 Hi-Speed USB 2.0 Host; 1 Hi-Speed USB 2.0 Device; 1 Gigabit Ethernet 10/100/1000T network	
	HP Printer Assistant, HP Web JetAdmin Software, HP JetAdvantage Security Manager, HP SNMP Proxy Agent (Part of HP WebJetAdmin), HP WS Pro Proxy Agent (Part of HP WebJetAdmin), Printe Administrator Resource Kit for HP Universal Print Driver (Driver Configuration Utility - Driver Deployment Utility - Managed Printing Administrator) 1 Hi-Speed USB 2.0 Host; 1 Hi-Speed USB 2.0 Device; 1 Gigabit Ethernet 10/100/1000T network	
0.1.1	Administrator Resource Kit for HP Universal Print Driver (Driver Configuration Utility - Driver Deployment Utility - Managed Printing Administrator) 1 Hi-Speed USB 2.0 Host; 1 Hi-Speed USB 2.0 Device; 1 Gigabit Ethernet 10/100/1000T network	
Printer management		
Connectivity		
Standard connectivity		
Mobile printing capability <sup>7</sup>	HP ePrint; Apple AirPrint™; Mopria™ Certified; NFC touch-to-print (optional); ROAM capable for easy printing; PrinterOn Print; Wi-Fi® Direct printing	
Wireless capability	Optional, enabled with purchase of a wireless hardware accessory. Dual band Wireless Station and Wi-Fi Direct functionality available with HP Jetdirect 3100w BLE/NFC/Wireless Accessory 3JN69A	
Network capabilities	Yes, via HP Jetdirect Ethernet embedded print server (standard) which supports: 10Base-T, 100Base-Tx, 1000Base-T; 802.3az (EEE) support on Fast Ethernet and Gig Links; IPsec (standard); 802.11a/b/g/n wireless networking (Optional); second Ethernet port (Optional).	
Memory	Standard: 1 GB; Maximum: 1 GB	
Hard disk	Not Applicable to this product	
Processor speed	800MHz	
Warm-up time	176 sec	
Paper handling		
Duty cycle (monthly)	Duty cycle (monthly, A4): Up to 120,000 pages: Recommended monthly page volume: 1,500 to 7,500 pages	
Input capacity	100-sheet tray 1, 250-sheet input tray 2; Optional third 550-sheet tray; All trays include fixed-size paper tray quides	
Output capacity	150-sheet dutut bin	
Number of paper trays	Standard: 2: Maximum: 3	
Media types		
Media types         Paper (plain, EcoEFFICIENT, light, heavy, bond, colored, letterhead, preprinted, prepunched, recycled, rough); envelopes; labels;           Media weight         Tray 1: 60 to 175 g/m²; tray 2, optional 550-sheet tray 3: 60 to 120 g/m²		
Media size	Custom (metric): Tray 1: 76 x 127 to 216 x 356 mm; Tray 2: 105 x 148 to 216 x 356 mm; Optional Tray: 105 x 148 to 216 x 356 mm; Supported (metric): Tray 1: A4, RA4, A5, B5 (JIS), B6 (JIS), 10 x 15 cm, A6, 16K, envelopes (B5, C5 ISO, C6, DL ISO); Custom: 76 x 127 to 216 x 356 mm; Tray 2: A4; RA4; A5; B5 (JIS); B6 (JIS); B6 (JIS); A6; 16K; 105 x 148 to 216 x 356 mm; Optional Tray 3: A4; RA4; A5; B5 (JIS); B6 (JIS); A6; 16K; 105 x 148 to 216 x 356 mm; Optional Tray 3: A4; RA4; A5; B5 (JIS); B6 (JIS); B6 (JIS); A6; 16K; 105 x 148 to 216 x 356 mm; Optional Tray 3: A4; RA4; A5; B5 (JIS); B6 (JIS	
Printer dimensions (W x D x H)	381 x 357 x 220 mm	
Printer weight	~8.5 kg	
Software included	No software solutions are included in the Box only on http://hp.com or http://123.hp.com	
What's in the box <sup>2</sup>	HP LaserJet Managed E40040dn printer; HP Black Original LaserJet Toner Cartridge (~3,000 pages); Fixed-Size Paper Tray Guides; Getting started Guide; 1 Power cord	
Warranty	One-year, On-site Repair 24-hour / 7 day a week phone support	
Systems	one year on are repair of moury in adjurine support	
Compatible operating systems	Windows Client OS (32/64 bit)-, Win10, Win8.1, Win7 Ultimate, Mobile OS-, iOS, Android, Mac-, Apple® MacOS High Sierra v10.13, Apple® MacOS Mojave v10.14, Apple® MacOS Catalina v10.15, Discrete PCL6 Printer Driver-, For more information on the supported operating systems go to http://support.hp.com, Enter your product name and search, Click on User Guides and enter your product name and search for User Guide, Search for your (Product Name) - User Guide, Search for the Supported Operating Systems section, UPD PCL6 / PS Printer Drivers, Supported Operatin systems, For more information on the supported operating systems see www.hp.com/go/upd	
Minimum system requirements	Windows: 2 GB available hard disk space Internet connection or USB port Internet browser. For additional OS hardware requirements see microsoft.com; Mac: 2 GB available hard drive space Internet connection or USB port Internet browser. For additional OS hardware requirements see apple.com	
Security management	Identity management: Kerberos authentication, LDAP authentication, 1000 user PIN codes, Optional HP and 3rd party advanced authentication solutions (e.g., badge readers); Network: IPsec/firewall with Certificate, Pre-shared Key, Kerberos authentication, Supports WJA-10 IPsec configuration Plug-in, 802.1X authentication (EAP-PEAP; EAP-TLS), SNMPv3, HTTPS, Certificates Access Control List; Data: Storage Encryption, Encrypted PDF & Email (uses PIPS 140 validated cryptographic librosoft), SSLTLS (HTTPS), Incrypted Credentials; Device: HP Sure Start Secure Boot (BIOS Integrity Checking with self-healing capability), Intrusion Detection (Constant in-device monitoring for attacks), Whitelisting (loads only known good code), Embedded Trusted Platform Module, HP Connection Inspector, Security Lock Stat, USB port disablement; Security management: Compatible with HP JetAdvantage Security Manager, Device Security Syslog Messages processed and accessible in Arcsight and Splunk SIEMs	
Fonts and typefaces	105 internal TrueType fonts scalable in HP PCL, 92 internal scalable fonts in HP PostScript Level 3 emulation (Euro symbol built-in); 1 internal Unicode Fonts (Andale Mono World Type); 2 Internal Windows Vista 8 Fonts (Calibri, Cambria);additional font solutions available via third-party flash memory cards; HP LaserJet Fonts and IPDS Emulation available at Http://www.hp.com/go/laserjetfonts	
Control panel	2.7" Color Non-Touch Control Panel with 24 Keypad	
Display	2.658" diagonal Color TFT-LCD back-lit (960 (H) x 240 (V))	
Power	Requirements: 110-volt mu voltage: 110 to 127 V6 (// 10%), 60 Hz (+/- 3 Hz); 220-volt input voltage: 220 to 240 VAC (+/- 10%), 50/60 Hz (+/- 3 Hz) (Not dual voltage, power supply varie by part number with # Option code identifier); Consumption: 531 watts (active printing), 8.1 watts (ready), 1.2 watts (sleep), 0.07 watts (auto-off/manual-on), 0.07 watts (manual off); Typical Electricity Consumption (TEC) <sup>3</sup> : 1.189 kWh/week (Blue Angel); 0.462 kWh/week (Energy Star 3.0); Power supply type: Internal (built-in) Power Supply	
Operating environment	Operating temperature range: 15 to 32.5°C; Recommended operating temperature range: 15 to 27°C Operating humidity range: 10 to 90% RH; Recommended operating humidity range: 30 to 70% RH	
Acoustics	Acoustic power emissions: 6.5 B(A) @ 38 ipm; Acoustic power emissions (ready): Inaudible; Acoustic pressure emissions: 54 dB(A) @ 38 ipm; Acoustic pressure emissions bystander (ready): Inaudible	
Safety approvals and requirements IEC 60950-1:2005 +A1:2009 +A2:2013 (International); EN60950-1:2006 +A1:2009 +A1:2010 +A1:2:2011 +A2:2013 (EU); EN 60825-1:2014 (Class 1 62479-2010); IEC 62368-1:2014; EN 62368-1:2014; Low Voltage Directive 2014/35/EU with CE Mark (Europe); GS Certificate (Germany, Europe); UL/ULL L (US/Canada); CAN/CSA C22.2 No. 60950-1-07 2nd Ed. 2011-12; Compliance with Laser safety standards 21 CFR 1040.10 and 1040.11 except for deviations pursuant to La Dated June 24, 2007; Other safety approvals as required by individual countries.		
Supported network protocols	Via built-in networking solution: TCP/IP, IPv4, IPv6; Print: TCP-IP port 9100 Direct Mode, LPD, Web Services Printing, IPP 2.0, Apple AirPrint™, HP ePrint; Discovery: SLP, Bonjour, Web Services Discovery; IP Config: IPv4 (BootP, DHCP, AutolP, Manual), IPv6 (Stateless Link-Local and via Router, Statefull via DHCPv6); Management: SNMPv2/v3, HTTP/HTTPS, Syslog; Security: SNMPv3, SSL Cert Management, IPSec(IKEv1 and IKEv2), Firewall, 802.1x	

## Ordering information

### Accessories

Number	Description

3JN69A	HP Jetdirect 3100w BLE/NFC/Wireless Accessory
4QL32A	HP Legic Secure USB Reader
8FP31A	HP Jetdirect LAN Accessory
D9P29A	HP LaserJet Pro 550-sheet Feeder Tray
X3D03A	HP Universal USB Proximity Card Reader
Y7C05A	HP HIP2 Keystroke Reader

### HP Care Packs

### Number Description

Hannoel	
U11Y1E	HP 3 year Next Business Day Service for LaserJet Managed E40040
U11Y2E	HP 4 year Next Business Day Service for LaserJet Managed E40040
U11Y3E	HP 5 year Next Business Day Service for LaserJet Managed E40040
U11Y4E	HP 3 year 4 hour 9x5 Service for LaserJet Managed E40040
U11Y5E	HP 4 year 4 hour 9x5 Service for LaserJet Managed E40040
U11Y6E	HP 5 year 4 hour 9x5 Service for LaserJet Managed E40040
U11Y7E	HP 3 year Parts Exchange Service for LaserJet Managed E40040 (Managed Component Only)
U11Y8E	HP 4 year Parts Exchange Service for LaserJet Managed E40040 (Managed Component Only)
U11Y9E	HP 5 year Parts Exchange Service for LaserJet Managed E40040 (Managed Component Only)
U11YBPE	HP 1 year Post Warranty Next Business Day Service for LaserJet Managed E40040
U11YCPE	HP 2 year Post Warranty Next Business Day Service for LaserJet Managed E40040
U11YDPE	HP 1 year Post Warranty 4 hour 9x5 Service for LaserJet Managed E40040
U11YFPE	HP 2 year Post Warranty 4 hour 9x5 Service for LaserJet Managed E40040
U11YGPE	HP 1 year Post Warranty Parts Exchange Service for LaserJet Managed E40040 (Managed Component Only)

U11YHPE HP 2 year Post Warranty Parts Exchange Service for LaserJet Managed E40040 (Managed Component Only)

Protect your investment with HP Care Pack. Let HP certified engineers resolve your technical issues. For more details on HP Care Pack, go to hp.com/go/cpc





HP Care Paci



### Number Description

 4WN07A
 HP Everyday Laser Glossy FSC Paper 120 gsm-150 sht/Tabloid/11 x 17 in

 4WN08A
 HP Everyday Laser Glossy FSC Paper 120 gsm-150 sht/Letter 8.5 x 11 in

 7MV81A
 HP Everyday Laser Glossy FSC Paper 120 gsm-150 sht/A3/297 x 420 mm

 7MV82A
 HP Everyday Laser Glossy FSC Paper 120 gsm-150 sht/A4/210 x 297 mm

Contact HP via phone: Asia: 65 6253 8500

### HP Inc. offices

Australia	(613) 8833 5000	hp.com.au
China	(010) 6564 3888	hp.com.cn
Hong Kong	(852) 3077 2688	hp.com.hk
India	(80) 2612 9000	hp.com/in
Indonesia	(62-21) 5799 1088	hp.com/id
Korea	(02) 2199 0114	hp.co.kr
Malaysia	(603) 2332 3333	hp.com.my
New Zealand	(09) 918 9555	hp.co.nz
Philippines	(632) 888 5900	hp.com/ph
Singapore	(65) 6275 3888	hp.com.sg
Taiwan	(02) 3789 9900	hp.com.tw
Thailand	(662) 353 9500	hp.com/th
Vietnam	(848) 3823 4151	hp.com/vn

For the following countries, please fax your queries to (65) 6275 6707 Bangladesh, Bhutan, Brunei, Cambodia, Maldives, Nepal, Pakistan, Sri Lanka

### Solutions

For more solutions information, please visit hp.com/go/gsc

### Footnotes

<sup>1</sup> HP's most advanced embedded security features are available on HP Managed and Enterprise devices with HP FutureSmart firmware 4.5 or above. Claim based on HP review of 2019 published features of competitive in-class printers. Only HP offers a combination of security features to automatically detect, stop, and recover from attacks with a self-healing reboot, in alignment with NIST SP 800-193 guidelines for device cyber resiliency. For a list of compatible products, visit

hp.com/go/PrintersThatProtect. For more information, visit hp.com/go/PrinterSecurityClaims<sup>2</sup> Some features enabled by future HP FutureSmart firmware upgrades may not be available on older devices, if for example, physical product characteristics limit the functionality of the new feature.

<sup>3</sup> HP Web Jetadmin is free and available for download at hp.com/go/webjetadmin
<sup>4</sup> Third-party certification based on Common Criteria Information Technology Security Evaluation ISO/IEC 15408 Standard requirements as of May 2019. Certification applicable to HP Managed and Enterprise devices running HP FutureSmart Firmware version 4.5.1 and later. For more information: https://www.commoncriteriaportal.org/files/epfiles/Certification%20Report%20-%20HP%20Intrusion%20Detection.pdf

<sup>6</sup> Use of the HP Trusted Platform Module may require a firmware upgrade.
 <sup>6</sup> Wireless performance is dependent on physical environment and distance from access point and may be limited during active VPN connections.

<sup>7</sup> Dependent upon country setup specifications.

<sup>9</sup> Decable NP Roam, Some devices may require firmware to be upgraded and an optional accessory to add Bluetooth<sup>®</sup> Low Energy (BLE) beaconing capabilities. Subscription may be required. For more information, visit hp.com/go/roam <sup>9</sup> Measured using ISO/IEC 24734, excludes first set of test documents. For more information, see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity

### Technical specifications disclaimers

<sup>1</sup> EPEAT® registered where applicable, EPEAT registration varies by country. See http://www.epeat.net for registration status by country.

<sup>2</sup> Value is confirmed For yield information on the cartridge included with your printer, see http://www.hp.com/go/toneryield.Yield values measured in accordance with ISO/IEC 19752 and continuous printing. Actual yields vary considerably based on images printed and other factors.

<sup>3</sup> Typical Electricity Consumption (TEC) rating represents the typical electricity consumed by a product during 1 week, measured in kilowatt-hours (kWh). <sup>4</sup> Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Energy Star value typically based on measurement of 115V device and 230V for Blue Angel.

<sup>5</sup> Declared yields based on ISO/IEC 19752 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see http://www.hp.com/go/toneryield

<sup>6</sup> Declared yield value in accordance with ISO/IEC 19752. Actual yields vary considerably based on images printed and other factors. For more information, visit: http://www.hp.com/go/learnaboutsupplies

<sup>7</sup> To enable HP Roam, some devices may require firmware to be upgraded and an optional accessory to add Bluetooth<sup>®</sup> Low Energy (BLE) beaconing capabilities. Customer can purchase the HP Jetdirect 3100w BLE/NFC/Wireless accessory or the RadBeacon USB. Subscription may be required. For more information, visit http://www.hp.com/go/roam <sup>8</sup> Measured using ISO/IEC 24734, excludes first set of test documents. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document

complexity.
<sup>9</sup> Measured using ISO/IEC 24734 Feature Performance Test, excludes first set of test documents. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software

application, driver, and document complexity. <sup>10</sup> Measured using ISO/IEC 17629. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity

### To learn more, visit hp.com

© Copyright 2020 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein





### DEPARTMENT OF GENERAL SERVICES, PURCHASING DIVISION

Dr. Robert L. Yeager Health Center 50 Sanatorium Rd, Building A Pomona, New York 10970 Phone: (845) 364-3820 Fax: (845) 364-3809 Email: purchasing@co.rockland.ny.us

Paul Brennan, FNIGP, NIGP-CPP, CPPO Director of Purchasing

## ADDENDUM # 2

## RFB-RC-2022-092 Printers-Furnish and Deliver Specified Hewlett Packard Printers

The information in this addendum supersedes any contradictory information set forth in the contract documents. Acknowledge receipt of this addendum in the space provided on the signature page of the bid proposal. Failure to do so, may subject the bidder to disqualification. This addendum forms a part of the contract documents.

Question # 1: Project description is "Furnish and Deliver Specified Printers": no maintenance, no installation?

Response #1: Correct, there is no maintenance or installation required.

**SIGNED:** 

Paul J. Brennan

PAUL J. BRENNAN, FNIGP, NIGP-CPP, CPPO DIRECTOR OF PURCHASING

ADDENDUM

6/7/22



### DEPARTMENT OF GENERAL SERVICES, PURCHASING DIVISION

Dr. Robert L. Yeager Health Center 50 Sanatorium Rd, Building A Pomona, New York 10970 Phone: (845) 364-3820 Fax: (845) 364-3809 Email: purchasing@co.rockland.ny.us

Paul Brennan, FNIGP, NIGP-CPP, CPPO Director of Purchasing

## ADDENDUM # 1

## RFB-RC-2022-092 Printers – Furnish and Deliver Specified Hewlett Packard Printers

The information in this addendum supersedes any contradictory information set forth in the contract documents. Acknowledge receipt of this addendum in the space provided on the signature page of the bid proposal. Failure to do so, may subject the bidder to disqualification. This addendum forms a part of the contract documents.

Due to the current market conditions, the County recognizes printers have a pricing component that may have changing costs.

## Please refer to §3 – PRICE ADJUSTMENT CLAUSE

• This clause allows for the supplier to request a price adjustment no more frequently than once each quarter (every three months). Requests for adjustments must be made in writing and provide sufficient documentation and justification. The request will be reviewed and if deemed reasonable accepted by written acknowledgement.

**SIGNED:** 

Paul J. Brennan

## PAUL J. BRENNAN, FNIGP, NIGP-CPP, CPPO DIRECTOR OF PURCHASING

ADDENDUM

6/1/22