

COUNTY OF ROCKLAND
Department of General Services
Purchasing Division

Contract Award Notification

Title: **Asphalt Stamping**

Contract Period: May 1, 2025 through April 30, 2026 w/ 3 1-year options

Original Date of Issue: May 1, 2025

Date of Revision:

BID No: **RFB-RC-2025-032**

Catalog: **Highway**

Authorized Users: **United States Agencies, Other States & Political Subdivisions
Therein, Local Governments, School Districts & Non-Profit
Agencies**

Address Inquiries To:

Name: Nicholas Chodor
Title: Purchaser I
Phone: (845) 364-3856
Fax: (845) 364-3809
E-mail: ChodorN@co.rockland.ny.us

Description

This contract is to provide insecticides and supplies for mosquito control.

Contract #	Vendor Number	Contractor & Address	Telephone No.
BID 25-032	0000025087	Yonkers Paving Concepts, Inc. 1767 Central Park Ave Suite 106 Yonkers NY 10710 Contact: Nikki Belize nikki@yonkerspaving.com	914-699-7800 Fax 914-699-7300

County of Rockland CONTRACT

Dept. of General Services

Purchasing Division
50 Sanatorium Rd
Bldg A, 6th Fl, Room 609
POMONA NY 10970
www.rcpurchasing.com

Supplier 0000025087
Yonkers Paving Concepts, Inc.
Nikki Belize
1767 Central Park Ave
Suite 106
Yonkers NY 10710

Phone 914/699-7800
Fax 914/699-7300
nikki@yonkerspaving.com

Tax Exempt? Tax Exempt ID:

Line #	Supplier Item	Item Desc	Item ID	Price	UOM
1		Provide Stamped Asphalt (Cost per square foot) 0 S.F to 4,999 S.F.	74500000001	18.25000	Square Feet
2		Provide Stamped Asphalt (Cost per square foot) 5,000 S.F to 9,999 S.F.	74500000002	15.45000	Square Feet
3		Provide Stamped Asphalt (Cost per square foot) 10,000 S.F to 14,999 S.F.	74500000003	15.35000	Square Feet
4		Provide Stamped Asphalt (Cost per square foot) 15,000 S.F to 19,999 S.F.	74500000004	13.25000	Square Feet
5		Provide Stamped Asphalt (Cost per square foot) 20,000 S.F. and above	74500000005	12.25000	Square Feet
6		Hourly rate for incidental work performed not specifically identified in the scope of work for each project.	74500000006	400.00000	Hour

Contractor MUST obtain written approval from the authorized County Representative prior to using this line item.

7		Percent Mark-Up for any incidental parts and material which may be needed and not specifically identified in the scope of work for each projected listed. Not to exceed 10%.	74500000007	1.00000	Dollar
---	--	--	-------------	---------	--------

Contractor to obtain written approval from the authorized County Representative prior to using this line item

Dispatch via Print

Contract ID BID 25-032	Page 1 of 2	
Contract Dates 05/01/2025 to 04/30/2026	Currency USD	
Asphalt Stamping	Contract Maximum 75,000.00	
Freight Terms	Buyer Email chodorn@co.rockland.ny.us	
Buyer Nicholas Chodor	Phone 845/364-3856	Fax 845/364-3809

Authorized Signature



County of Rockland CONTRACT

Dept. of General Services

Purchasing Division
50 Sanatorium Rd
Bldg A, 6th Fl, Room 609
POMONA NY 10970
www.rcpurchasing.com

Supplier 0000025087
Yonkers Paving Concepts, Inc.
Nikki Belize
1767 Central Park Ave
Suite 106
Yonkers NY 10710

Phone 914/699-7800
Fax 914/699-7300
nikki@yonkerspaving.com

Tax Exempt? Tax Exempt ID:

Line #	Supplier Item	Item Desc	Item ID	Price	UOM
--------	---------------	-----------	---------	-------	-----

ITEMS ON THIS PURCHASE ORDER ARE SUBJECT TO NEW YORK STATE LABOR LAW 220, ARTICLE 8. VENDOR MUST SUBMIT CERTIFIED PAYROLL(S) ALONG WITH THEIR INVOICE(S).


PRC #:2025002972

Dispatch via Print

Contract ID BID 25-032		Page 2 of 2
Contract Dates 05/01/2025 to 04/30/2026		Currency USD
Asphalt Stamping		Contract Maximum 75,000.00
Freight Terms	Buyer Email chodorn@co.rockland.ny.us	
Buyer Nicholas Chodor	Phone 845/364-3856	Fax 845/364-3809

TERMS AND CONDITIONS OF RFB-RC-2025-032 INCORPORATED HEREIN BY REFERENCE.

Authorized Signature



COUNTY OF ROCKLAND - DGS-PURCHASING
BLDG. A., 6TH FLOOR, 50 SANATORIUM RD, POMONA, NY 10970
TELEPHONE: 845-364-3820 / TELEFAX: 845-364-3809

TITLE: Asphalt Stamping

BID NUMBER: RFB-RC-2025-032

**PURCHASES BY UNITED STATES AGENCIES, OTHER STATES AND POLITICAL
SUBDIVISIONS THEREIN, LOCAL GOVERNMENTS, SCHOOL DISTRICTS,
AND NON-PROFIT AGENCIES**

As per the New York State General Municipal Law, § 103(3) all political subdivisions of New York State are allowed to make purchases through the resulting contract(s). As per Rockland County Procurement Policy § 140-13, the United States of America or any agency thereof, any state, or any other political subdivision or district therein and certain Non-Profit Agencies approved to participate in New York State's Contract Extension Program are authorized to make purchases through the resulting contract(s).

1. The County of Rockland shall make all contract award information available to other political subdivisions and non-profit agencies through the **Empire Procure Connect Marketplace**.
2. Any other political subdivision or Rockland County non-profit agency will issue purchase orders directly to vendors within the specified contract period referencing the County's contract and shall be liable for any payments due on such purchase orders; and shall accept sole responsibility for any payment due.
3. All purchases shall be subject to audit and inspection by the other political subdivisions and Rockland County non-profit agencies for which the purchase was made.
4. No officer, board or agency of a county, town, village, or school district shall make any purchase through the County when bids have been received for such purchase by such officer, board or agency, unless such purchase may be made upon the same terms, conditions and specifications at a lower price through the County.
5. All Bidders shall be on notice that as a condition of the award of a County contract, the successful bidder shall accept the award of a similar contract with any other political subdivision in New York State and Rockland County non-profit agencies authorized to use New York State's contracts, if called upon to do so. A listing of approved Rockland County non-profit agencies is available on the Purchasing Division's website at www.rcpurchasing.com. The County, however, will not be responsible for any debts incurred by the participants pursuant to this or any other agreement.
6. Necessary deviations from the County's specifications in the award of a participant contract, whether such deviations relate to quantities, or delivery points shall be resolved between the successful bidder and the other political subdivisions and Rockland County non-profit agencies.

COUNTY OF ROCKLAND - DGS-PURCHASING
BLDG. A., 6TH FLOOR, 50 SANATORIUM RD, POMONA, NY 10970
TELEPHONE: 845-364-3820 / TELEFAX: 845-364-3809

TITLE: Asphalt Stamping

BID NUMBER: RFB-RC-2025-032

SPECIFICATIONS

1. SCOPE

- 1.1. The County of Rockland wishes to establish an annual contract to furnish asphalt with stamping capabilities on an as needed basis as detailed in the specifications for various locations throughout the County of Rockland. Prices quoted per SQ./FT. shall include all: labor, supplies, supervision, equipment, traffic control, site prep and cleanup.

2. SITE VISIT

- 2.1. Site Visits and Inspections can be scheduled by calling Mr. Kok Meng Png of the Highway Department at (845) 638-5847.

3. EXPERIENCE

- 3.1. Contractor shall have a minimum of three (3) years of experience in the asphalt stamping and servicing of commercial and industrial application similar in size and scope to the work specified herein.
- 3.2. Contractor shall submit with their Bid a list of three accounts (including contact person and telephone number) for which they are presently performing this type of work specified in this bid.

4. QUALIFICATIONS OF CONTRACTORS

- 4.1. The bidder shall show that he has available under his direct employment and supervision the necessary organization and facilities to properly fulfill all the services and conditions required under these specifications.
- 4.2. The contractor shall show that he has maintained an organization capable of performing the work specified herein, and that said organization has been in continuous operation for at least the past three years. Contractor shall submit the following information with bid:
 - 4.2.1. Years of operation.
 - 4.2.2. The names of the employees in the area responsible for this contract, their function in the company, title, and number of years of service with the contractor's firm.
 - 4.2.3. The present address of the main operating office of this organization.
 - 4.2.4. Documentation indicating technical personal experience (see qualification of contractor's form).

5. EQUIPMENT

The Contractor is responsible for providing all equipment necessary to efficiently perform all work in a professional and workmanlike manner. The Certificate of Equipment page must be completed and included with the Bid submittal.

6. QUALITY

- 6.1. All work shall be performed in accordance with good trade practice by individuals possessing the necessary skills and abilities required.

COUNTY OF ROCKLAND - DGS-PURCHASING
 BLDG. A., 6TH FLOOR, 50 SANATORIUM RD, POMONA, NY 10970
 TELEPHONE: 845-364-3820 / TELEFAX: 845-364-3809

TITLE: Asphalt Stamping

BID NUMBER: RFB-RC-2025-032

7. PAYMENT

- 7.1. Detailed description of all completed work must accompany all invoices.
- 7.2. Detail billings must be received by the County of Rockland within fifteen days after completion of each repair.
- 7.3. The Contractor's invoice must list specifically the type of work performed (preventative maintenance or service), quantity of material utilized, and the number of man-hours worked. The Contractor's charges must correspond to the rates, which he supplied with the Bid. The Contractor agrees and hereby certifies that all labor charges contained in the invoices submitted to the County of Rockland shall be only those that are required and necessary to complete the required work.
- 7.4. This contract is subject to **New York State Labor Law 220, Article 8 Prevailing wages**. The Contractor shall submit with, each invoice, certified payrolls for all labor. Submission of Certified Payroll with invoice is a condition of payment.

8. LAWS, PERMITS, AND LICENSES

- 8.1. Contractor shall comply with all applicable Federal, State and Municipal Laws and as required, to perform all work as specified.
- 8.2. Contractor shall possess all qualifications and obtain any required licenses and permits to perform the work specified. Proof of these items shall be provided to the Director of Purchasing with Bid.

9. SAFETY

- 9.1 Contractor shall adhere to all OSHA requirements, and County of Rockland safety rules while the work is in progress. Contractor is responsible for any damage to vehicles, property or structures resulting from the Contractor's negligence.
- 9.2 Contractor shall maintain the work site in a clean and orderly fashion. All debris shall be cleaned and removed from the work site each day.

10. USE OF PREMISES

- 10.1 On or about the premises and adjacent areas, the Contractor shall ensure that all apparatus, storage of materials, and activities of workmen be confined to the limits indicated by law, ordinances, permits and the direction of the authorized County of Rockland representative, and shall not encumber or permit the premises or adjacent areas to be encumbered with such materials or apparatus.
- 10.2 The work site shall be kept in an orderly and safe fashion so as not to interfere with the progress of the work or the work of any other Contractor.
- 10.3 The Contractor shall be responsible for repairing and replacing anything damaged by his operations, within thirty (30) days after notification by the authorized County of Rockland representative that damage has occurred.
- 10.3.1 **It will be the responsibility of the Contractor to report, to the authorized County of Rockland representative, any damages found prior to any work at the site.**

COUNTY OF ROCKLAND - DGS-PURCHASING
BLDG. A., 6TH FLOOR, 50 SANATORIUM RD, POMONA, NY 10970
TELEPHONE: 845-364-3820 / TELEFAX: 845-364-3809

TITLE: Asphalt Stamping

BID NUMBER: RFB-RC-2025-032

11. ADDITIONAL ITEMS

- 11.1 If the Contractor expects to incur any additional costs not specified in the above paragraphs, he must submit a list of those items and corresponding charges or schedule with his bid. There will be no additional charge for delivery or mileage. No other costs except those placed in the bid proposal at the time the bid is submitted shall be evaluated, considered, or deemed acceptable charges by the County of Rockland. The Contractor further agrees that should it be determined by the County of Rockland that the Contractor is falsifying his invoices or partaking in fraudulent practices to reflect higher costs than incurred in the repair, this falsification of fraudulent practice shall be considered a material breach of the terms of the contract. Nothing herein shall be considered to limit the authority of the County of Rockland to prosecute any bidder or Contractor who violates the laws of the State of New York.

12. CONTRACT PRICE ADJUSTMENTS

- 12.1 The proposed labor rates shall remain firm through the first contract period with no price adjustments allowed.
- 12.2 The County recognizes this product or service has a price component that may have a commodity with changing costs. The Contractor/Supplier may request a Price Adjustment no more frequently than once every 6-month period.
- 12.3 A Price Adjustment request must be made in writing and include the reason for the request, documentation supporting the request (i.e., commodity increases), the current pricing, and the requested revised pricing.
- 12.4 The County will review the Price Adjustment request. If the Price Adjustment is deemed reasonable the Price Adjustment request will be accepted by written acknowledgement. If the request is not accepted the County may entirely reject the request or may counter with revised pricing. In either case the County will provide a written explanation in support of the decision.
- 12.5 The Director of Purchasing may use available indexes (e.g., CPI or PPI) to determine if the requested Price Adjustment is reasonable. Typically, a Price Adjustment that exceeds 5% will not be approved unless very unusual and significant changes have occurred in the industry.
- 12.6 In the event industry costs decline, the County shall have the right to receive, from the Contractor, a reasonable reduction in prices/pricing that reflect such cost changes in the industry. The County will make a written request to the Contractor for a Price Adjustment in writing with supporting documentation.

SEE DETAILED SPECIFICATIONS NEXT PAGE

COUNTY OF ROCKLAND - DGS-PURCHASING
 BLDG. A., 6TH FLOOR, 50 SANATORIUM RD, POMONA, NY 10970
 TELEPHONE: 845-364-3820 / TELEFAX: 845-364-3809

TITLE: Asphalt Stamping

BID NUMBER: RFB-RC-2025-032

DETAILED SPECIFICATIONS

13. ASPHALT STAMPING

13.1 Hot Mix Asphalt (HMA)

13.1.1 New asphalt shall be placed to meet local required specifications. Compaction density shall be met prior to applying the asphalt stamps. Existing Asphalt shall contain sufficient surface binder (asphalt cement) to allow a pliable surface when heated.

13.2 Stamping of Asphalt

13.2.1 Using flexible templates, (3/8" cable or 1/4" plastic) stamp the pattern into asphalt using a vibrating plate compactor. Stamping can be performed on a freshly placed asphalt surface when asphalt is still pliable or into an existing asphalt surface. An existing asphalt surface shall be heated using an infrared heating apparatus insuring not to heat the surface above 325 Degrees Fahrenheit (163 degrees Celsius).

13.2.2 **Use slow cycled heat to ensure the surface does not burn. The surface should be heated to a depth of at least 3/4" to ensure compaction (not crushing of the aggregate) below the stamping tool.**

14. COATING COMPOSITION AND PERFORMANCE CHARACTERISTICS

14.1 This section covers the composition, handling, and application characteristics for the Stamped Asphalt Coating System. Coatings used with this surfacing system must meet the minimum characteristic and performance properties described below:

14.1.1 Asphalt Coating (Tint Base)

14.1.2 See Tables 1 and 2

14.1.3 Liquid Tint (Coloring System)

14.1.3.1 The coloring system "Liquid tint" shall consist of no less than 95% pure inorganic iron oxide pigments in a water base liquid carrier. Pigment particle size (fineness) shall pass 95% minus 325 mesh. Liquid tint must be alkali resistant, water insoluble, inert, light resistant, inorganic and lime-proof.

COUNTY OF ROCKLAND - DGS-PURCHASING
 BLDG. A., 6TH FLOOR, 50 SANATORIUM RD, POMONA, NY 10970
 TELEPHONE: 845-364-3820 / TELEFAX: 845-364-3809

TITLE: Asphalt Stamping**BID NUMBER: RFB-RC-2025-032**

TABLE 1

Characteristics	Requirement
ASTM D2369 % Solids by weight	> 76%
ASTM D26297 % Solids by volume	> 55.5%
Weight per gallon	13.9 lbs./gal
% non-enactive fillers	< 40%
Boiling Range	147° - 477°F
Specific Gravity	Heavier than air
Flashpoint ASTM D 3278	>201°F
Flashpoint ASTM D 3278	>201°F
Hazardous Ingredients	none
Mix Ratio (Coating: Liquid Tint) by parts	1:1
Dry film thickness per coat	10 to 15 mils

TABLE 2

Test	Requirement
Dry Time (to re-coat) @ 50°F (10°C)	120min
Dry Time (to re-coat) @ 90°F (32°C)	30 min
85% Cure (to permit traffic) @ 50°F (10°C)	8 to 10 hours
85% Cure (to permit traffic) @ 90°F (32°C)	4 to 6 hours
Gloss: ASTM D523 (60° Gardner)	2.5
Hardness: ASTM D3363.	3H pencil
ASTM 2486 Gasoline Scrub Resistance..... To 50% of coating thickness (30 mils)	>5000 cycles to max loss of 50% coating thickness
ASTM 2486 Motor Oil Scrub Resistance..... To 50% of coating thickness (30 mils).....	>5000 cycles to max loss of 50% coating thickness
Temp. limits for service (of cured material)	-35°F to 145°F
ASTM G-155 Color Stability..... QUV 2,000 hrs (CIE units).....	Old Brick Color ΔE < .5
Pedestrian Friction ASTM E:303 British Pendulum.....	88 BPN Dry 72 BPN Wet
Mandrel Bend Test ASTM D522.....	>3/16" Pass
Water Absorption ASTM D570 7day.....	<9%
VOE Content ASTM D3960.....	<19 grams/liter
Taber Abrasion Dry H-10 ASTM D4060 1day cure.....	.17g/1000 cycles
Taber Abrasion Wet H-10 ASTM D4060 7day cure.....	.43g/1000 cycles
Adhesion to Asphalt ASTM D4541 >245 lb./sq.in.....	Asphalt Cohesive Failure

COUNTY OF ROCKLAND - DGS-PURCHASING
 BLDG. A., 6TH FLOOR, 50 SANATORIUM RD, POMONA, NY 10970
 TELEPHONE: 845-364-3820 / TELEFAX: 845-364-3809

TITLE: Asphalt Stamping**BID NUMBER: RFB-RC-2025-032****16. DELIVERY, STORAGE, AND HANDLING****16.1 Packaging and Labeling**

16.1.1 All coating products shall be packed in standard closed containers. Each container of separately packaged component shall be clearly and durably labeled to indicate the date of manufacture, manufacturer's batch number, quantity, color, component identification and designated name or formula specification number together with special instructions.

16.1.2 Delivery, Storage, and Handling

16.1.2.1 Coating products shall be delivered to the site in sealed containers that plainly show the designated name, batch number, color, date of manufacturer and name of the manufacturer. The storing of the material shall be in an enclosed area out of direct sunlight in a warm, ventilated, and dry area at room temperature. Coating must not be allowed to freeze. Care shall be taken in handling coating containers to prevent puncture, inappropriate opening, or other action, which may lead to product contamination. No materials that are past the manufacturer's recommended shelf life shall be used without the approval of the coating manufacturer.

17. SURFACE PREPARATION**17.1 Cleaning**

17.1.1 Broom cleaning shall be done by using a mechanical broom cleaning device or stiff bristle hand broom. Scrape and blow fine sand and debris off surface. Pressure washing may be necessary to remove bonded debris. Use a non-solvent base degreaser to remove stains. Spray degreaser on stained areas and let stand for 15 minutes. Using a stiff broom or brush, agitate the stained area to remove stain and rinse with water. Repeat the procedure on severe stains, thoroughly rinse the area and let dry for 24 hours.

17.2 Repair Damaged Asphalt

17.2.1 Damaged and cracked asphalt shall be repaired by heating damaged area until asphalt cement is in liquid state (ensuring asphalt does not exceed 375 Degrees Fahrenheit. Turning over and mixing in new fresh asphalt as necessary to ensure repair is level with adjacent area. An Infrared type heating tool is recommended for this procedure.

17.3 Preparation of New Asphalt

17.3.1 New asphalt surfaces shall be allowed to traffic for 30 days prior to heating and stamping. This will allow surface oils to be removed. Asphalt mix design shall be specified by a qualified Pavement Engineer and shall be designed for the purpose of the application.

COUNTY OF ROCKLAND - DGS-PURCHASING
 BLDG. A., 6TH FLOOR, 50 SANATORIUM RD, POMONA, NY 10970
 TELEPHONE: 845-364-3820 / TELEFAX: 845-364-3809

TITLE: Asphalt Stamping**BID NUMBER: RFB-RC-2025-032****18. COATING APPLICATION****18.1 Environmental Conditions**

18.1.1 Surfaces should be dry for at least 24 hours prior to applying stamped asphalt coatings. 50 Degrees Fahrenheit and rising is the recommended minimum air and surface temperature. The temperature of the asphalt surface must be at least 5 Degrees Fahrenheit above the dew point temperature during and after applying coating. The application of the coating must be completed for at least two hours before sunset to allow for a proper cure.

18.2 Masking

18.2.1 Mask all adjacent areas using paint-grade masking tape. Use duct tape on concrete and asphalt surfaces. Building paper extended a minimum of 48 inches beyond the edge of coated areas are required to prevent over-spray of coating onto adjacent areas.

18.3 Spray Equipment

18.3.1 Spray texture gun (Graco RTX1500 TexSprayer).

18.3.2 Or Benron "EZ-TEX DX" sprayers.

18.3.3 The coating manufacturer shall approve spray gun settings and alternative spray equipment.

18.4 Mixing Base Coat

18.4.1 Contractor shall follow latest mixing techniques provided by the manufacturer.

19. COATING THICKNESS**19.1 Standard Thickness**

19.1.1 The applied thickness of the coating shall be determined according to the application noted in Table 3.

TABLE 3

<u>Application</u>	<u>Film Thickness</u>
Prime Coat where applicable	5 wet mils (1 dry mil)
First coat	22 wet mils (15 dry mils)
Second coat	22 wet mils (15 dry mils)
Third coat	22 wetmils (15 dry mils)
Fourth coat where necessary	22 wet mils (15 dry mil)

COUNTY OF ROCKLAND - DGS-PURCHASING
BLDG. A., 6TH FLOOR, 50 SANATORIUM RD, POMONA, NY 10970
TELEPHONE: 845-364-3820 / TELEFAX: 845-364-3809

TITLE: Asphalt Stamping

BID NUMBER: RFB-RC-2025-032

20. APPLICATOR TRAINING

- 20.1 The applicator shall be approved by the manufacturer for the application being applied. The applicator shall have a lead personnel on the project that has been trained by the manufacturer at least 12 months of starting the project. At least one of these trained personnel shall be on-site at all times during the project.

21. SAMPLES AND MOCK-UPS

- 21.1 Samples shall be provided to the owner (or owners representative) for approval prior to tender closing. Samples shall display the following:
- 21.1.1 Brick or Stone Pattern.
 - 21.1.2 Brick or Stone Color.
 - 21.1.3 Variations of the above if requested.
- 21.2 Coating samples and mockups are to be applied to an asphalt surface covering an area of no less than that of 96" X 96" area.
- 21.3 Approval of color and pattern to be provided in writing to the bidding contractor no less than 7 days prior to bid closing. Approved samples and mockups to be held by the owner for future on-site verification.

22. FIELD QUALITY CONTROL

- 22.1 **The contractor for work under this section shall maintain a quality control program specifically verifying compliance to these specifications. A daily log shall be kept making a record of all actions in the field. This log shall include the following:**
- 22.1.1 Surface preparation - start date and time.
 - 22.1.2 Photos of surface prior to start of preparation.
 - 22.1.3 Close-up photos of crack repairs (before and after) application.
 - 22.1.4 Ambient temperature - start and end of each day.
 - 22.1.5 Relative humidity - start and end of each day.
 - 22.1.6 Substrate surface temperature - start and end of each day.
 - 22.1.7 Photos of surface after application of each coat.
- 22.2 **NOTE:** On projects larger than 1,000 square feet, break the project into areas of approximately 1,000 square feet for the purpose of photo taking and record keeping. These areas should be numbered and recorded on the scaled drawing.

COUNTY OF ROCKLAND - DGS-PURCHASING
BLDG. A., 6TH FLOOR, 50 SANATORIUM RD, POMONA, NY 10970
TELEPHONE: 845-364-3820 / TELEFAX: 845-364-3809

TITLE: Asphalt Stamping

BID NUMBER: RFB-RC-2025-032

23. **DRY FILM THICKNESS**

- 23.1 The dry film thickness shall be confirmed by the owner (or owner's representative) on-site, during the application process.

METHOD: 2"x 4" lengths of duct- tape (or 2" x 4" thin plastic, glass, or metal plates) shall be secured to the substrate that will receive the coating. The tape will be randomly placed averaging one tape per 300 SQ.FT. These tapes shall be pre-marked (on the adhesive side) with location matching the marked, scaled drawing. The tape shall be removed within 1 hour after the final coat has been applied. These samples shall be kept by the owner (or owner's representative) for future verification of dry film thickness (if verification becomes necessary).

24. **AWARD**

- 24.1. Award shall be made to the lowest responsive, responsible bidder meeting the stated requirements of this bid.