

COUNTY OF ROCKLAND  
Department of General Services  
**Purchasing Division**

# Contract Award Notification

**Title:** **Laboratory Supplies**

**Contract Period:** March 9, 2020 through July 17, 2026

**Original Date of Issue:** March 9, 2020

**Date of Revision:** July 18, 2024

**S/C No:** S/C PC68667

**Catalog:** **Health and Hospitals**

**Authorized Users:** County Agencies

**Address Inquires To:**

**Name:** Michele Phillips  
**Title:** Principal Purchasing Clerk  
**Phone:** 845-364-3819  
**Fax:** 845-364-3809  
**E-mail:** phillipm@co.rockland.ny.us

**Description**

This contract is for various laboratory supplies.

Contract #	Vendor Number	Contractor & Address	Telephone No.
S/C PC68667	0000006556	Krackeler Scientific Inc. PO Box 1849 Albany, NY 12201 <a href="mailto:orders@krackeler.com">orders@krackeler.com</a>	800-334-7725

# County of Rockland CONTRACT

## Dept. of General Services

Purchasing Division  
50 Sanatorium Rd  
Bldg A, 6th Fl, Room 609  
POMONA NY 10970  
www.rcpurchasing.com

Dispatch via Print

<b>Contract ID</b> S/C PC68667	<b>Page</b> 1 of 1	
<b>Contract Dates</b> 03/09/2020 to 07/17/2026	<b>Currency</b> USD	
<b>Laboratory Supplies</b>	<b>Contract Maximum</b> 75,000.00	
<b>Freight Terms</b>	<b>Buyer Email</b> phillipm@co.rockland.ny.us	
<b>Buyer</b> PHILLIPS, MICHELE	<b>Phone</b> 845/364-2984	<b>Fax</b> 845/364-3809

**Supplier** 0000006556  
Krackeler Scientific, Inc.  
P.o. Box 1849  
Albany NY 12201-1849

Phone 800/334-7725  
Fax 518/462-6011  
orders@krackeler.com

Tax Exempt? Tax Exempt ID:

Line #	Supplier Item	Item Desc	Item ID	Price	UOM
1		Tubes, Safe-Lock Lids, 2.0 ml, 500 tubes/Each, odorless, Plastic, Clear Eppendorf #022363352, Krackeler #38-022363352-EA	17589000001	50.18000	Each
2		Bags, Whirl-Pak, Plastic, 2.25 ml thickness, 4 oz., 7-1/4" x 3", 500/pk, Yellow tape, Write on Bag, Sigma WPB01062WA, Krackeler #45-WPB01062WA-500EA-EA	49362070001	71.16000	Pack

PRICES, TERMS AND CONDITIONS ARE IN ACCORDANCE WITH STATE CONTRACT PC68667.

Authorized Signature

