

COUNTY OF ROCKLAND  
Department of General Services  
Purchasing Division

# Contract Award Notification

Title: Polymer For Centrifuges

Contract Period: March 26, 2019 through March 25, 2020 with 4 one-year options,  
Extend through March 25, 2021 with 3 one-year options,  
Extend through March 25, 2022 with 2 one-year options  
Extend through September 25, 2022, with one / 18-month option  
**Extend through March 25, 2023, w/ 12-month options**

Original Date of Issue: March 25, 2019

Date of Revision: **June 14, 2022**

**BID No:** RFB-RC-2019-009

**Catalog:** Wastewater Treatment

Authorized Users: Sewer District, All Political Subdivisions

Address Inquiries To:

Name: Ann Marie Curley, CPPB  
Title: Assistant Director of Purchasing  
Phone: (845) 364-3698  
Fax: (845) 364-3809  
E-mail: curleya@co.rockland.ny.us

### Description

This contract is to provide a liquid polymer suitable for use with the Rockland County Sewer District # 1 (RCSD#1) existing polymer feed system and centrifuges to dewater its anaerobically digested sewage sludge from approximately 1% solids to 26% solids. Minimum order Qty 4,000 gallons.

Contract #	Vendor Number	Contractor & Address	Telephone No.
BID 19-009	00000012061	Clean Waters 26808 County Route 3 Plessis, NY 13675 Contact: Stephen Wardell stewardell@cleanwaters.us	(315) 482-3787 <b>CELL:</b> (315) 778-5218 <b>FAX:</b> (315) 482-7082

# CUEAI ATIERS INC.

October 26, 2021

Ms. Ann Marie Curley, CPPB  
Assistant Director of Purchasing  
50 Sanatorium Road  
Bldg. A, 6th Floor  
Pomona, NY 10970

Re: RFB-RC-2019-009

Dear Ms. Curley:

Clean Waters respectfully requests a price increase for our polymer which we supply to Rockland County WPCP.

We have been hit with unprecedented cost increases on both raw materials and finished polymer.


Material	Current Pricing	Requested New Price
Charge-Pack Polymer	\$12.05/gallon	\$14.09/gallon

Supporting BLS indices are included on the subsequent pages and are outlined below. Points are calculated from December 2020 to the most recent available table on Bureau of Labor and Statistics, <https://data.bls.gov>

Freight 14% increase  
Water Treating Compounds 16% increase  
Plastics Material and Resins 43% increase  
Petro Products 63% increase

Thank you for your consideration in this matter.

Sincerely,



Stephen Wardell  
President



26808 County R. 3 Plessls, NY 13765  
voice: 315.482.3787 \* fax: 315.482.7082

[www.cleanwaters.us](http://www.cleanwaters.us)

# County of Rockland CONTRACT

## Dept. of General Services

Purchasing Division  
50 Sanatorium Rd  
Bldg A, 6th Fl, Room 609  
POMONA NY 10970  
www.rcpurchasing.com

Dispatch via Print

<b>Contract ID</b> BID 19-009	<b>Page</b> 1 of 1
<b>Contract Dates</b> 03/26/2019 to 03/25/2023	<b>Currency</b> USD
<b>Freight Terms</b> FOB Destination	<b>Contract Maximum</b> 1,151,257.60
<b>Buyer</b> CURLEY,ANNMARIE	<b>Buyer Email</b> curleya@co.rockland.ny.us
	<b>Phone</b> 845/364-3698
	<b>Fax</b> 845/364-3809

**Supplier** 0000012061  
Clean Waters, Inc.  
26808 Co. Rte 3  
Plessis NY 13675

Phone 315/482-3787  
Fax 802/331-1023  
tpeebibs@cleanwaters.us,stevewardel

Tax Exempt? Y Tax Exempt ID: 13-6007344

Line #	Supplier Item	Item Desc	Item ID	Price	UOM
1		POLYMER FOR CENTRIFUGES PER SPECIFICATIONS CHARGE PACK 285	88582010001	14.09000	Gallon

TERMS AND CONDITIONS OF RFB-RC-2019-009 INCORPORATED HEREIN BY REFERENCE.

Authorized Signature



COUNTY OF ROCKLAND - DGS-PURCHASING  
 BLDG. A., 2ND FLOOR, 50 SANATORIUM RD, POMONA, NY 10970  
 TELEPHONE: 845-364-3820 / TELEFAX: 845-364-3809

POLYMER FOR CENTRIFUGES - FURNISH AND  
 DELIVER

RFB-RC-2019-009

FORM - A

POLYMER TEST RESULTS FOR THE ROCKLAND COUNTY SEWER DISTRICT #1

COMPANY NAME: Clean Waters, Inc.

COMPANY REPRESENTATIVE: Steve Wardell

COMPANY PHONE 315-482-3787

COMPANY EMAIL: stewardell@cleanwaters.us

COMPANY FAX: \_\_\_\_\_

POLYMER NAME AND PRODUCT CODE NUMBER: Charge-Pack 285

DATES TESTED: 2/21 - 2/22/2019

SLUDGE DEWATERED: 89,619 GALLONS

COMMODITY CODE: 88582010001

AVERAGE OF SAMPLES TAKEN

FEED:	<u>1.26</u>	% SOLIDS
CENTRATE:	<u>479.17</u>	P. P. M.
CAKE:	<u>26.78</u>	% SOLIDS
POLY FEED:	<u>.42</u>	% SOLIDS

DRY POUNDS DEWATERED: 9,423

DRY TONS DEWATERED: 4.71

POLYMER USED: 46.75 GALLONS

GALLONS POLY / DRY TON SLUDGE DEWATERED: 9.92

(this figure shall be entered on the bid proposal page at the time of submittal)

DISTRICT REPRESENTATIVE SIGNATURE: \_\_\_\_\_

DATE: 2/20/19

COMPANY REPRESENTATIVE SIGNATURE: \_\_\_\_\_

DATE: 2/28/2019

Vendor shall review, sign and return (via fax) the results prior to the bid due date to RCSD#1 at 845-365-6686 - ATTN: Richard Hagen. Failure to acknowledge and confirm receipt of these results may deem your bid proposal non-responsive.

**Rockland County Sewer District # 1  
Centrifuge Polymer Performance Test Summary**

Year: 2019

Company: Clear Waters

Test Date: 2/21/2019

Time	Cake. %	Feed, %	Polymer, %	Centrate, mg/L
10:00 AM	25.84	1.31	0.38	470
11:00 AM	25.50	1.27	0.41	440
12:00 PM	25.77	1.18	0.43	470
1:00 PM	26.01	1.15	0.45	390
2:00 PM	26.09	1.19	0.37	370
3:00 PM	28.3	1.31	0.39	410
<b>Average</b>	26.25	1.24	0.41	425
<b>Max</b>	28.30	1.31	0.45	470
<b>Min</b>	25.50	1.15	0.37	370

Company: Clear Waters

Test Date: 2/22/2019

Time	Cake. %	Feed, %	Polymer, %	Centrate, mg/L
9:00 AM	25.4	1.55	0.43	520
10:00 AM	27.73	1.3	0.41	530
11:00 AM	27.8	1.25	0.46	620
12:00 PM	28.76	1.25	0.42	520
1:00 PM	24.93	1.24	0.41	500
2:00 PM	29.18	1.13	0.44	510
<b>Average</b>	27.3	1.29	0.43	533
<b>Max</b>	29.18	1.55	0.46	620
<b>Min</b>	24.93	1.13	0.41	500
<b>Specs</b>	<b>= &gt;26</b>			<b>&lt; 500</b>
<b>Total Average:</b>	<b>26.78</b>	<b>1.26</b>	<b>0.42</b>	<b>479.17</b>

**SAFETY DATA SHEET**

Revision Date: 05/23/2015

Print Date: 12/1/2015

SDS Number: R0557329

Version: 1.2

CHARGE PACK 285

663965

29 CFR 1910.1200 (OSHA HazCom 2012)

**SECTION 1. PRODUCT AND COMPANY IDENTIFICATION**

**Product identifier**

Trade name : CHARGE PACK 285

**Recommended use of the chemical and restrictions on use**

Use of the Substance/Mixture : Flocculating agent

<p><b>Details of the supplier of the safety data sheet</b> Solenis LLC 500 Hercules Road Wilmington Delaware 19808 United States of America  RegulatoryRequestsNA@solenis.com</p>	<p><b>Emergency telephone number</b> 1-844-SOLENIS (844-765-3647) / 606-329-5705  <b>Product Information</b> 1-844-SOLENIS (844-765-3647)</p>
-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	---------------------------------------------------------------------------------------------------------------------------------------------------------------

**SECTION 2. HAZARDS IDENTIFICATION**

**GHS Classification**

Skin irritation : Category 2

Specific target organ systemic toxicity - single exposure : Category 3 (Central nervous system)

**GHS Label element**

Hazard pictograms :



Signal Word : Warning

Hazard Statements : Causes skin irritation.  
May cause drowsiness or dizziness.

Precautionary Statements : **Prevention:**  
Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray.  
Wash skin thoroughly after handling.  
Use only outdoors or in a well-ventilated area.  
Wear protective gloves.

**SAFETY DATA SHEET**

Revision Date: 05/23/2015

Print Date: 12/1/2015

SDS Number: R0557329

CHARGE PACK 285

Version: 1.2

663965.

**Response:**

IF ON SKIN: Wash with plenty of soap and water.

IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or doctor/ physician if you feel unwell.

If skin irritation occurs: Get medical advice/ attention.

Take off contaminated clothing and wash before reuse.

**Storage:**

Store in a well-ventilated place. Keep container tightly closed.

Store locked up.

**Disposal:**

Dispose of contents/ container to an approved waste disposal plant.

**Other hazards**

Static Accumulating liquid

**SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Mixture

Chemical nature : Static Accumulator

Chemical nature : Defatter

**Hazardous components**

Chemical Name	CAS-No.	Classification	Concentration (%)
ALIPHATIC HYDROCARBON	254504001-5164	Flam. Liq. 4; H227 Skin Irrit. 2; H315 STOT SE 3; H336	>= 20.00 - < 30.00
ALCOHOL ALKOXYLATES	254504001-5466	Acute Tox. 4; H302 Skin Irrit. 2; H315 Eye Dam. 1; H318	>= 1.50 - < 5.00

Trade Secret Composition - Conceal the Identity + Concentration

**SECTION 4. FIRST AID MEASURES**

General advice : Move out of dangerous area.  
Call a POISON CENTRE or doctor/physician if exposed or

**SAFETY DATA SHEET**

Revision Date: 05/23/2015

Print Date: 12/1/2015

SDS Number: R0557329

CHARGE PACK 285

Version: 1.2

663965

you feel unwell.  
Show this safety data sheet to the doctor in attendance.  
Symptoms of poisoning may appear several hours later.  
Do not leave the victim unattended.

If inhaled : Move to fresh air.  
If unconscious place in recovery position and seek medical advice.  
Consult a physician after significant exposure.

In case of skin contact : First aid is not normally required. However, it is recommended that exposed areas be cleaned by washing with soap and water.

In case of eye contact : Flush eyes with water as a precaution.  
Remove contact lenses.  
Protect unharmed eye.  
If eye irritation persists, consult a specialist.

If swallowed : Obtain medical attention.  
Do NOT induce vomiting.  
Do not give milk or alcoholic beverages.  
Never give anything by mouth to an unconscious person.  
If symptoms persist, call a physician.

Most important symptoms and effects, both acute and delayed : Inhalation of high concentrations of this material, as could occur in enclosed spaces or during deliberate abuse, may be associated with cardiac arrhythmias. Sympathomimetic drugs may initiate cardiac arrhythmias in persons exposed to this material.  
This material is an aspiration hazard. Potential danger from aspiration must be weighed against possible oral toxicity (See Section 2 - Swallowing) when deciding whether to induce vomiting.  
Signs and symptoms of exposure to this material through breathing, swallowing, and/or passage of the material through the skin may include:  
stomach or intestinal upset (nausea, vomiting, diarrhea)  
irritation (nose, throat, airways)  
Lung irritation  
Drowsiness  
confusion  
irregular heartbeat  
Convulsions  
Causes skin irritation.  
May cause drowsiness or dizziness.

Notes to physician : No hazards which require special first aid measures.

**SECTION 5. FIREFIGHTING MEASURES**

Suitable extinguishing media : Use extinguishing measures that are appropriate to local



<b>SAFETY DATA SHEET</b>	Revision Date: 05/23/2015
	Print Date: 12/1/2015
	SDS Number: R0557329
CHARGE PACK 285	Version: 1.2
663965	

circumstances and the surrounding environment.

- Water spray
- Foam
- Carbon dioxide (CO<sub>2</sub>)
- Dry chemical

- Unsuitable extinguishing media : High volume water jet
- Specific hazards during firefighting : Do not allow run-off from fire fighting to enter drains or water courses.
- Hazardous combustion products : carbon dioxide and carbon monoxide  
Nitrogen oxides (NO<sub>x</sub>)  
Hydrocarbons  
toxic fumes
- Specific extinguishing methods :  
  
Product is compatible with standard fire-fighting agents.
- Further information : Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
- Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.

**SECTION 6. ACCIDENTAL RELEASE MEASURES**

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.  
Ensure adequate ventilation.  
Persons not wearing protective equipment should be excluded from area of spill until clean-up has been completed.
- Environmental precautions : Prevent product from entering drains.  
Prevent further leakage or spillage if safe to do so.  
If the product contaminates rivers and lakes or drains inform respective authorities.
- Methods and materials for containment and cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).  
Keep in suitable, closed containers for disposal.
- Other information : Comply with all applicable federal, state, and local regulations.

**SECTION 7. HANDLING AND STORAGE**

- Advice on safe handling : Avoid formation of aerosol.  
Provide sufficient air exchange and/or exhaust in work rooms.

**SAFETY DATA SHEET**

Revision Date: 05/23/2015

Print Date: 12/1/2015

SDS Number: R0557329

CHARGE PACK 285

Version: 1.2

663965

Do not breathe vapours/dust.  
Do not smoke.  
Container hazardous when empty.  
Avoid exposure - obtain special instructions before use.  
Smoking, eating and drinking should be prohibited in the application area.  
For personal protection see section 8.  
Dispose of rinse water in accordance with local and national regulations.

Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place.  
Containers which are opened must be carefully resealed and kept upright to prevent leakage.  
Observe label precautions.  
Electrical installations / working materials must comply with the technological safety standards.

**SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

**Components with workplace control parameters**

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
ALIPHATIC HYDROCARBON	254504001-5164	TWA	200 mg/m3 Non-aerosol (as total hydrocarbon vapor)	ACGIH
		REL	100 mg/m3	NIOSH/GUID E

**Engineering measures** : Provide sufficient mechanical (general and/or local exhaust) ventilation to maintain exposure below exposure guidelines (if applicable) or below levels that cause known, suspected or apparent adverse effects.

**Personal protective equipment**

Respiratory protection : In the case of vapour formation use a respirator with an approved filter.

A NIOSH-approved air-purifying respirator with an appropriate cartridge and/or filter may be permissible under certain circumstances where airborne concentrations are expected to exceed exposure limits (if applicable) or if overexposure has otherwise been determined. Protection provided by air-purifying respirators is limited. Use a positive pressure, air-supplied respirator if there is any potential for uncontrolled release, exposure levels are not known or any other circumstances where an air-purifying respirator may not

**SAFETY DATA SHEET**

Revision Date: 05/23/2015

Print Date: 12/1/2015

SDS Number: R0557329

CHARGE PACK 285

Version: 1.2

663965

provide adequate protection.

Hand protection

Remarks

: The suitability for a specific workplace should be discussed with the producers of the protective gloves.

Eye protection

: Wear chemical splash goggles when there is the potential for exposure of the eyes to liquid, vapor or mist.

Skin and body protection

: Wear as appropriate:  
impervious clothing  
Safety shoes  
Choose body protection according to the amount and concentration of the dangerous substance at the work place.  
Wear resistant gloves (consult your safety equipment supplier).

Hygiene measures

: Wash hands before breaks and at the end of workday.  
When using do not eat or drink.  
When using do not smoke.

**SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance

: viscous

Physical state

: liquid

Colour

: white

Odour

: mild, hydrocarbon-like

Odour Threshold

: No data available

pH

: ca. 3.7, Concentration: 10 g/l (20 °C)

Melting point/freezing point

: <5 °F / -15 °C

No data available

Boiling point/boiling range

: 217 °F / 103 °C

Flash point

: > 212 °F / > 100 °C  
Method: Cleveland open cup

Evaporation rate

: < 1

Flammability (solid, gas)

:

No data available

Flammability (liquids)

: Static Accumulating liquid

**SAFETY DATA SHEET**

Revision Date: 05/23/2015

Print Date: 12/1/2015

SDS Number: R0557329

Version: 1.2

CHARGE PACK 285

663965

- Flammability (liquids) :
  - Upper explosion limit : No data available
  - Lower explosion limit : No data available
- Vapour pressure : 23.3 hPa (20 °C)  
Method: ASTM D 2879-86
- Relative vapour density : No data available
- Relative density : 1.03 - 1.04
- Density : Approximate 1.03 g/cm3
- Solubility(ies)
  - Water solubility : soluble
  - Solubility in other solvents : No data available
- Partition coefficient: n-octanol/water : No data available
- Thermal decomposition : No data available
- Viscosity
  - Viscosity, dynamic : > 7 mPa.s (40 °C)
  - Viscosity, kinematic : > 20.5 mm2/s (40 °C)
- Oxidizing properties : No data available

---

**SECTION 10. STABILITY AND REACTIVITY**

- Reactivity : No decomposition if stored and applied as directed.
- Chemical stability : Stable under recommended storage conditions.
- Possibility of hazardous reactions : Product will not undergo hazardous polymerization.
- Conditions to avoid : Heat, flames and sparks.
- Incompatible materials : aluminum  
Copper  
Copper alloys  
Strong acids  
Strong bases  
Strong oxidizing agents  
strong reducing agents

**SAFETY DATA SHEET**

Revision Date: 05/23/2015

Print Date: 12/1/2015

SDS Number: R0557329

CHARGE PACK 285

Version: 1.2

663965

Hazardous decomposition products

carbon dioxide and carbon monoxide  
Hydrocarbons  
Nitrogen oxides (NOx)

**SECTION 11. TOXICOLOGICAL INFORMATION**

Information on likely routes of exposure : Inhalation  
Skin contact  
Eye Contact  
Ingestion

**Acute toxicity**

Not classified based on available information.

**Components:**

**ALIPHATIC HYDROCARBON:**

Acute oral toxicity : LD 50 (Rat): > 5,000 mg/kg

Acute inhalation toxicity : LC 50 (Rat, male and female): > 5.28 mg/l  
Exposure time: 4 h  
Test atmosphere: vapour  
Method: OECD Test Guideline 403  
Assessment: No adverse effect has been observed in acute inhalation toxicity tests.

Acute dermal toxicity : LD 50 (Rabbit): > 2,000 mg/kg  
Assessment: No adverse effect has been observed in acute dermal toxicity tests.

**ALCOHOL ALKOXYLATES:**

Acute oral toxicity : LD 50 (Rat): 1,380 mg/kg

**Skin corrosion/irritation**

Causes skin irritation.

**Product:**

Result: Possibly irritating to skin

Result: Repeated exposure may cause skin dryness or cracking.

**Components:**

**ALIPHATIC HYDROCARBON:**

Result: Irritating to skin

**ALCOHOL ALKOXYLATES:**

Result: Irritating to skin

**Serious eye damage/eye irritation**

Not classified based on available information.

<b>SAFETY DATA SHEET</b>	Revision Date: 05/23/2015
	Print Date: 12/1/2015
	SDS Number: R0557329
CHARGE PACK 285	Version: 1.2
663965	

**Product:**

Result: Possibly irritating to eyes

Remarks: Unlikely to cause eye irritation or injury.

**Components:**

ALIPHATIC HYDROCARBON:

Result: Mildly irritating to eyes

ALCOHOL ALKOXYLATES:

Result: Risk of serious damage to eyes.

**Respiratory or skin sensitisation**

Skin sensitisation: Not classified based on available information.

Respiratory sensitisation: Not classified based on available information.

**Germ cell mutagenicity**

Not classified based on available information.

**Carcinogenicity**

Not classified based on available information.

**Reproductive toxicity**

Not classified based on available information.

**STOT - single exposure**

May cause drowsiness or dizziness.

**Components:**

ALIPHATIC HYDROCARBON:

Assessment: May cause drowsiness or dizziness.

**STOT - repeated exposure**

Not classified based on available information.

**Aspiration toxicity**

Not classified based on available information.

**Further information**

**Product:**

Remarks: Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting., Concentrations substantially above the TLV value may cause narcotic effects., Solvents may degrease the skin.

**Carcinogenicity:**

**IARC**

No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

**OSHA**

No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

**NTP**

No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

**SAFETY DATA SHEET**

Revision Date: 05/23/2015

Print Date: 12/1/2015

SDS Number: R0557329

CHARGE PACK 285

Version: 1.2

663965

**SECTION 12. ECOLOGICAL INFORMATION****Ecotoxicity****Product:**

Toxicity to fish : LC 50 (Pimephales promelas (fathead minnow)): 11 mg/l  
Exposure time: 48 h

Toxicity to daphnia and other aquatic invertebrates : LC 50 (Water flea (Ceriodaphnia dubia)): 1.75 mg/l  
Exposure time: 48 h

**Components:****ALIPHATIC HYDROCARBON:**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 2 - 5 mg/l  
Exposure time: 96 h  
Test Type: semi-static test  
Test substance: WAF  
Method: OECD Test Guideline 203  
Remarks: Information given is based on data obtained from similar substances.

Toxicity to daphnia and other aquatic invertebrates : EL50 (Water flea (Daphnia magna)): 1.4 mg/l  
Exposure time: 48 h  
Test Type: static test  
Test substance: WAF  
Method: OECD Test Guideline 202  
Remarks: Information given is based on data obtained from similar substances.

Toxicity to algae : EL50 (Pseudokirchneriella subcapitata (green algae)): > 1 - 3 mg/l  
Exposure time: 72 h  
Test Type: static test  
Test substance: WAF  
Method: OECD Test Guideline 201  
Remarks: Information given is based on data obtained from similar substances.

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEL (Water flea (Daphnia magna)): 0.48 mg/l  
Exposure time: 21 d  
Test Type: semi-static test  
Test substance: WAF  
Method: OECD Test Guideline 211  
Remarks: Information given is based on data obtained from similar substances.

**ALCOHOL ALKOXYLATES:**

Toxicity to fish : LC50 (Fish): > 1 - 10 mg/l  
Exposure time: 96 h  
Test Type: static test

<b>SAFETY DATA SHEET</b>	Revision Date: 05/23/2015
	Print Date: 12/1/2015
	SDS Number: R0557329
CHARGE PACK 285	Version: 1.2
663965	

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia (water flea)): > 1 - 10 mg/l  
Exposure time: 48 h  
Test Type: static test

Toxicity to algae : ErC50 (Green algae): > 0.1 - 1.0 mg/l  
Exposure time: 96 h  
Test Type: static test

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : EC10 (Daphnia (water flea)): 0.17 mg/l  
Exposure time: 21 d

Ecotoxicology Assessment  
Acute aquatic toxicity : Very toxic to aquatic life.

**Persistence and degradability**

**Product:**

Biochemical Oxygen Demand (BOD) : Biochemical oxygen demand  
383,000 mg/l

Chemical Oxygen Demand (COD) : 1,930,000 mg/l  
Method: Chemical oxygen demand

**Components:**

**ALIPHATIC HYDROCARBON:**

Biodegradability : Result: Inherently biodegradable  
Biodegradation: 58.6 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301F

**ALCOHOL ALKOXYLATES:**

Biodegradability : Result: Readily biodegradable

**Bioaccumulative potential**

**Components:**

No data available

**Mobility in soil**

**Components:**

No data available

**Other adverse effects**

No data available

**Product:**

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal., Toxic to aquatic life with long lasting effects.

**Components:**



**SAFETY DATA SHEET**

Revision Date: 05/23/2015

Print Date: 12/1/2015

SDS Number: R0557329

CHARGE PACK 285

Version: 1.2

663965

**SECTION 13. DISPOSAL CONSIDERATIONS**

**Disposal methods**

General advice : The product should not be allowed to enter drains, water courses or the soil.  
Do not contaminate ponds, waterways or ditches with chemical or used container.  
Send to a licensed waste management company.

Dispose of in accordance with all applicable local, state and federal regulations.

Contaminated packaging : Empty remaining contents.  
Dispose of as unused product.  
Empty containers should be taken to an approved waste handling site for recycling or disposal.  
Do not re-use empty containers.

**SECTION 14. TRANSPORT INFORMATION**

**International transport regulations**

**REGULATION**

ID NUMBER	PROPER SHIPPING NAME	*HAZARD CLASS	SUBSIDIARY HAZARDS	PACKING GROUP	MARINE POLLUTANT / LTD. QTY.
-----------	----------------------	---------------	--------------------	---------------	------------------------------

**U.S. DOT - ROAD**

Not dangerous goods
---------------------

**U.S. DOT - RAIL**

Not dangerous goods
---------------------

**U.S. DOT - INLAND WATERWAYS**

Not dangerous goods
---------------------

**TRANSPORT CANADA - ROAD**

Not dangerous goods
---------------------

**TRANSPORT CANADA - RAIL**

Not dangerous goods
---------------------

**TRANSPORT CANADA - INLAND WATERWAYS**

Not dangerous goods
---------------------

**SAFETY DATA SHEET**

Revision Date: 05/23/2015

Print Date: 12/1/2015

SDS Number: R0557329

CHARGE PACK 285

Version: 1.2

663965

**INTERNATIONAL MARITIME DANGEROUS GOODS**

Not dangerous goods

**INTERNATIONAL AIR TRANSPORT ASSOCIATION - CARGO**

Not dangerous goods

**INTERNATIONAL AIR TRANSPORT ASSOCIATION - PASSENGER**

Not dangerous goods

**MEXICAN REGULATION FOR THE LAND TRANSPORT OF HAZARDOUS MATERIALS AND WASTES**

Not dangerous goods

\*ORM = ORM-D, CBL = COMBUSTIBLE LIQUID

Marine pollutant	yes
------------------	-----

Dangerous goods descriptions (if indicated above) may not reflect quantity, end-use or region-specific exceptions that can be applied. Consult shipping documents for descriptions that are specific to the shipment.

**SECTION 15. REGULATORY INFORMATION**

**SARA 311/312 Hazards** : Acute Health Hazard

**SARA 313 Component(s)** : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.  
**SARA 313**

**California Prop 65** : Proposition 65 warnings are not required for this product based on the results of a risk assessment.

**The components of this product are reported in the following inventories:**

TSCA : On TSCA Inventory

DSL : This product contains one or more components that are not on the Canadian DSL and have annual quantity limits.

AUSTR : On the inventory, or in compliance with the inventory

ENCS : On the inventory, or in compliance with the inventory

KECL : On the inventory, or in compliance with the inventory

**SAFETY DATA SHEET**

Revision Date: 05/23/2015

Print Date: 12/1/2015

SDS Number: R0557329

Version: 1.2

CHARGE PACK 285

663965

PHIL : On the inventory, or in compliance with the inventory

IECSC : On the inventory, or in compliance with the inventory

**Inventories**

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TSCA (USA)

**Registration: Trade Secret**

Chemical Name	Identification number
ALIPHATIC HYDROCARBON	254504001-5164
ALCOHOL ALKOXYLATES	254504001-5466

**SECTION 16. OTHER INFORMATION**

**Further information**

Revision Date: 05/23/2015

NFPA:	HMIS III:						
<p>Flammability</p> <p>Health</p> <p>Instability</p> <p>Special hazard.</p>	<table border="1"> <tbody> <tr> <td><b>HEALTH</b></td> <td style="text-align: center;"><b>1</b></td> </tr> <tr> <td><b>FLAMMABILITY</b></td> <td style="text-align: center;"><b>1</b></td> </tr> <tr> <td><b>PHYSICAL HAZARD</b></td> <td style="text-align: center;"><b>0</b></td> </tr> </tbody> </table> <p>0 = not significant, 1 = Slight, 2 = Moderate, 3 = High 4 = Extreme, * = Chronic</p>	<b>HEALTH</b>	<b>1</b>	<b>FLAMMABILITY</b>	<b>1</b>	<b>PHYSICAL HAZARD</b>	<b>0</b>
<b>HEALTH</b>	<b>1</b>						
<b>FLAMMABILITY</b>	<b>1</b>						
<b>PHYSICAL HAZARD</b>	<b>0</b>						

**NFPA Flammable and Combustible Liquids Classification**

Combustible Liquid Class IIIB

**Full text of H-Statements referred to under sections 2 and 3.**

- H227 Combustible liquid.
- H302 Harmful if swallowed.
- H315 Causes skin irritation.
- H318 Causes serious eye damage.
- H336 May cause drowsiness or dizziness.

Sources of key data used to compile the Safety Data Sheet

Key literature references and sources of data

SOLENIS Internal data

SOLENIS internal data including own and sponsored test reports

**SAFETY DATA SHEET**

Revision Date: 05/23/2015

Print Date: 12/1/2015

SDS Number: R0557329

Version: 1.2

CHARGE PACK 285

663965

The UNECE administers regional agreements implementing harmonised classification for labelling (GHS) and transport.

The information accumulated herein is believed to be accurate but is not warranted to be whether originating with the company or not. Recipients are advised to confirm in advance of need that the information is current, applicable, and suitable to their circumstances. This MSDS has been prepared by the Solenis Environmental Health and Safety Department.

List of abbreviations and acronyms that could be, but not necessarily are, used in this safety data sheet :

ACGIH : American Conference of Industrial Hygienists

BEI : Biological Exposure Index

CAS : Chemical Abstracts Service (Division of the American Chemical Society).

CMR : Carcinogenic, Mutagenic or Toxic for Reproduction

FG : Food grade

GHS : Globally Harmonized System of Classification and Labeling of Chemicals.

H-statement : Hazard Statement

IATA : International Air Transport Association.

IATA-DGR : Dangerous Goods Regulation by the "International Air Transport Association" (IATA).

ICAO : International Civil Aviation Organization

ICAO-TI (ICAO) : Technical Instructions by the "International Civil Aviation Organization"

IMDG : International Maritime Code for Dangerous Goods

ISO : International Organization for Standardization

logPow : octanol-water partition coefficient

LCxx : Lethal Concentration, for xx percent of test population

LDxx : Lethal Dose, for xx percent of test population.

ICxx : Inhibitory Concentration for xx of a substance

Ecxx : Effective Concentration of xx

N.O.S.: Not Otherwise Specified

OECD : Organization for Economic Co-operation and Development

OEL : Occupational Exposure Limit

P-Statement : Precautionary Statement

PBT : Persistent , Bioaccumulative and Toxic

PPE : Personal Protective Equipment

STEL : Short-term exposure limit

STOT : Specific Target Organ Toxicity

TLV : Threshold Limit Value

TWA : Time-weighted average

vPvB : Very Persistent and Very Bioaccumulative

WEL : Workplace Exposure Level

CERCLA : Comprehensive Environmental Response, Compensation, and Liability Act

DOT : Department of Transportation

FIFRA : Federal Insecticide, Fungicide, and Rodenticide Act

HMIRC : Hazardous Materials Information Review Commission

HMIS : Hazardous Materials Identification System

NFPA : National Fire Protection Association

NIOSH : National Institute for Occupational Safety and Health

OSHA : Occupational Safety and Health Administration

PMRA : Health Canada Pest Management Regulatory Agency

RTK : Right to Know

WHMIS : Workplace Hazardous Materials Information System

**SAFETY DATA SHEET**

Revision Date: 05/23/2015

Print Date: 12/1/2015

SDS Number: R0557329

CHARGE PACK 285

Version: 1.2

663965

**COUNTY OF ROCKLAND - DGS-PURCHASING**  
BLDG. A., 2ND FLOOR, 50 SANATORIUM RD, POMONA, NY 10970  
TELEPHONE: 845-364-3820 / TELEFAX: 845-364-3809

**POLYMER FOR CENTRIFUGES – FURNISH AND  
DELIVER**

**RFB-RC-2019-009**

## PURCHASES BY OTHER

### LOCAL GOVERNMENTS, SCHOOL DISTRICTS, AND NON PROFIT AGENCIES

As per the New York State General Municipal Law, all political subdivisions of New York State are allowed to make purchases through the resulting contract(s). As per Rockland County Procurement Policy, Non Profit Agencies approved to participate in New York State's Contract Extension Program are authorized to make purchases through the resulting contract(s).

1. The County of Rockland shall make all contract award information available to other political subdivisions and non profit agencies through our website: [www.rcpurchasing.com](http://www.rcpurchasing.com)
2. Any other political subdivision or Rockland County non profit agency will issue purchase orders directly to vendors within the specified contract period referencing the County's contract and shall be liable for any payments due on such purchase orders; and shall accept sole responsibility for any payment due.
3. All purchases shall be subject to audit and inspection by the other political subdivisions and Rockland County non profit agencies for which the purchase was made.
4. No officer, board or agency of a county, town, village, or school district shall make any purchase through the County when bids have been received for such purchase by such officer, board or agency, unless such purchase may be made upon the same terms, conditions and specifications at a lower price through the County.
5. All Bidders shall be on notice that as a condition of the award of a County contract, the successful bidder shall accept the award of a similar contract with any other political subdivision in New York State and Rockland County non profit agencies authorized to use New York State's contracts, if called upon to do so. A listing of approved Rockland County non profit agencies is available on the Purchasing Division's website at [www.rcpurchasing.com](http://www.rcpurchasing.com). The County, however, will not be responsible for any debts incurred by the participants pursuant to this or any other agreement.
6. Necessary deviations from the County's specifications in the award of a participant contract, whether such deviations relate to quantities, or delivery points shall be resolved between the successful bidder and the other political subdivisions and Rockland County non profit agencies.

**COUNTY OF ROCKLAND - DGS-PURCHASING**  
 BLDG. A., 2ND FLOOR, 50 SANATORIUM RD, POMONA, NY 10970  
 TELEPHONE: 845-364-3820 / TELEFAX: 845-364-3809

**POLYMER FOR CENTRIFUGES – FURNISH AND DELIVER**

**RFB-RC-2019-009**

## **SPECIFICATIONS**

### **1. SCOPE**

- 1.1. Provide a liquid polymer suitable for use with the Rockland County Sewer District # 1 (RCSD#1) existing polymer feed system and centrifuges to dewater its anaerobically digested sewage sludge from approximately 1% solids to 26% solids.
  - 1.1.1. The centrifuges are Model No. CA 505, manufactured by Westfalia Separator Inc, Northvale, New Jersey.
  - 1.1.2. The sludge is a mixture of primary and Secondary RBC sludge which has been anaerobically digested.
  - 1.1.3. Bulk deliveries 4,000 – 5,000 gallons to the above ground tank located at the RCSD#1 plant facility located at 4 Route 340 Orangeburg, NY 10962.
    - 1.1.3.1. Deliveries are required within one (1) week ARO.
  - 1.1.4. Current provider Clean waters – Charge Pack 285.

### **2. MANDATORY REQUIREMENTS**

- 2.1. Each bidder shall prequalify by scheduling a Bench and Performance Test of vendor product(s) to determine their ability to meet RCSD#1 specifications.
  - 2.1.1. Vendors need to bench test their products before they will be allowed to participate in the performance testing.
  - 2.1.2. **Vendors wishing to obtain dewatering feed samples from District to bench test their products must submit their request to Richard Hagen – PHONE: 845-365-6466 no later than January 25, 2019 by 3:30 p.m.**
  - 2.1.3. After bench testing is completed, performance testing will be conducted at the District's Facility in Orangeburg, NY. **ALL Bench Tests and Performance Test shall be completed no later than February 22, 2019 by 3:30 p.m. To schedule and test date contact Richard Hagen at 845-365-6466.**
    - 2.1.3.1. All Polymer required for the performance test shall be provided by the prospective bidder at no cost to the RCSD#1.
    - 2.1.3.2. Vendors are responsible for removing polymer drums, containers, etc. used for their polymer test runs.
      - 2.1.3.2.1. Vendor will provide a deposit in the form of a check for \$500.00 made payable to the Rockland County Sewer District #1 before performing a bench and performance test.
      - 2.1.3.2.2. This deposit is to cover the costs associated with removal of polymer drums, containers, etc. used for their polymer test runs. If the vendor opts to remove their drums, containers, etc., themselves, then the deposit will be returned after drum removal. If the vendor does not bring the deposit before their scheduled bench and performance test they will not be permitted to test.

**COUNTY OF ROCKLAND - DGS-PURCHASING**  
 BLDG. A., 2ND FLOOR, 50 SANATORIUM RD, POMONA, NY 10970  
 TELEPHONE: 845-364-3820 / TELEFAX: 845-364-3809

**POLYMER FOR CENTRIFUGES – FURNISH AND DELIVER**

**RFB-RC-2019-009**

- 2.1.3.3. Performance test shall be conducted for two consecutive days, eight hours per day, utilizing one of the Rockland County Sewer District # 1 centrifuges dewatering approximately 45,000 gallons of sludge per day.
- 2.1.3.4. The testing shall be performed between 7:00 a.m. and 3:30 p.m., Monday through Friday, at the convenience of the RCSD# 1.
- 2.1.3.5. All laboratory analyses shall be conducted by the RCSD#1 laboratory, the results of which shall be final.
- 2.1.3.6. The total suspended solids in the filtrate shall not exceed 500 mg/1. The quality of the filtrate shall not be of a nature that upsets the treatment plant process.
- 2.1.3.7. The anticipated quantity of sludge to be dewatered is approximately 45,000gallons per day at 1.0% - 2% solids.
- 2.1.3.8. The sludge cake % solids must average 26% or greater at the time of the performance test.
- 2.1.3.9. **FORM A** – This form detailing the polymer test results will be completed by the RCSD#1 for each test day.
  - 2.1.3.9.1. At the completion of the performance test, the RCSD#1 shall fax the test results to the vendor.
  - 2.1.3.9.2. Vendor shall review, sign and fax the results prior to the bid due date to RCSD#1 at 845-365-6686 – ATTN: Richard Hagen.
  - 2.1.3.9.3. Failure to acknowledge and confirm receipt of these results may deem your bid proposal non-responsive.

**3. BACKGROUND**

- 3.1. On March 26, 2013 solicitation RFB-RC-2013-018 to provide polymer for centrifuges was awarded at the bid price of \$11.18 per gallon.
- 3.2. Quantities are not guaranteed. RCSD#1 will order polymer on an as needed basis.
- 3.3. Below is the usage commencing on 03/26/2013 through 12/31/2018.

<b>Total Expenditures</b>	<b>\$11.18 per Gallon</b>		
<b>2013 Expenses</b>	<b>\$189,425.54</b>	<b>16,943.25</b>	<b>gallons</b>
<b>2014 Expenses</b>	<b>\$123,457.40</b>	<b>11,042.70</b>	<b>gallons</b>
<b>2015 Expenses</b>	<b>\$248,715.09</b>	<b>22,246.43</b>	<b>gallons</b>
<b>2016 Expenses</b>	<b>\$193,837.84</b>	<b>17,337.91</b>	<b>gallons</b>
<b>2017 Expenses</b>	<b>\$222,386.42</b>	<b>19,891.45</b>	<b>gallons</b>
<b>2018 Expenses</b>	<b>\$238,398.74</b>	<b>21,323.68</b>	<b>gallons</b>

**NOTE: Current contract expires 03/25/2019**



**COUNTY OF ROCKLAND - DGS-PURCHASING**  
 BLDG. A., 2ND FLOOR, 50 SANATORIUM RD, POMONA, NY 10970  
 TELEPHONE: 845-364-3820 / TELEFAX: 845-364-3809

**POLYMER FOR CENTRIFUGES – FURNISH AND DELIVER**

**RFB-RC-2019-009**

#### 4. PRICE

- 4.1. At the time of bid submittal, vendor shall enter the GALLONS POLY / DRY TON SLUDGE DEWATERED on the proposal page. This figure shall correspond with the figure calculated on the performance test result FORM A.
- 4.2. At the time of bid submittal, vendor shall enter the per gallon price.
- 4.3. The per lb. price shall be entered and used for information purposes only.

#### 5. CONTRACT PRICE ADJUSTMENTS UPON RENEWAL

- 5.1. The proposed rates shall remain firm through the first contract period with no price adjustments allowed. If the County exercises any of the option years of the contract, Contractors may submit a request for adjustment on the yearly anniversary date of the contract. Any request for price adjustment(s) shall be submitted thirty (30) days in advance of the anniversary date in writing to the Director of Purchasing. Any and all price adjustments shall be limited to the percentage increase in PPI Index Chemical Mfg. - PCU325---325 for the preceding Twelve (12) months. The County reserves the right to reject any request for price increase deemed excessive.

#### 6. AWARD

- 6.1. This bid is being awarded to the lowest responsible responsive bidder on the basis of the Polymer performance test and bid price which results in a cost for Polymer per dry ton of sludge dewatered.
  - 6.1.1. The lowest bidder shall be determined on the basis of maximum yield. **YIELD IS DEFINED AS “COST OF POLYMER USED PER DRY TON OF SLUDGE DEWATERED”.**
  - 6.1.2. Vendor will be paid for the quantity of polymer required based on your pre-bid performance test regardless of whether more polymer is required to dewater the sludge to the specified % solids.
- 6.2. On a monthly basis, the RCSD#1 will evaluate its polymer usage per dry ton of sludge dewatered and compare same to the pre-bid performance test. The contractor will be notified, in writing, if polymer usage per dry ton exceeds the pre-bid performance test. The contractor will be required to investigate and rectify the reasons within thirty days.
  - 6.2.1. Failure to satisfactorily correct the above situation may result in termination of your award of this bid, at which time the County may review and may award the balance of the contract to the 2<sup>nd</sup> lowest, responsive responsible bidder.
  - 6.2.2. Should it be determined by the contractor and RCSD#1 that operator behavior or any action by the RCSD#1 is the cause of the excess polymer, the contractor shall be notified, via written amendment, as specified above and shall be paid for the quantity of polymer used.
- 6.3. Winning bidder is responsible to clean on site polymer storage tanks and dispose of old polymer prior to first shipment. Temporary space packs are to be provided to avoid any interruption of the sludge dewatering during this process.

COUNTY OF ROCKLAND - DGS-PURCHASING  
BLDG. A., 2ND FLOOR, 50 SANATORIUM RD, POMONA, NY 10970  
TELEPHONE: 845-364-3820 / TELEFAX: 845-364-3809

POLYMER FOR CENTRIFUGES – FURNISH AND DELIVER

RFB-RC-2019-009

**7. ADDITIONAL INFORMATION NEEDED TO BE SUBMITTED WITH BID – ELECTRONIC BID SUBMISSIONS SHALL PROVIDE THE FOLLOWING INFORMATION IN ACCORANCE WITH THE INSTRUCTIONS PROVIDED – RESPONSES TO BE ENTERED ELECTRONICALLY THROUGH THE BONFIR PORTAL.**

- 7.1. Safety Data Sheet and Toxicity data from original manufacturer.
- 7.2. Contractor shall provide five (5) agencies currently using the polymer being offered for municipal sludge dewatering on centrifuges, (see experience form). Agencies listed shall be using this product for a minimum of one (1) year.

7.2.1. EXPERIENCE

7.2.1.1. Contractor shall document their firm has been in business providing specified polymer of similar specification and quantities for a minimum period of no less than five (5) years.

- 7.3. The shelf life of the product.
- 7.4. Minimum order quantity \_\_\_\_\_ gallons.
- 7.5. MATERIAL POLYMER MANUFACTURER: \_\_\_\_\_
- 7.6. ADDRESS: \_\_\_\_\_
- 7.7. PHONE NUMBER: \_\_\_\_\_
- 7.8. LOCAL REPRESENTATIVE’S NAME: \_\_\_\_\_
- 7.9. ADDRESS: \_\_\_\_\_
- 7.10. NAME OF CONTACT PERSON: \_\_\_\_\_ TELEPHONE: \_\_\_\_\_